Index of Issues: July, pp. 1-194; August, pp. 195-466; September, pp. 467-730; October, pp. 731-1028; November, pp. 1029-1270; December, pp. 1271-1672.

SUBJECT INDEX TO VOLUME 87

Entries from JOURNAL departments are identified as follows: Case Reports—(CR); Clinical Investigations—(CI); Correspondence—(CO); Editorial Views—(EV); Educational Material—(EM); Highlights—(HI); Laboratory Investigations—(LI); Laboratory Reports—(LR); Medical Intelligence Article—(MI); Practice Guidelines—(PG); Reports of Scientific Meetings—(SM); Review Article—(RA); Special Article—(SA); Web Site—(WS).

A

Academics, See under Education

Acetaminophen, See under Analgesics; Pharmacology

Acetaminophen absorption test, See under Measurement techniques

Acetylcholine, See under Neurotransmitters; Pharmacology Acid-base equilibrium

acidosis

dilutional

mechanism of (CO) [Dorje, Adhikary, McLaren & Bogush],

mechanism of (CO) [Khorasani, Appavu & Saatee], 1012 mechanism of (CO) [Mathes & Morell], 1013

hyperchloremic nonanion gap

mechanism of (CO) [Miller & Waters], 1009

mechanism of (CO) [Russo], 1010

lactic

as perioperative complication of antidiabetic biguanide medication (CR) [Mercker, Maier, Neumann & Wulf], 1003

acidosis, respiratory

hypercapnia

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperkul, 1428

in massive grain aspiration (CR) [Slinger, Blundell & Metcalf],

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

hypocapnia

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

normocapnia

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

hypercapnia

permissive, and tracheal expiratory washout (HI) (CI) [Kalfon, Rao, Gallart, Puybasset, Coriat & Rouby], 6

Acidosis, See under Acid-base equilibrium Action potential duration, See under Heart Activated clotting time, See under Blood Acute chest syndrome, See under Complications Adenosine, See under Pharmacology Adenosine receptors, *See under* Receptors Adenosine triphosphate, *See under* Metabolism Administration

oral

clonidine and cerebral blood flow velocity (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

 α_2 -Adrenergic agonists, See under Sympathetic nervous system

 α_2 -Adrenoceptor agonists, See under Sympathetic nervous system

α-Adrenoreceptors, See under Receptors

Adverse outcomes, See under Outcome(s)

Age factors

aged patients

air embolism associated with cardiac surgery (EV) [Mangano], 476

children

cerebral emboli during cardiac surgery in (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

incidence of delirium during recovery from sevoflurane in (CI) [Aono, Ueda, Mamiya, Takimoto & Manabe], 1298

and role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

Aging, See under Age factors; Pharmacokinetics Agonists

gonists kainic acid

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

N-methyl-D-aspartate

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

receptor

nociceptin

and neuropathic pain (LI) [Yamamoto & Nozaki-Taguchi], 1145

Air embolism, See under Embolism

Airway

management

extubation to difficult airway (CO) [Cooper], 460

intravenous erythromycin to promote gastric emptying (CR) [Koop, Mayer & Shaheen], 703

kinking of proximal end of nasal RAE tube after intubation (CO) [Benumof], 185

kinking of proximal end of nasal RAE tube after intubation (CO) [Preis], 184

laryngeal mask airway in, cuff pressure of, and throat discomfort (CI) [Rieger, Brunne & Striebel], 63

Index of Issues: July, pp. 1-194; August, pp. 195-466; September, pp. 467-730; October, pp. 731-1028; November, pp. 1029-1270; December, pp. 1271-1672.

SUBJECT INDEX TO VOLUME 87

Entries from JOURNAL departments are identified as follows: Case Reports—(CR); Clinical Investigations—(CI); Correspondence—(CO); Editorial Views—(EV); Educational Material—(EM); Highlights—(HI); Laboratory Investigations—(LI); Laboratory Reports—(LR); Medical Intelligence Article—(MI); Practice Guidelines—(PG); Reports of Scientific Meetings—(SM); Review Article—(RA); Special Article—(SA); Web Site—(WS).

A

Academics, See under Education

Acetaminophen, See under Analgesics; Pharmacology

Acetaminophen absorption test, See under Measurement techniques

Acetylcholine, See under Neurotransmitters; Pharmacology Acid-base equilibrium

acidosis

dilutional

mechanism of (CO) [Dorje, Adhikary, McLaren & Bogush],

mechanism of (CO) [Khorasani, Appavu & Saatee], 1012 mechanism of (CO) [Mathes & Morell], 1013

hyperchloremic nonanion gap

mechanism of (CO) [Miller & Waters], 1009

mechanism of (CO) [Russo], 1010

lactic

as perioperative complication of antidiabetic biguanide medication (CR) [Mercker, Maier, Neumann & Wulf], 1003

acidosis, respiratory

hypercapnia

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperkul, 1428

in massive grain aspiration (CR) [Slinger, Blundell & Metcalf],

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

hypocapnia

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

normocapnia

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

hypercapnia

permissive, and tracheal expiratory washout (HI) (CI) [Kalfon, Rao, Gallart, Puybasset, Coriat & Rouby], 6

Acidosis, See under Acid-base equilibrium Action potential duration, See under Heart Activated clotting time, See under Blood Acute chest syndrome, See under Complications Adenosine, See under Pharmacology Adenosine receptors, *See under* Receptors Adenosine triphosphate, *See under* Metabolism Administration

oral

clonidine and cerebral blood flow velocity (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

 α_2 -Adrenergic agonists, See under Sympathetic nervous system

 α_2 -Adrenoceptor agonists, See under Sympathetic nervous system

α-Adrenoreceptors, See under Receptors

Adverse outcomes, See under Outcome(s)

Age factors

aged patients

air embolism associated with cardiac surgery (EV) [Mangano], 476

children

cerebral emboli during cardiac surgery in (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

incidence of delirium during recovery from sevoflurane in (CI) [Aono, Ueda, Mamiya, Takimoto & Manabe], 1298

and role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

Aging, See under Age factors; Pharmacokinetics Agonists

gonists kainic acid

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

N-methyl-D-aspartate

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

receptor

nociceptin

and neuropathic pain (LI) [Yamamoto & Nozaki-Taguchi], 1145

Air embolism, See under Embolism

Airway

management

extubation to difficult airway (CO) [Cooper], 460

intravenous erythromycin to promote gastric emptying (CR) [Koop, Mayer & Shaheen], 703

kinking of proximal end of nasal RAE tube after intubation (CO) [Benumof], 185

kinking of proximal end of nasal RAE tube after intubation (CO) [Preis], 184

laryngeal mask airway in, cuff pressure of, and throat discomfort (CI) [Rieger, Brunne & Striebel], 63

mandibular advancement in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

nasogastric tube as aid in blind nasotracheal intubation (CO) [Sugiura, Yamada, Kainuma & Miyake], 449

oxygen insufflation through fiberscope to assist intubation not recommended (CO) [Hannenberg & Hershey], 184

oxygen insufflation through fiberscope to assist intubation not recommended (CO) [Ovassapian & Mesnick], 183

suction catheter-guided nasotracheal intubation (CO) [Lee & Yang], 449

usable *versus* overall tracheal tube length for (CO) [Asai], 173 usable *versus* overall tracheal tube length for (CO) [Harvey, Bailey & Cooke], 173

via laryngeal mask airway, oversize endotracheal tubes and (CO) [Preis & Preis], 187

mandibular advancement

in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

mucosal lining of, lidocaine to topically anesthetize (CO) [Benumof], 1598

obstruction

mandibular advancement in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

spillage of cystic pulmonary masses into, during anesthesia (CR) [Politis, Baumann & Hubbard], 693

trachea

smooth muscle

halothane attenuation of calcium sensitivity in (LI) [Bremerich, Hirasaki, Jones & Warner], 94

Alanine aminotransferase, See under Enzymes

Albumin, See under Protein(s)

Alcohol

ethanol

platelet aggregation inhibited by sevoflurane, or by? (CO) [Aoki & Mizobe], 1016

platelet aggregation inhibited by sevoflurane, or by? (CO) [Hirakata & Nakamura], 1016

Alfentanil, See under Analgesics; Analgesics, opioid; Anesthetics, intravenous; Potency, anesthetic

Alkyl phenol, See under Hypnotics, barbiturates

anaphylactic reactions

temperature increases during (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

anaphylactoid reaction

anaphylaxis

after cisatracurium (CR) [Clendenen, Harper, Wharen & Guarderas], 690

anaphylactoid reactions

temperature increases during (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

anaphylatoxin

in recipient of allogeneic blood transfusion (CI) [Åvall, Hyliner, Bengtson, Carlsson & Bengtson], 511

Allodynia, See under Pain

Ambulatory anesthesia, See under Anesthesia Ambulatory care, See under Anesthesia, ambulatory Ambulatory surgery, See under Surgery American Society of Anesthesiologists, See under Organizations

Aminoguanidine, See under Pharmacology

AMPA, See under Receptors, glutamate

AMPA receptors, See under Receptors Analgesia

epidural

epinephrine and clonidine in (CI) [Curatolo, Petersen-Felix, Arendt-Nielsen & Zbinden], 785

and incidence of cesarean section (EV) [Chestnut], 472

intrinsic activity

of systemic *versus* intrathecal opioids in rats, assessment of (HI) (LR) [Abram, Mampilly & Milosavljevic], 127

of morphine and morphine-6-glucuronide after short term intravenous administration (CI) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

pair

and sevoflurane effects in humans (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082 patient-controlled

and incidence of cesarean section (EV) [Chestnut], 472

opioid-sparing effects of naloxone in (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

versus epidural analgesia during labor, cesarean delivery and (CD) [Sharma, Sidawi, Ramin, Lucas, Leveno & Cunningham], 487

postoperative

opioid-sparing effects of naloxone in (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

preemptive

intrathecal, in comparative study on incisional pain in rat (LI) [Brennan, Umali & Zahn], 1517

spinal

spinal α_2 agonists increase acetylcholine and norepinephrine (LI) [Klimscha, Tong & Eisenach], 110

tizanidine and clonidine with lidocaine for, in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436

Analgesics

acetaminophen

rectal

twenty-four-hour pharmacokinetics of, in children (CI) [Birmingham, Tobin, Henthorn, Fisher, Berkelhamer, Smith, Fanta & Coté], 244

alfentanil

and remifentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

narcotic

alfentanil

pupillary effects of (CI) [Larson, Kurz, Sessler, Dechert, Bjorksten & Tayefeh], 849

fentanyl

and cardiac mechanoenergetics (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński],

intrathecal, dysphagia with (CR) [Currier, Levin & Campbell], 1570

rigidity induced by, cerulospinal glutamate receptors in (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

meperidine

during labor, cesarean delivery following (CI) [Sharma, Sidawi, Ramin, Lucas, Leveno & Cunningham], 487

morphine

and clonidine, interactions in gastrointestinal transit (CO)
[Asai & Mapleson], 1256

and clonidine, interactions in gastrointestinal transit (CO) [Puigl, 1256

and morphine-6-glucuronide, lack of analgesic activity (Ci) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

preemptive intrathecal, in comparative study on incisional pain in rat (LI) [Brennan, Umali & Zahn], 1517

opiates

development of insensitivity to (EV) [Maze], 1033 effects on kinase signaling cascades (EV) [Maze], 1032 effects on kinase signaling cascades (LI) [Gutstein, Rubie, Mansour, Akil & Woodgett], 1118

opioids

delay in gastric emptying induced by (CI) [Murphy, Sutton, Prescott & Murphy], 765

delay in gastric emptying induced by (EV) [Rosow], 736 sufentanil

intrathecal, for labor (CI) [Riley, Walker, Hamilton & Cohen], 874

vocal cord closure after anesthesia with (CI) [Bennett, Abrams, VanRiper & Horrow], 1070

opioid

alfentanil

in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

fentanyl

in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

morphine

patient-administered, opioid-sparing effects of naloxone in (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

vs. remifentanil for postoperative analgesia (CI) [Yarmush, D'Angelo, Kirkhart, O'Leary, Pitts, Graf, Sebel, Watkins, Miguel, Streisand, Maysick & Vujic], 235

remifentanil

vs. morphine for postoperative analgesia (CI) [Yarmush, D'Angelo, Kirkhart, O'Leary, Pitts, Graf, Sebel, Watkins, Miguel, Streisand, Maysick & Vujic], 235

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

versus remifentanil/midazolam for ambulatory surgery during monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

sufentanil

and NHE inhibitors, interaction between, in myocardial ischemia (LI) [Mathur & Karmazyn], 1460

in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Coxl. 36

remifentanil

and alfentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

Anaphylactic reaction, See under Complications

Anaphylactic shock, See under Shock Anaphylatoxin, See under Allergy

Anaphylaxis, See under Allergy

Anatomy

chest wall

rigidity

vocal cord closure due to, after sufentanil-induced anesthesia (CI) [Bennett, Abrams, VanRiper & Horrow], 1070

mandible

advancement of, in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

pharynx

patency of, in response to mandibular advancement in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

popliteal fossa

sciatic nerve block in (CI) [Benzon, Kim, Benzon, Silverstein, Jericho, Prillaman & Buenaventura], 547

shoulder

surgery

patient-controlled analgesia after (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

uterus

relaxation of, nitroglycerin for (CO) [Bell], 717

relaxation of, nitroglycerin for (CO) [Langevin], 716

vocal cord

closure after sufentanil-induced anesthesia (CI) [Bennett, Abrams, VanRiper & Horrow], 1070

Anemia, See under Blood

Anesthesia

ambulatory

outpatient global and anesthesia satisfaction in (CI) [Tong, Chung & Wong], 856

remifentanil versus remifentanil/midazolam for monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

anesthesia adjuvants

midazolam

and remifentanil *versus* remifentanil for ambulatory surgery during monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

anesthesia-related deaths

during obstetric delivery in United States. 1979-1990 (CO) [Hawkins], 1007

during obstetric delivery in United States. 1979-1990 (CO) [Hawkins], 1008

balanced

in carrageenin-injected rats (LI) [Fletcher, Benoist, Gautron & Guilbaud], 317

and baroreflexes (MI) [Baum & Palmisano], 1529

cardiac

task distribution, workload, and vigilance during (HI) (SA) [Weinger, Herndon & Gaba], 144

cardiovascular

and arterial embolization during laser revascularization (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Eschl. 58

cardiovascular effects

arterial to end-tidal gradients and (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients and (CO) [Shankar & Mushlin], 1596

arterial to end-tidal gradients and (CO) [Steinbrook & Datta], 1596

claims

analysis

of adverse anesthetic outcomes arising from gas delivery equipment (CI) [Caplan, Vistica, Posner & Cheney], 741

complications, See under Complications

cost

surrogate endpoints and neuromuscular recovery (EV) [Kopmanl, 1029

costs

and implementation of pharmaceutical practice guidelines (CO) [Bailey & Egan], 1583

and implementation of pharmaceutical practice guidelines (CO) [Lubarsky], 1584

and implementation of pharmaceutical practice guidelines (CO) [Lubarsky], 1586

and implementation of pharmaceutical practice guidelines (CO) [Lubarsky], 1587

and implementation of pharmaceutical practice guidelines (CO) [Riley], 1585

and implementation of pharmaceutical practice guidelines (CO)
[Vilvy-Mogensen] 1587

[Viby-Mogensen], 1587 in defect in mitochondrial oxidative phosphorylation (CR) [Casta, Ouackenbush, Houck & Korson], 420

drugs, memory, and sedation (EV) [Ghoneim & Hinrichs], 734 emergency

intravenous erythromycin promotes gastric emptying prior to (CR) [Koop, Mayer & Shaheen], 703

epidural

cardiac arrest and (CO) [Appleyard], 1008

cardiac arrest and (CO) [Liguori & Sharrock], 1009

migration of epidural arrow Flex Tip Plus catheter in (CO) [Jaeger & Madsen], 718

ropivacaine

disposition and block after (CI) [Emanuelsson, Persson, Alm, Heller & Gustafsson], 1309

successful, detection of, by subjective assessment of toe-temperature elevation (CO) [Asato & Takenami], 1264

general

fatal acute myocardial infarction during, in total intramural coronary arteries (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

learning and memory during (MI) [Ghoneim & Block], 387

in mandibular advancement in obese subjects (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

opioid-sparing effects of naloxone in (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

for radical perineal prostatectomy, perfusion monitoring during (CO) [Findlay, Rettke & Myers], 457

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

immature heart and (MI) [Baum & Palmisano], 1529

induction

temperature changes, and allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

inhalational

and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takeda], 591

intravenou

in cardiac surgery (CO) [Jain], 1015

in cardiac surgery (CO) [Reves, Sladen & Newman], 1015 and ion currents (MI) [Baum & Palmisano], 1529

ow flov

and area under Compound A concentration curve analysis (CO) [Bito, Ikeuchi & Ikeda], 715

managed care

economics of practice of anesthesiology and (CO) [Dávila], 1589 economics of practice of anesthesiology and (CO) [Ellison], 1588 economics of practice of anesthesiology and (CO) [Shapiro], 1588

economics of practice of anesthesiology and (CO) [Shapiro], 1590

methods

end-tidal forcing, dynamic

for study of acute pain and respiration (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289 isocapnia

for study of acute pain and respiration (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

monitored care

convergent validity

development of measure of patient satisfaction with (CI) [Dexter, Aker & Wright], 865

internal consistency

development of measure of patient satisfaction with (CI) [Dexter, Aker & Wright], 865

summated rating scale

development of measure of patient satisfaction with (CI) [Dexter, Aker & Wright], 865

test-retest reliability

development of measure of patient satisfaction with (CI) [Dexter, Aker & Wright], 865

neurosurgery

efficacy of intraoperative cooling methods for (CI) [Plattner, Kurz, Sessier, Ikeda, Christensen, Marder & Clough], 1089 obstetric

anesthesia-related deaths during, in United States. 1979–1990 (CO) [Gevirtz, Sanapati & Lebowitz], 1007

anesthesia-related deaths during, in United States. 1979-1990 (CO) [Hawkins], 1008

combined spinal epidural, in parturient with idiopathic hypertrophic subaortic stenosis (CR) [Ho, Ngan Kee & Poon], 168 complications

after administration of intrathecal, sufentanil, and bupivacaine

after intravenous fentanyl (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

coverage (EV) [Lagasse & Santos], 4

fentanyl in, dysphagia with (CR) [Currier, Levin & Campbell], 1570

fetal

arterial to end-tidal gradients and (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients and (CO) [Shankar & Mushlin], 1596

arterial to end-tidal gradients and (CO) [Steinbrook & Datta], 1596

labor

intrathecal sufentanil for (CI) [Riley, Walker, Hamilton & Cohen]. 874

maternal

arterial to end-tidal gradients and (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients and (CO) [Shankar & Mushlin], 1596

arterial to end-tidal gradients and (CO) [Steinbrook & Datta], 1596

and radicular pain due to retained fragment of epidural catheter (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

work force survey, 1981 versus 1992 (SA) [Hawkins, Gibbs, Orleans, Martin-Salvaj & Beaty], 135

and O_2 consumption and metabolism (MI) [Baum & Palmisano], 1529

pediati

bioavailability of intramuscular rocuronium in infants and children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

brain circulatory disturbance in central venous catheter insertion in (CR) [Matsuda & Tanaka], 701

clonidine premedication and MAC of sevoflurane (CI) [Nishina, Mikawa, Shiga, Maekawa & Obara], 1324

dose response of rocuronium in (CI) [Woolf, Crawford & Choo], 1368

for hernia repair, reducing pain after (CI) [Splinter, Reid, Roberts & Bass], 542

infants

comparative hemodynamic depression of sevoflurane *versus* halothane in (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecoffey], 795

rectal acetaminophen pharmacokinetics in (CI) [Birmingham, Tobin, Henthorn, Fisher, Berkelhamer, Smith, Fanta & Coté], 244

perioperative

extension of role of anesthesiologist (CO) [Green], 458 extension of role of anesthesiologist (CO) [Zauder], 458

postoperative

and lactic acidosis as complication of antidiabetic biguanine medication (CR) [Mercker, Maier, Neumann & Wulf], 1003

quality assurance

and cost-effective reduction of drug expenditures (CI) [Freund, Bowdle, Posner, Kharasch & Burkhart], 1044

recovery

duration

hypothermia prolongs (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

regional

complications (EV) [Drasner], 469

complications (EV) [Eisenach], 467

migration of epidural arrow Flex Tip Plus catheter in (CO) [Jaeger & Madsen], 718

serious complications related to (CI) [Auroy, Narchi, Messiah, Litt, Rouvier & Samii], 479

requirement

inhibition of nitric oxide synthase decreases of intravenous anesthetics (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479

spillage of cystic pulmonary masses into airway into (CR) [Politis, Baumann & Hubbard], 693

spinal

facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geval, 1050

hyperbaric, tetracaine treatment of hypotension after (CO) [Brooker], 1255

hyperbaric, tetracaine treatment of hypotension after (CO) [Sibell], 1255

thoracic

hemoptysis

emergent lung separation for pulmonary artery rupture (CR) [Klafta & Olson], 1248

Anesthesia adjuvants, See under Anesthesia

Anesthesia machines, See under Equipment Anesthesiologists

award

Richard J. Traystman (SA) [Miller], 739

role of in management of chronic non-malignant pain (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

Anesthesiology

application of practice guidelines to (EV) [Dexter], 1031

liability

anesthesia gas delivery equipment and adverse outcomes (EV) [Eisenkraft], 731

physicians' practice patterns

and economic analysis of anesthetic drug use (CO) [Bailey & Egan], 1583

and economic analysis of anesthetic drug use (CO) [Lubarsky], 1584

and economic analysis of anesthetic drug use (CO) [Lubarsky],

and economic analysis of anesthetic drug use (CO) [Lubarsky], 1587

and economic analysis of anesthetic drug use (CO) [Riley], 1585 and economic analysis of anesthetic drug use (CO) [Viby-Mogensen], 1587

Anesthetic interaction with time, See under Surgery, stimula-

Anesthetic potency, See under Potency Anesthetics

gases

nitric oxide

in adult respiratory distress syndrome (EV) [Pearl], 1 inhaled, in sickle cell disease with acute chest syndrome (CR) [Atz & Wessell. 988

inhaled, uptake of, in acute lung injury (CI) [Rao, Gallart, Law-Koune, Lu, Puybasset, Cluzel, Coriat & Rouby], 823

and phenylephrine in acute respiratory distress syndrome (CI)
[Doering, Hanson, Reily, Marshall & Marshall], 18
nitrous oxide

generalized seizures associated with, in infant (CR) [Lannes, Desparmet & Zifkin], 705

possible interaction with esmolol (CO) [Baranov & Bagshaw], 461

possible interaction with esmolol (CO) [Johansen & Sebel], 462

and sevoflurane, subjective, psychomotor, cognitive, and analgesic effects of (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

sevoflurane

and nitrous oxide, subjective, psychomotor, cognitive, and analgesic effects of (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

hypnotic

midazolam

affective state and interactions with propofol (LI) [Pain, Oberling, Sandner & DiScala], 935

propofol

affective state and interactions with midazolam (LI) [Pain, Oberling, Sandner & DiScala], 935

inhalational

nitrous oxide

impairs posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

intravenous

alfentanil

bispectral index monitoring improves recovery from propofol anesthesia (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

and remifentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

fentanyl

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

reduction of Cp50 values of propofol by, for various noxious stimuli (CI) [Kazama, Ikeda & Morita], 213

in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of propofol requirements for general anesthesia (EV) [Hug], 201

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

ketamine

blocks K_{ATP} channels (HI) (LI) [Ko, Lee, Han, Choe, Kwak, Chae, Cho & Song], 68

effects of, on cerebral hemodynamics and EEG activity (CI) [Albanèse, Arnaud, Rey, Thomachot, Alliez & Martin], 1328 electrophysiologic effects of (LI) [Aya, Robert, Bruelle, Lefrant,

Juan, Peray, Eledjam & de La Coussaye], 1417 inhibits calcium oscillations (LI) [Hamada, Damron & Murray],

and inward rectifier K⁺ current (LI) [Carnes, Muir & Wagoner], 327

and long QT syndrome (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172

nitric oxide synthase inhibition and (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479

in study of cervlospinal glutamate receptors in fentanyl-induced rigidity (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

midazolam

in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

and remifentanil versus remifentanil for ambulatory surgery during monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

nitrous oxide

bispectral index monitoring improves recovery from propofol anesthesia (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

pentobarbital

influence of, on pulmonary perfusion heterogeneity in sheep (LI) [Walther, Domino, Glenny & Hlastala], 335

propofol

action of, emulsion formulation accelerates (LI) [Dutta & Ebling], 1394

bispectral index monitoring improves recovery from (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

concentration required for various noxious stimuli (Cl) [Kazama, Ikeda & Morita]. 213

dose response of rocuronium in children anesthetized with (CI) [Woolf, Crawford & Choo], 1368

effect of, on NMDA/AMPA toxicity (LI) [Zhu, Cottrell & Kass], 944

inhibits calcium oscillations (LI) [Hamada, Damron & Murray], 900

and inward rectifier K⁺ current (LI) [Carnes, Muir & Wagoner], 327

ketamine decreases intracranial pressure in brain injury patients during sedation with (CI) [Albanèse, Arnaud, Rey, Thomachot, Alliez & Martin], 1328

and long QT syndrome (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172

nitric oxide synthase inhibition and (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479

pentobarbital versus, in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

plasma concentration of, to manage postoperative nausea and

- vomiting (CI) [Gan, Glass, Howell, Canada, Grant & Ginsbergl, 779
- and possible interaction of esmolol and nitrous oxide (CO) [Baranov & Bagshaw], 461
- and possible interaction of esmolol and nitrous oxide (CO) [Johansen & Sebel], 462
- and rational opioid selection (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549
- requirements versus stimulus intensity (EV) [Hug], 201 remifentanil
- and alfentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253
- propofol anesthesia aud (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill]. 1549
- in renal failure and in healthy volunteers (CI) [Hoke, Shlugman, Dershwitz, Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533
- in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36
- versus remifentanil/midazolam for ambulatory surgery during monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

sufentanil

- propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovilli. 1549
- in study of cytochrome P450 3A4 activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26
- in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

thiopental

- in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749
- differential effects of, on nicotinic and purinergic receptors (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumura], 1199
- effect of, on NMDA/AMPA toxicity (LI) [Zhu, Cottrell & Kass], 944
- inhibits calcium oscillations (LI) [Hamada, Damron & Murray], 900
- and inward rectifier K^+ current (LI) [Carnes, Muir & Wagoner], 327
- and long QT syndrome (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172
- nitric oxide synthase inhibition and (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479
- pharmacokinetics (CI) [Wada, Björkman, Ebling, Harashima, Harapat & Stanski], 884

local

bupivacaine

- in combined spinal epidural anesthesia, maternal hypotension and fetal bradycardia after (CR) [D'Angelo & Eisenach], 166 direct effects of, on spinal pial vessels in canine (LI) [Iida,
- Watanabe, Dohi & Ishiyama], 75 estrogen concentrations and protein binding (CI) [Tsen, Arthur, Datta, Hornstein & Bader], 879

- inhibition of L-type calcium current by (LI) [Rossner & Freese], 926
- for patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343
- preemptive intrathecal, in comparative study on incisional pain in rat (LI) [Brennan, Umali & Zahn], 1517
- pregnancy decreases sensitivity to (LI) [Dietz & Jaffe], 610 in study of cardiac baroreflex and spinal anesthesia (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Quintin], 1359

lidocaine

- antinociceptive interaction of tizanidine and clonidine with, in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436
- for brachial plexus block, dose-range effects of clonidine added to (CI) [Bernard & Macaire], 277
- cerebral ischemia and (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470
- and endotoxin-induced microcirculatory changes (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin], 617
- 5% hyperbaric, cauda equina syndrome following single single dose of (CR) [Gerancher], 687
- laryngotracheal administration of (CO) [Burton & Zornow],
- laryngotracheal administration of (CO) [Kempen], 186
- in study of clonidine premedication and low dose epinephrine in awake volunteers (CI) [Tanaka & Nishikawa], 285
- to topically anesthetize mucosal lining of airway (CO) [Benumof], 1598

nicomorphine

- for patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343
- remifentanil versus remifentanil/midazolam for monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

ropivacaine

- direct effects of, on spinal pial vessels in canine (LI) [lida, Watanabe, Dohi & Ishiyama], 75
- disposition and block after (CI) [Emanuelsson, Persson, Alm, Heller & Gustafsson], 1309

tetracaine

- hyperbaric spinal, treatment of hypotension after (CO) [Brooker], 1255
- hyperbaric spinal, treatment of hypotension after (CO) [Sibell], 1255
- spinal, and transient neurologic symptoms (CI) [Sakura, Sumi, Sakaguchi, Saito, Kosaka & Drasner], 771
- spinal, and transient neurologic symptoms (EV) [Rowlingson], 737

narcotic

sufentanil

in combined spinal epidural anesthesia, maternal hypotension and fetal bradycardia after (CR) [D'Angelo & Eisenach], 166 opioid

GR90291

in renal failure and in healthy volunteers (CD) [Hoke, Shlugman, Dershwitz, Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533

remifentanil

in renal failure and in healthy volunteers (CI) [Hoke, Shlug-

man, Dershwitz, Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533

severe bradycardia after (CO) [DeSouza, Lewis & TerRiet], 1019

sevoflurane

inhibits methacholine effects on lung function (LI) [Habre, Wildhaber & Sly], 585

volatile

Compound A

concentration curve analysis, area under (CO) [Bito, Ikeuchi & Ikedal. 715

desflurane

bispectral index and recovery from (Cl) [Song, Joshi & White], 842

carboxyhemoglobin concentrations with (LI) [Frink, Nogami, Morgan & Salmon], 308

degradation by carbon dioxide to toxic compounds (EV) [Kharasch], 202

effects of, in rat myocardium (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

optimal rehydration of desiccated CO₂ absorbents from breakdown of (CO) [Kharasch], 1591

optimal rehydration of desiccated CO_2 absorbents from breakdown of (CO) [Woehlck], 1590

recovery and kinetics of (CI) [Eger, Bowland, Ionescu, Laster, Fang, Gong, Sonner & Weiskopf], 517

reduction in carbon monoxide exposures in humans undergoing (CI) [Woehlck, Dunning & Connolly], 228

versus sevoflurane during cardiopulmonary bypass (CI) [Rödig, Keyl, Kaluza, Kees & Hobbhahn], 801

enflurane

optimal rehydration of desiccated CO₂ absorbents from breakdown of (CO) [Kharasch], 1591

optimal rehydration of desiccated CO₂ absorbents from breakdown of (CO) [Woehlck], 1590

reduction in carbon monoxide exposures in humans undergoing (Cl) [Woehlck, Dunning & Connolly], 228

halothane

actions of, on endocardial conduction and activation in canine left ventricular papillary muscles (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

alters drug disposition in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthorn], 1381

alters drug distribution in dog (EV) [Wood], 1274

in attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

and carbon dioxide, peripheral chemoresponse to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

and cardiac Na⁺ current (LI) [Weigt, Rehmert, Bosnjak & Kwok], 1494

differential alteration of cerebral microvessels by (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

effect of α₂ agonists on MAC for (LI) [Kagawa, Mammoto, Hayashi, Kamibayashi, Mashimo & Yoshiya], 963 and K⁺_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray],

625 left ventricular relaxation and (LI) [Pagel, Hettrick, Kersten,

Tessmer, Lowe & Warltier], 952

and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takeda], 591 myocardial effects of, in cardiomyopathic hamsters (LI) [Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

and peripheral chemoresponse to hypoxia (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

prolonged anesthesia with, and blood flow velocity of middle cerebral artery (CI) [Kuroda, Murakami, Tsuruta, Murakawa & Sakabe], 527

in study of contribution of transmembrane Ca²⁺ influx to adenylate cyclase-mediated NO-cGMP relaxation (CO) [Iranami, Hatano, Tsukiyama, Maeda & Mizumoto], 713

in study of contribution of transmembrane Ca²⁺ influx to adenylate cyclase-mediated NO-cGMP relaxation (CO) [Wu], 712

in study of delirium during recovery from sevoflurane (CI) [Aono, Ueda, Mamiya, Takimoto & Manabe], 1298

in study of effects of blood glucose changes and physostigmine on MAC (LI) [Ishizawa, Ohta, Shimonaka & Dohi], 354

in study of effects of desflurane in rat myocardium (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

in study of sevoflurane inhibition of methacholine effects of lung function (LI) [Habre, Wildhaber & Sly], 585

in study of volatile anesthetics, α_1 -stimulation and cardiac Na $^+$ current (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507

versus sevoflurane, comparative hemodynamic depression of, in infants (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecoffey], 795

and xanthine oxidase increase ischemic injury (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

and area under Compound A concentration curve analysis (CO) [Bito, Ikeuchi & Ikeda], 715

degradation by carbon dioxide to toxic compounds (EV) [Kharasch], 202

differential alteration of cerebral microvessels by (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

left ventricular relaxation and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

mechanoenergetics of, on left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Suga], 82

mimics ischemic preconditioning via activation of K_{ATP} channels (LI) [Kersten, Schmeling, Pagel, Gross & Warltier], 361

myocardial effects of, in cardiomyopathic hamsters (LI) [Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

myocardial preconditioning with (LI) [Cason, Gamperl, Slocum & Hickey], 1182

and NHE inhibitors, interaction between, in myocardial ischemia (LI) [Mathur & Karmazyn], 1460

optimal rehydration of desiccated CO₂ absorbents from breakdown of (CO) [Kharasch], 1591

optimal rehydration of desiccated CO₂ absorbents from breakdown of (CO) [Woehlck], 1590

prolonged anesthesia with, and blood flow velocity of middle cerebral artery (CI) [Kuroda, Murakami, Tsuruta, Murakawa & Sakabe], 527

reduction in carbon monoxide exposures in humans undergoing (CI) [Woehlck, Dunning & Connolly], 228 in study of effects of desflurane in rat myocardium (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

in study of pupillary effects of alfentanil (CI) [Larson, Kurz, Sessler, Dechert, Bjorksten & Tayefeh], 849

in study of volatile anesthetics, α_1 -stimulation and cardiac Na $^+$ current (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507

and subendocardial microvessels (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343

lidocaine

spinal anesthesia, cauda equina syndrome associated with (EV) [Drasner], 469

sevoflurane

and area under Compound A concentration curve analysis (CO) [Bito, Ikeuchi & Ikeda], 715

bispectral index and recovery from (CI) [Song, Joshi & White], $842\,$

in case of fatal myocardial infarction during, associated with total intramural coronary arteries (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

deep, seizure activity under, in nonepileptic patient (CR) [Woodforth, Hicks, Crawford, Stephen & Burke], 1579

delayed recovery from muscle weakness due to malignant hyperthermia during (CR) [Maeda, Iranami & Hatano], 425

incidence of delirium during recovery from (CI) [Aono, Ueda, Mamiya, Takimoto & Manabe], 1298

and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takeda], 591

MAC of, clonidine and (CI) [Nishina, Mikawa, Shiga, Maekawa & Obara], 1324

and NHE inhibitors, interaction between, in myocardial ischemia (LI) [Mathur & Karmazyn], 1460

platelet aggregation inhibited by, or by ethanol? (CO) [Aoki & Mizobel, 1016

platelet aggregation inhibited by, or by ethanol? (CO) [Hira-kata & Nakamura], 1016

prolonged anesthesia with, and blood flow velocity of middle cerebral artery (CI) [Kuroda, Murakami, Tsaruta, Murakawa & Sakabel, 527

recovery and kinetics of (CI) [Eger, Bowland, Ionescu, Laster, Fang, Gong, Sonner & Weiskopf], 517

versus desflurane during cardiopulmonary bypass (CI) [Rödig, Keyl, Kaluza, Kees & Hobbhahn], 801

versus halothane, comparative hemodynamic depression of, in infants (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecoffey], 795

Anesthetics techniques

computer-controlled infusion

and possible interaction of esmolol and nitrous oxide (CO) [Johansen & Sebel], 462

Anesthetic techniques

automated drug delivery

in cardiac surgery (CO) [Jain], 1015

in cardiac surgery (CO) [Reves, Sladen & Newman], 1015 caudal

during inguinal hernia repair in children, pain reduction and (CI) [Splinter, Reid, Roberts & Bass], 542

combined spinal epidural

maternal hypotension and fetal bradycardia after (CR) [D'Angelo & Eisenach], 166

in parturient with idiopathic hypertrophic subaortic stenosis (CR) [Ho, Ngan Kee & Poon], 168

sufentanil and bupivacaine in, after fentanyl, maternal and fetal complications following (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

computer-assisted continuous infusion

of propofol to manage postoperative nausea and vomiting (CI) [Gan, Glass, Howell, Canada, Grant & Ginsberg], 779

computer-assisted continuous infusion (CACI)

in cardiac surgery (CO) [Jain], 1015

in cardiac surgery (CO) [Reves, Sladen & Newman], 1015 computer-controlled infusion

and possible interaction of esmolol and nitrous oxide (CO) [Baranov & Bagshaw], 461

conduction block

bupivacaine-induced, pregnancy decreases sensitivity to (LI) [Dietz & Jaffe], 610

epidural

containing epinephrine, clonidine does not alter efficacy of (CI) [Tanaka & Nishikawa], 285

culture results and risk of infection with spinal catheters (CO) [Bevacqua], 179

epidural block

unilateral, after single injection, radiographic investigation of (CR) [Fukushige, Kano & Sano], 1574

radicular pain due to retained fragment of catheter during (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

in study of pupillary effects of alfentanil (CI) [Larson, Kurz, Sessler, Dechert, Bjorksten & Tayefeh], 849

extubation

following laryngotracheal lidocaine administration (CO) [Burton & Zornow], 185

following laryngotracheal lidocaine administration (CO) [Kempen], 186

general

during inguinal hernia repair in children, pain reduction and (CI) [Splinter, Reid, Roberts & Bass], 542

insufflation

intraoperative

of stomach, using jet ventilator (CO) [Brock-Utne & Vierra], 1265

intrathecal

interaction of tizanidine and clonidine in, with lidocaine in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436 sufentanil in, for labor (Cl) [Riley, Walker, Hamilton & Cohen],

874 intravenous

computer-controlled infusion

propofol combined with opioids and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

computer simulation

propofol combined with opioids and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

target-controlled infusion

propofol combined with opioids and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

laryngotracheal

for lidocaine administration (CO) [Burton & Zornow], 185 for lidocaine administration (CO) [Kempen], 186

local

during inguinal hernia repair in children, pain reduction and (CI) [Splinter, Reid, Roberts & Bass], 542

himbar

radicular pain due to retained fragment of catheter during (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

mechanical hyperalgesia

of incisional pain, preemptive intrathecal morphine and bupivacaine compared in (LI) [Brennan, Umali & Zahn], 1517

nerve block

brachial plexus block

lidocaine for, dose-range effects of clonidine added to (CI) [Bernard & Macaire], 277

mandibular

temporary severe vertigo associated with (CR) [Konishi, Mitsuhata, Akazawa & Shimizu], 699

patch clamp

whole-cell

to record bupivacaine action on calcium current in cardiomyocytes (LI) [Rossner & Freese], 926

whole-cell configuration

to record cardiac Na⁺ current, halothane and (LI) [Weigt, Rehmert, Bosnjak & Kwok], 1494

recording of cardiac Na⁺ current with, in study of volatile anesthetics and α₁-stimulation (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507

patient-controlled analgesia

after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerberl, 1343

patient-controlled interscalene analgesia

after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

pharmacokinetic model drug delivery

in cardiac surgery (CO) [Jain], 1015

in cardiac surgery (CO) [Reves, Sladen & Newman], 1015

regional

celiac plexus block

single-needle (CI) [De Cicco, Matovic, Balestreri, Fracasso, Morassut & Testa], 1301

during inguinal hernia repair in children, pain reduction and (CI) [Splinter, Reid, Roberts & Bass], 542

lumbar plexus block

enoxaparin associated with psoas hematoma and lumbar plexopathy after (CR) [Klein, D'Ercole, Greengrass & Warner], 1576

nerve block

and auditory volume control knob on stimulus amplitude display peripheral nerve stimulator (CO) [Hadzic, Vloka & Koorn], 714

and auditory volume control knob on stimulus amplitude display peripheral nerve stimulator (CO) [Hughey], 715

and role of anesthesiologists in management of chronic nonmalignant pain (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

sciatic nerve block

in popliteal fossa (CI) [Benzon, Kim, Benzon, Silverstein, Jericho, Prillaman & Buenaventura], 547

sympathetic blockade

detection of, by subjective assessment of toe-temperature elevation (CO) [Asato & Takenami], 1264

spinal

cardiac baroreflex and (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Quintin], 1359

5% hyperbaric lidocaine in, cauda equina syndrome following (CR) [Gerancher], 687

spinal hematoma following, in patient with spina bifida occulta (CR) [Wood & Jacka], 983

and transient neurologic symptoms (CI) [Sakura, Sumi, Sakaguchi, Saito, Kosaka & Drasner], 771

and transient neurologic symptoms (EV) [Rowlingson], 737

test dose

containing epinephrine, clonidine does not alter efficacy of (CI) [Tanaka & Nishikawa], 285

tetanic stimulation

to define propofol concentration required for arious noxious stimuli (CI) [Kazama, Ikeda & Morita], 213

in study of propofol requirements (EV) [Hug], 201

tracheal intubation

to define propofol concentration required for arious noxious stimuli (CI) [Kazama, Ikeda & Morita], 213

and spine precautions, cervical spine motion during (CI) [Watts, Gelb, Bach & Pelz], 1335

in study of propofol requirements (EV) [Hug], 201

voltage clamp

to record bupivacaine action on calcium current in cardiomyocytes (LI) [Rossner & Freese], 926

Animals

dog

halothane alters drug disposition in (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthorn], 1381

halothane alters drug distribution in (EV) [Wood], 1274

intravenous anesthetics inhibit calcium oscillations in (LI) [Hamada, Damron & Murray], 900

ewe

arterial to end-tidal gradients in (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients in (CO) [Shankar & Mushlin], 1596 arterial to end-tidal gradients in (CO) [Steinbrook & Datta], 1596

hippocampal neurons of, influence of lidocaine on (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

guinea pig

effects of halothane on cardiac Na⁺ current in (LI) [Weigt, Rehmert, Bosnjak & Kwok], 1494

effects of volatile anesthetics, α₁-stimulation and cardiac Na⁺ current in (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507

hamster

bupivacaine inhibition of L-type calcium current in (LI) [Rossner & Freese], 926

mice

interaction of morphine and clonidine on gastrointestinal transit in mice (CO) [Asai & Mapleson], 1256

interaction of morphine and clonidine on gastrointestinal transit in mice (CO) [Puig], 1256

piglets

prevention of methacholine-induced changes in respiratory mechanics in (LI) [Habre, Wildhaber & Sly], 585

rabbit

electrophysiologic effects of ketamine on (LI) [Aya, Robert, Bruelle, Lefrant, Juan, Peray, Eledjam & de La Coussaye],

rabbits

in study of adverse central nervous system events in aged patients undergoing cardiac surgery (EV) [Mangano], 476

affective state and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

assessment of potency and intrinsic activity of systemic versus intrathecal opioids in (HI) (LR) [Abram, Mampilly & Milosavlievicl, 127

intravenous anesthetics and inward rectifier K+ current in (LI) [Carnes, Muir & Wagoner], 327

pentobarbital versus propofol in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

preemptive intrathecal morphine and bupivacaine compared for analgesia in incisional pain in (LI) [Brennan, Umali & Zahn],

pregnancy decreases sensitivity to bupivacaine in (LI) [Dietz & Jaffe], 610

Anisotropy, See under Heart

Anoxia, See under Brain

Anoxic depolarization, See under Brain

Antagonists

neuromuscular relaxants

physostigmine

and blood glucose changes, effects of, on MAC (LI) [Ishizawa, Ohta, Shimonaka & Dohi], 354

N-methyl-D-aspartate (NMDA)

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

non-NMDA receptor blockers

and fentanyl-induced rigidity in rat (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

naloxone

opioid-sparing effects of (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

Antibiotics

erythromycin

intravenous, promotes gastric emptying prior to emergency anesthesia (CR) [Koop, Mayer & Shaheen], 703

rifampin

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox1, 36

troleandomycin

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle &

Anticoagulation, See under Blood

Antidepressants, See under Pharmacology

Aorta, See under Arteries

Apnea, See under Complications

Aprotinin, See under Blood; Blood, coagulation

Arrhythmias, See under Heart

Arterial-to-end-tidal gradient, See under Carbon dioxide Arteries

aorta

contribution of transmembrane Ca2+ influx to adenylate cyclasemediated NO-cGMP relaxation in (CO) [Iranami, Hatano, Tsukiyama, Maeda & Mizumoto], 713

descending thoracic

repair of disruption of, intraoperative diagnosis of torsion of lung after (CR) [Goskowicz, Harrell & Roth], 164

hypoperfusion

halothane and xanthine oxidase increase (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

coronary

intramural

fatal acute myocardial infarction during general anesthesia in child associated with (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

fatal acute myocardial infarction during general anesthesia in child associated with (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

tunneled

fatal acute myocardial infarction during general anesthesia in child associated with (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

middle cerebral

and pentobarbital versus propofol in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

pulmonary

K⁺_{ATP} vasodilation, halothane and (LI) [Seki, Horibe & Murray], 625

rupture

emergent lung separation for management of (CR) [Klafta & Olson], 1248

vasospasm

cerebral

in experimental subarachnoid hemorrhage in rats (LI) [Cole, Nary, Reynolds, Patel & Drummond], 1486

Arterioles, See under Blood vessels

Aspartate aminotransferase, See under Enzymes

Aspiration, See under Complications; Lung(s)

Automated drug delivery, See under Anesthetic techniques

Autopsy, See under Outcome

Autotransfusion devices, See under Equipment

Awareness, See under Memory, conscious

Axons, See under Nerve(s)

R

Baralyme, See under Carbon dioxide; Carbon dioxide, absorp-

Barbiturates, See under Hypnotics

Baroreflex, See under Sympathetic nervous system

Baroreflexes, See under Reflexes

Barotrauma, See under Lung(s)

Behavior

affective state

and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

place conditioning

and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

pleasant effect

and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

state dependency

and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

Benzodiazepines, See under Hypnotics

Biguanides, See under Pharmacology

Bioavailability, See under Pharmacokinetics

Biocompatible materials, See under Equipment

Biomedical ethics, See under Ethics

Biomedical model, See under Models

Biopsychosocial model, See under Models

Bispectral analysis, See under Monitoring

Bispectral index, See under Measurement techniques

Bladder lavage, See under Thermoregulation, cooling methods Bleeding, See under Complications

Blood

activated clotting time

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

anemia

due to massive blood loss in tumor surgery (CR) [Zollinger, Hager, Singer, Friedl, Pasch & Spahn], 985

anticoagulation

heparin

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

heparin-associated thrombocytopenia and thrombosis (MI) [Slaughter & Greenberg], 667

aprotinin

as factor in fatal pulmonary embolism during liver transplantation (CR) [Sopher, Braunfeld, Shackleton, Busuttil, Sangwan & Csete], 429

blood bank

perioperative autologous transfusion (CO) [Green], 458

perioperative autologous transfusion (CO) [Zauder], 458

blood flow

and alteration of drug disposition by halothane in dog (EV) [Wood], 1274

and alteration of drug disposition by halothane in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthorn], 1381

uterine

arterial to end-tidal gradients and, in pregnant ewe (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients and, in pregnant ewe (CO) [Shankar & Mushlin], 1596

arterial to end-tidal gradients and, in pregnant ewe (CO) [Steinbrook & Datta], 1596

carboxyhemoglobin

concentrations with desflurane (LI) [Frink, Nogami, Morgan & Salmon], 308

coagulation

aprotinin

cost-benefit and efficacy of, versus ϵ -aminocaproic acid in patients having repeated cardiac operation (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

and blood loss in children with cerebral palsy (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260

and cost and efficacy of aprotinin versus e-aminocaproic acid (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

and psoas hematoma and lumbar plexopathy after lumbar plexus block (CR) [Klein, D'Ercole, Greengrass & Warner], 1576

erythrocytes

concentrated

in blood transfusion, inflammatory response after (CI) [Ávall, Hyliner, Bengtson, Carlsson & Bengtson], 511

Factor XII

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

deficiency

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

fibrinolysis

and cost and efficacy of aprotinin *versus* e-aminocaproic acid (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

flow

transmyocardial laser revascularization and (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Esch], 58

hemodilution

with diaspirin cross-linked hemoglobin, effects of, after experimental subarachnoid hemorrhage (LI) [Cole, Nary, Reynolds, Patel & Drummond], 1486

due to massive blood loss in tumor surgery (CR) [Zollinger, Hager, Singer, Friedl, Pasch & Spahn], 985

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200 and volume kinetics of fluid therapy (CI) [Svensén & Hahn], 204

hemoglobin

in degradation of volatile anesthetics (EV) [Kharasch], 202 saturation

with desflurane (LI) [Frink, Nogami, Morgan & Salmon], 308

hemorrhage

subarachnoid

experimental, in rats (LI) [Cole, Nary, Reynolds, Patel & Drummond], 1486

heparin

detection of, in salvaged blood (CO) [Loubser], 719 detection of, in salvaged blood (CO) [Taylor], 720

leukocytes

doxycycline, and air embolism (LI) [Reasoner, Hindman, Dexter, Subieta, Cutkomp & Smith]. 569

interaction with endothelium during halothane or sevoflurane anesthesia (LI) [Morisaki, Suematsu, Wakabayashi, Morooka, Fukushima, Ishimura & Takeda], 591

lidocaine and (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin], 617

and neurologic dysfunction after cerebral embolism (EV) [Mangano], 476

loss

DDAVP and, in children with cerebral palsy (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260

mesentery plasma extravasation

lidocaine and (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin],

neutrophils

elastase

aspiration and (LI) [Kaneko, Kudoh, Hattori, Yamada, Ohara, Wiener-Kronish & Okumura], 635

inhibitor

ONO-5046, aspiration and (LI) [Kaneko, Kudoh, Hattori, Yamada, Ohara, Wiener-Kronish & Okumura], 635

oxyhemoglobin desaturation

versus time of paralysis following intravenous succinylcholine (LI) [Benumof, Dagg & Benumof], 979

platelets

aggregation

inhibited by sevoflurane, or by ethanol? (CO) [Aoki & Mizobe], 1016

inhibited by sevoflurane, or by ethanol? (CO) [Hirakata & Nakamura], 1016

replacement

dextran

volume kinetics of, in male volunteers (CI) [Svensén & Hahn], 204

dextrans

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200 salvaged

detection of heparin in (CO) [Loubser], 719

detection of heparin in (CO) [Taylor], 720

thrombocytopenia

heparin-induced

and thrombosis (MI) [Slaughter & Greenberg], 667

volume

and alteration of drug disposition by halothane in dog (EV) [Wood], 1274

and alteration of drug disposition by halothane in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthornl. 1381

Blood bank, See under Blood

Blood flow

cerebral, See under Brain

pulmonary, See under Lung(s)

See also under Blood

Blood loss

massive, See under Complications

See also under Blood

Blood pressure

changes

with intrathecal sufentanil for labor (CI) [Riley, Walker, Hamilton & Cohen], 874

hypotension

after administration of intrathecal, sufentanil, and bupivacaine after intravenous fentanyl (CR) [Lu, Manullang, Staples, Kern & Baileyl, 170

maternal

after combined spinal epidural anesthetic (CR) [D'Angelo & Eisenach], 166

lability, quantifying of, algorithm for (CO) [Cohn], 1593

lability, quantifying of, algorithm for (CO) [Reich & Krol], 1594

mean arterial pressure lability algorithm (SA) [Reich, Osinski, Bodian, Krol, Sarier, Roth & Konstadt], 156

systemic vascular resistance

to compare desflurane versus sevoflurane during cardiopulmonary bypass (CI) [Rödig, Keyl, Kaluza, Kees & Hobbhahn], 801

Blood transfusion, See under Transfusion

Blood vessels

arterioles

cerebral

volatile anesthetics differentially alter (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

microvessels

volatile anesthetics differentially alter (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

vasodilation

volatile anesthetics differentially alter (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

vasoconstriction

produced by ropivacaine (LI) [lida, Watanabe, Dohi & Ishiyama], 75

vasodilation

produced by bupivacaine (LI) [lida, Watanabe, Dohi & Ishiyama],

Body position, See under Position

Bone cement, See under Surgery

Brachial plexus block, See under Anesthetic techniques Bradycardia, See under Complications

Brain

anoxia

and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

anoxic depolarization

effects of lidocaine on, in gerbils (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

autoregulation

clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

blood flow

in experimental subarachnoid hemorrhage in rats (LI) [Cole, Nary, Reynolds, Patel & Drummond], 1486

midazolam and (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106

velocity

clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

prolonged volatile anesthesia and (CI) [Kuroda, Murakami, Tsuruta, Murakawa & Sakabe], 527

brain slices

volatile anesthetics differentially alter cerebral microvessels (LI)
[Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling],
1191

cerebral ischemia

and neuroprotective effects of dexmedetomidine (LI) [Kuhmonen, Pokorný, Miettinen, Haapalinna, Jolkkonen, Riekkinen & Sivenius], 371

circulatory disturbance

in central venous catheter-inserted child (CR) [Matsuda & Tanaka]. 701

consciousness

learning and, during general anesthesia (MI) [Ghoneim & Block], 387

convulsions

associated with nitrous oxide in infant (CR) [Lannes, Desparmet & Zifkin], 705

cortex

spreading depression

to produce transient neuronal depolarization (LI) [Taga, Patel, Drummond, Cole & Kelly], 918

CO2 vasoreactivity

clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

electrophysiology

extracellular recording

and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

embolization

transmyocardial laser revascularization induces (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Eschl, 58

evoked population spike

and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

evoked potentia

and lack of analgesic activity of morphine-6-glucuronide (CI) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

forebrain

ischemia

transient neuronal depolarization induces tolerance to (LI) [Taga, Patel, Drummond, Cole & Kelly], 918

hippocampal slice

[Amorim, Chambers, Cottrell & Kass], 642

hippocampus

effects of lidocaine on, in gerbils (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

volatile anesthetics differentially alter (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

infarction

effects of pentobarbital versus propofol on, in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

intracranial pressure

fiberoptic monitoring

during magnetic resonance imaging (CR) [Grady, Wass, Maus & Felmlee], 1001

ketamine decreases, in brain injury during propofol (CI) [Albanèse, Arnaud, Rey, Thomachot, Alliez & Martin], 1328

ischemia

and effect of thiopental/propofol on NMDA/AMPA toxicity (LI) [Zhu, Cottrell & Kass], 944

effects of lidocaine on, in gerbils (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

forebrain

transient neuronal depolarization induces tolerance to (LI) [Taga, Patel, Drummond, Cole & Kelly], 918

and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

pentobarbital versus propofol in (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

striatal

and riluzole blockage of dopamine release (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164 tolerance

transient neuronal depolarization induces (LI) [Taga, Patel, Drummond, Cole & Kelly], 918

locus ceruleus

glutamate receptors in fentanyl-induced rigidity (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

neocortex

volatile anesthetics differentially alter (LI) [Farber, Harkin, Niedfeldt, Hudetz, Kampine & Schmeling], 1191

somatosensory-evoked potentials

doxycycline, and air embolism (LI) [Reasoner, Hindman, Dexter, Subieta, Cutkomp & Smith], 569

and neurologic dysfunction after cerebral embolism (EV) [Mangano], 476

striatum

and riluzole blockage of dopamine release (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

white matter degeneration

and death in defect of mitochondrial oxidative phosphorylation (CR) [Casta, Quackenbush, Houck & Korson], 420

Breathing, See under Ventilation

Breathing circuits, See under Equipment

Bronchoscopy, See under Surgery

Bronchospasm, See under Complications

Bupivacaine, See under Anesthetics, local; Pharmacology

Burns, See under Complications

C

Calcium, See under Ions

Calcium channel blockers, See under Pharmacology

Calcium channels, See under Ions, calcium

Calcium current, See under Ions, calcium

Calcium hydroxide, See under Carbon dioxide, absorption

Calcium sensitivity, See under Ions, calcium

Cancer

renal cell carcinoma

obstruction of tricuspid valve and pulmonary embolism due to (CR) [Sasaoka, Kawaguchi, Sha, Sakamoto, Shimokawa, Kitaguchi & Furuya], 998

Capnography, See under Monitoring

Capnometry, See under Monitoring

Caproic acid, epsilon-amino, See under Pharmacology Carbon dioxide

absorption

baralyme

and degradation of volatile anesthetics to toxic compounds (EV) [Kharasch], 202

calcium hydroxide

and degradation of volatile anesthetics to toxic compounds (EV) [Kharasch], 202

and area under Compound A concentration curve analysis (CO) [Bito, Ikeuchi & Ikeda], 715

baralyme

and reaction with volatile anesthetics, carbon monoxide formation *via* (CI) [Woehlck, Dunning & Connolly], 228 soda lime

and degradation of volatile anesthetics to toxic compounds (EV) [Kharasch], 202

and reaction with volatile anesthetics, carbon monoxide formation via (CI) [Woehlck, Dunning & Connolly], 228 sodium hydroxide

and degradation of volatile anesthetics to toxic compounds (EV) [Kharasch], 202

baralyme

optimal rehydration of (CO) [Kharasch], 1591 optimal rehydration of (CO) [Woehlck], 1590

end-tidal

nasal, monitoring of, choking hazard during (CO) [Pan], 451 temperature changes, and allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

expired

unusual capnogram showing (CO) [Gozal & Robinson], 453 unusual capnogram showing (CO) [Lehman], 454

and halothane, peripheral chemoresponse to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

intraabdominal insufflation

arterial-to-end-tidal gradient

in pregnant subjects (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

in pregnant subjects (CO) [Shankar & Mushlin], 1596 in pregnant subjects (CO) [Steinbrook & Datta], 1596

Paco₂

clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley],

pneumoperitoneum

in pregnant subjects (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

in pregnant subjects (CO) [Shankar & Mushlin], 1596 in pregnant subjects (CO) [Steinbrook & Datta], 1596

pressure

gastric intramucosal

monitoring of, using gas tonometry (CI) [Creteur, DeBacker & Vincent], 504

soda lime

optimal rehydration of (CO) [Kharasch], 1591 optimal rehydration of (CO) [Woehlck], 1590

vasoreactivity

cerebral

clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

Carbon monoxide, See under Gases, nonanesthetic Carboxyhemoglobin, See under Blood

Carcinoma

functioning metastatic thyroid, See under Complications See also under Cancer

Cardiac anesthesia, See under Anesthesia Cardiac arrest, See under Complications Cardiac blood flow, See under Heart Cardiac contractility, See under Heart Cardiac electrophysiology, See under Heart

Cardiac failure, See under Heart Cardiac ischemia, See under Heart

Cardiac output, See under Heart

Cardiac pacing, See under Heart

Cardiac surgery, See under Surgery

Cardiomyocytes, See under Heart

Cardiomyopathy, See under Heart

Cardioprotection, See under Heart

Cardiopulmonary bypass, See under Surgery, cardiac

Cardiovascular anesthesia, See under Anesthesia

Carotid body chemoreceptors, See under Receptors

Carrageenin, See under Pharmacology

Catecholamines, See under Sympathetic nervous system

Catheter(s), See under Equipment

Cauda equina syndrome, See under Complications

Caudal anesthesia, See under Anesthetic techniques

Ca2+ influx, See under Ions, calcium

Celiac plexus block, See under Anesthetic techniques, regional Cells

cytokines

transfusion-induced suppression of (CI) [Åvall, Hyliner, Bengtson, Carlsson & Bengtsson], 511

neuroblastoma cells

SH-SY5Y

regulation of mu opioid receptor mRNA levels in (LI) [Gies, Peters, Gelb, Knag & Peterfreund], 1127

PC12

nicotinic and purinergic receptors in, effects of thiopental on (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumural. 1199

SH-SY5Y neuroblastoma

and insensitivity to opioid narcotics (EV) [Maze], 1033

Central nervous system, See under Spinal cord

Central temporal summation, See under Monitoring

Cerebral blood flow, See under Brain

Cerebral cortex, See under Brain

Cerebral emboli, See under Embolism

Cerebral embolization, See under Brain

Cerebral infarction, See under Brain

Cerebral ischemia, See under Brain

Cerebral monitoring, See under Monitoring

Cerebral palsy, See under Complications

Cerebrospinal fluid

components

spinal α_2 agonists increase (LI) [Klimscha, Tong & Eisenach], 110

Cervical spine, See under Spinal cord

Cesarean section, See under Surgery

CGS-21680, See under Receptors, adenosine, agonists

Chemiluminescence, See under Gases

Chest wall, See under Anatomy

Child(ren), See under Age factors

Choking, See under Complications

Cholecystectomy, See under Surgery

Circuits, See under Equipment

Circulation

cerebral

disturbance

in central venous catheter-inserted child (CR) [Matsuda & Tanaka], 701

pulmonary, See under Lung(s)

Cisatracurium, See under Neuromuscular relaxants

Clinical outcome, See under Outcome

Clonidine, See under Sympathetic nervous system; Sympathetic nervous system, α_2 -adrenergic agonists; Sympathetic nervous system, α_2 -adrenoceptor agonists

Coagulation, See under Blood

Cognition, See under Memory

Cognitive recovery, See under Recovery Complement, See under Immunology

Complications

acute chest syndrome

inhaled nitric oxide in sickle cell disease with (CR) [Atz & Wessel], 988

anaphylactic reaction

after cisatracurium (CR) [Clendenen, Harper, Wharen & Guarderas], 690

anesthesia

regional (EV) [Eisenach], 467

regional, in use of lidocaine spinal anesthesia (EV) [Drasner], 469

regional, serious (CI) [Auroy, Narchi, Messiah, Litt, Rouvier & Samii], 479

apnea

time to desaturation *versus* time of paralysis following intravenous succinylcholine (LI) [Benumof, Dagg & Benumof], 979

aspiration

massive aspiration of grain, management of (CR) [Slinger, Blundell & Metcalf], 993

bleeding

in repeat cardiac surgery, aprotinin versus ∈-aminocaproic acid in (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

blood loss

massive

in tumor surgery, extreme hemodilution due to (CR) [Zollinger, Hager, Singer, Friedl, Pasch & Spahn], 985

bradycardia

severe, after remifentanil (CO) [DeSouza, Lewis & TerRiet], 1019

bronchospasm

acute, associated with polymethylmethacrylate cement (CR) [Wong & Vidovich], 696

burns

extensive, solution to monitoring electrocardiograph in (CO) [Ravindran], 711

cardiac arrest

associated with regional anesthesia (CI) [Auroy, Narchi, Messiah, Litt, Rouvier & Samii], 479

associated with regional anesthesia (EV) [Eisenach], 467 and epidural anesthesia (CO) [Appleyard], 1008

and epidural anesthesia (CO) [Liguori & Sharrock], 1009

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Jackson, Fine, Palmer, Rosenbaum, Truog & Norman], 176

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Bastron], 178 response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Berry & Heitman], 174

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Cohen & Cohen], 175 resuscitation

do-not-resuscitate orders (SA) [Waisel & Truog], 676

cauda equina syndrome

associated with lidocaine spinal anesthesia (EV) [Drasner], 469 following single spinal administration of 5% hyperbaric lidocaine through 25-gauge needle (CR) [Gerancher], 687

cerebral palsy

children with, DDAVP and blood loss in (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260

choking

during nasal end-tidal CO2 monitoring (CO) [Pan], 451

circuit leak

with Tec 5 vaporizers (CO) [Chun], 1599

conflict of interest

academic-industrial relationships and (EV) [Todd & Saidman], 197

and ghostwriting in scientific journals (EV) [Cullen], 195

convulsions

associated with nitrous oxide in infant (CR) [Lannes, Desparmet & Zifkin], 705

critical incidents

arising from gas delivery equipment (EV) [Eisenkraft], 731

cyst

bronchogenic

spillage into airway during anesthesia (CR) [Politis, Baumann & Hubbard], 693

death(s)

anesthesia-related

during obstetric delivery in United States. 1979-1990 (CO) [Hawkins], 1007

during obstetric delivery in United States. 1979-1990 (CO) [Hawkins]. 1008

degradation of volatile anesthetics to toxic compounds (EV) [Kharaschl, 202

delayed subarachnoid migration of epidural arrow Flex Tip Plus catheter (CO) [Jaeger & Madsen], 718

diabetes mellitus

biguanide medication in, lactic acidosis as perioperative complication of (CR) [Mercker, Maier, Neumann & Wulf], 1003

difficult intubation

use of short flexible fiberoptic endoscope for (CR) [Guzman], 1563

dysphagia

with intrathecal fentanyl (CR) [Currier, Levin & Campbell], 1570 laryngeal mask cuff pressure and (CI) [Rieger, Brunne & Striebel], 63

dysphonia

after use of laryngeal mask airway (CO) [Bapat & Verghese], 1006

after use of laryngeal mask airway (CO) [Cros], 1006

encephalomyopathy

mitochondrial, inherited, adult with (CR) [Ciccotelli, Prak & Murachick], 1240

endotracheal tube obstruction

after orogastric tube placement (CR) [Pousman & Koch], 1247 epidural blood patch

postdural puncture headache and (CO) [Borum, Naul & McLeskey], 1018

postdural puncture headache and (CO) [Shah], 1017

fetal distress

after administration of intrathecal, sufentanil, and bupivacaine after intravenous fentanyl (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

foreign body

occlusion of breathing circuit by, failure to ventilate due to (CO)
[Gallacher, Kelly & Mora], 180

functioning metastatic thyroid carcinoma

in burn patient, thyroid storm due to (CR) [Naito, Sone, Kataoka, Sawada & Yamazaki], 433

ghostwriting

academic-industrial relationships and (EV) [Todd & Saidman],

in scientific anesthesia journals (EV) [Cullen], 195

headache

postdural puncture

and epidural blood patch (CO) [Borum, Naul & McLeskey], 1018

and epidural blood patch (CO) [Shah], 1017

head rotation

in central venous catheter-inserted child (CR) [Matsuda & Tanaka], 701

hematoma

psoas, after lumbar plexus block, enoxaparin associated with (CR) [Klein, D'Ercole, Greengrass & Warner], 1576 spinal

following spinal anesthesia in patient with spina bifida occulta (CR) [Wood & Jacka], 983

hepatopulmonary syndrome

formation of national database on, in chronic liver disease (CO)
[Mandall & Krowka], 450

hernia

inguinal

postherniorrhaphy pain (MI) [Callesen & Kehlet], 1219

high molecular weight Kininogen deficiency

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

hoarseness

laryngeal mask cuff pressure and (CI) [Rieger, Brunne & Striebel], $63\,$

hypertension

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn],

perioperative, self-reporting of (CO) [Lagasse], 722

perioperative, self-reporting of (CO) [Sanborn], 723

hypotension

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn], 722

perioperative, self-reporting of (CO) [Lagasse], 722

perioperative, self-reporting of (CO) [Sanborn], 723

after remifentanil (CO) [DeSouza, Lewis & TerRiet], 1019

treatment after hyperbaric tetracaine spinal anesthesia (CO) [Brooker], 1255

treatment after hyperbaric tetracaine spinal anesthesia (CO) [Sibell], 1255

tricyclic antidepressant-induced, American Heart Association recommendations for treating (CO) [Rosenthal], 1259

tricyclic antidepressant-induced, American Heart Association recommendations for treating (CO) [Sprung & Schoenwald], 1260

injuries

arising from gas delivery equipment (CI) [Caplan, Vistica, Posner & Cheney], 741

intravascular injection

containing low dose epinephrine, oral clonidine premedication does not alter efficacy of (CI) [Tanaka & Nishikawa], 285

ischemia

cerebral

transient neuronal depolarization induces tolerance to (LI) [Taga, Patel, Drummond, Cole & Kelly], 918

juvenile hyaline fibromatosis

succinylcholine resistance in patient with (CR) [Baraka], 1250

loss of consciousness

values of propofol for various noxious stimuli (CI) [Kazama, Ikeda & Morita], 213

lung injury

acute

uptake of inhaled nitric oxide in (CI) [Rao, Gallart, Law-Koune, Lu, Puybasset, Cluzel, Coriat & Rouby], 823

mitochondrial myopathy

white matter degeneration and death in patient with (CR) [Casta, Quackenbush, Houck & Korson], 420

muscle weakness

delayed recovery from, due to malignant hyperthermia during sevoflurane (CR) [Maeda, Iranami & Hatano], 425

muscular rigidity

vocal cord closure due to, after sufentanil-induced anesthesia (CI) [Bennett, Abrams, VanRiper & Horrow], 1070

myocardial ischemia

intermittent reduction of, causing ST segment oscillation after cardiopulmonary bypass (CO) [Jain], 710

myopathy

and malignant hypertension (CR) [Kojima, Oku, Takahashi & Mukaida], 1565

NARP syndrome

as inherited mitochondrial encephalomyopathy (CR) [Ciccotelli, Prak & Murachick], 1240

nausea

and patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

postoperative

following morphine administration, naloxone reduces incidence of (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Pernol. 1075

ondansetron and (CI) [Tramèr, Reynolds, Moore & McQuay], 1277

ondansetron and (EV) [Fisher], 1271

plasma propofol concentration to manage (CI) [Gan, Glass, Howell, Canada, Grant & Ginsberg], 779

prevention of, and application of practice guidelines to anesthesiology (EV) [Dexter], 1031

neurologic

following single spinal administration of 5% hyperbaric lidocaine through 25-gauge needle (CR) [Gerancher], 687

transient symptoms, spinal tetracaine and (CI) [Sakura, Sumi, Sakaguchi, Saito, Kosaka & Drasner], 771

transient symptoms, spinal tetracaine and (EV) [Rowlingson], 737

neurological

associated with regional anesthesia (CD [Auroy, Narchi, Messiah, Litt, Rouvier & Samii], 479

associated with regional anesthesia (EV) [Eisenach], 467

neurologic injury

during cardiac surgery in children (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

noise

environmental

during craniotomy, rate-adaptive cardiac pacing and (CR) [Schwartzenburg, Wass, Strickland & Hayes], 1252

during craniotomy, "rate-adaptive" cardiac pacing and (CO) [Levine], 1261

obesity

mandibular advancement in (CI) [Isono, Tanaka, Tagaito, Sho & Nishino], 1055

obstetrical anesthesia

after administration of intrathecal, sufentanil, and bupivacaine after intravenous fentanyl (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

oxygen insufflation through fiberscope not recommended (CO) [Hannenberg & Hershey], 184

oxygen insufflation through fiberscope not recommended (CO) [Ovassapian & Mesnick], 183

paralysis

visual disturbance and (CO) [Brull], 1258 visual disturbance and (CO) [Lam], 1257

plexopathy

lumbar

after lumbar plexus block, enoxaparin associated with (CR) [Klein, D'Ercole, Greengrass & Warner], 1576

pneumonia

ventilator-associated, diagnosis of (CI) [Papazian, Autillo-Touati, Thomas, Bregeon, Garbe, Saux, Seite & Gouin], 268

pruritus

and patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

nostonerative

following morphine administration, naloxone reduces incidence of (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

pulmonary artery rupture

emergent lung separation for management of (CR) [Klafta & Olson], 1248

pulmonary hypertension

formation of national database on, in chronic liver disease (CO) [Mandall & Krowka], 450

radicular pain

due to retained fragment of epidural catheter (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

respiratory depression

after administration of intrathecal, sufentanil, and bupivacaine

after intravenous fentanyl (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

respiratory failure

postoperative, due to diaphragmatic paralysis (CR) [Licker, Schweizer, Höhn & Clergue], 1239

rhabdomyolysis

after exercise, susceptibility to malignant hyperthermia manifested as (CR) [Kojima, Oku, Takahashi & Mukaida], 1565

seizures

under sevoflurane in nonepileptic patient, electroencephalographic evidence of (CR) [Woodforth, Hicks, Crawford, Stephen & Burke], 1579

sickle cell disease

with acute chest syndrome, inhaled nitric oxide in (CR) [Atz & Wessel], 988

sore throat

laryngeal mask cuff pressure and (CI) [Rieger, Brunne & Striebel],

spina bifida occulta

spinal hematoma following spinal anesthesia in patient with (CR) [Wood & Jacka], 983

stress

surgical

thyroid storm due to functioning metastatic thyroid carcinoma in (CR) [Naito, Sone, Kataoka, Sawada & Yamazaki], 433

thrombosis

and heparin-associated thrombocytopenia (MI) [Slaughter & Greenberg], 667

thyroid storm

due to functioning metastatic thyroid carcinoma in burn patient (CR) [Naito, Sone, Kataoka, Sawada & Yamazaki], 433

torsion of lung

intraoperative diagnosis of, after repair of descending thoracic aorta (CR) [Goskowicz, Harrell & Roth], 164

torsion of whole lung

after thoracoabdominal esophagogastrectomy (CR) [Fisher, Ammar & Silvay], 162

trauma

head

ketamine decreases, intracranial pressure in, during propofol sedation (CI) [Albanèse, Arnaud, Rey, Thomachot, Alliez & Martin], 1328

tumor thrombus

pulmonary embolism in, due to renal cell carcinoma diagnosed by echocardiography (CR) [Sasaoka, Kawaguchi, Sha, Sakamoto, Shimokawa, Kitaguchi & Furuya], 998

unilateral epidural block

after single injection, radiographic investigation of (CR) [Fukushige, Kano & Sano], 1574

vertigo

temporary severe, associated with mandibular nerve block (CR) [Konishi, Mitsuhata, Akazawa & Shimizu], 699

visual disturbance

and residual paralysis (CO) [Brull], 1258

and residual paralysis (CO) [Kopman, Yee & Neuman], 1258 and residual paralysis (CO) [Lam], 1257

vocal cord closure

after sufentanil-induced anesthesia (CI) [Bennett, Abrams, Van-Riper & Horrow], 1070

vomiting

and patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

postoperative

following morphine administration, naloxone reduces incidence of (CI) [Gan, Ginsberg, Glass, Fortney, Jhaveri & Perno], 1075

water tran

shown on unusual capnogram (CO) [Gozal & Robinson], 453 shown on unusual capnogram (CO) [Lehman], 454

white matter degeneration

and death in defect of mitochondrial oxidative phosphorylation (CR) [Casta, Quackenbush, Houck & Korson], 420

Compound A, See under Anesthetics, volatile; Pharmacology Computed tomography, See under Measurement techniques Computer-assisted continuous infusion (CACI), See under Anesthetic techniques

Computer-assisted continuous infusion, See under Anesthetic techniques

Computer-controlled infusion, See under Anesthetic techniques

Computer-controlled intravenous anesthesia, See under Anesthetic techniques, intravenous

Computers, See under Equipment

Computer simulations, See under Equipment, computers

Conflict of interest, See under Complications

Congenital heart disease, See under Heart

Consciousness, See under Brain

Context-sensitive half-time, See under Statistics

Contractile proteins, See under Heart; Protein(s)

Convalescence, See under Recovery

Convergent validity, See under Anesthesia, monitored care

Convulsions, See under Brain; complications

Cooling methods, See under Thermoregulation

Core temperature, See under Temperature

Coronary artery, See under Arteries

Coronary artery bypass graft, See under Surgery, cardiac

Coronary artery bypass grafting, See under Surgery; Surgery, cardiac

Cost-benefit analysis, See under Economics

Cost of anesthesia, See under Anesthesia

Costs, See under Statistics

Cranioplasty, See under Surgery

Craniotomy, See under Surgery; Surgery, neurosurgery

Creatine kinase, See under Enzymes

Critical incidents, See under Complications

8-cyclopentyltheophylline, See under Receptors, adenosine, antagonists

Cytochrome P450 3A4, See under Enzymes

Cytokines, See under Cells

D

DDAVP, See under Pharmacology Death(s), See under Complications Delirium, See under Recovery Depressants, See under Pharmacology Desflurane, See under Anesthetics, volatile Desmopressin acetate, See under Pharmacology Detorsion, See under Surgery

Dexamethasone, See under Pharmacology

Dexmedetomidine, See under Sympathetic nervous system; Sympathetic nervous system, α₂-adrenergic agonists

Dextran(s), See under Blood, replacement

Diabetes mellitus, See under Complications

Diaphragm, See under Muscle, skeletal

Diastole, See under Heart

Diastolic function, See under Heart

Difficult intubation, See under Complications; Intubation

Diltiazem, See under Pharmacology, calcium channel blockers

Direct-current potential, See under Measurement techniques Dog, See under Animals

Do-not-resuscitate orders, See under Complications, cardiac arrest, resuscitation

Dopamine, See under Sympathetic nervous system

Dorsal root axons, See under Nerve(s)

Doxycycline, See under Pharmacology

Drug disposition, See under Pharmacokinetics

Drug elimination, See under Pharmacokinetics

Dye dilution technique, See under Measurement techniques

Dysphagia, See under Complications

Dysphonia, See under Complications

Dysrhythmias, See under Heart

E

EC50, See under Potency, anesthetic

Echocardiography, See under Measurement techniques; Monitoring

Economics

anesthesia

application of practice guidelines to (EV) [Dexter], 1031 cost-benefit analysis

of aprotinin *versus* ε-aminocaproic acid for repeat cardiac surgery (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

drugs

and cost-effective reduction of drug expenditures (CI) [Freund, Bowdle, Posner, Kharasch & Burkhart], 1044

pharmaceutical practice guidelines and (CO) [Bailey & Egan], 1583

pharmaceutical practice guidelines and (CO) [Lubarsky], 1584 pharmaceutical practice guidelines and (CO) [Lubarsky], 1586 pharmaceutical practice guidelines and (CO) [Lubarsky], 1587

pharmaceutical practice guidelines and (CO) [Riley], 1585 pharmaceutical practice guidelines and (CO) [Viby-Mogensen], 1587

perioperative costs, does early extubation of bypass graft surgery patients decrease? (CO) [Cheng], 182

perioperative costs, does early extubation of bypass graft surgery patients decrease? (CO) [Dexter & Macario], 181

and practice of anesthesiology (CO) [Dávila], 1589

and practice of anesthesiology (CO) [Ellison], 1588

and practice of anesthesiology (CO) [Shapiro], 1588

and practice of anesthesiology (CO) [Shapiro], 1590

ED50, See under Potency, anesthetic

Education

academics

tribute to Dr. Austin Lamont (CO) [Safar], 461

in clinical bioethical issues (SA) [Waisel & Truog], 411

Elastase, See under Blood, neutrophils

Electrical bioimpedance, See under Measurement techniques Electric stimulation

transcutaneous, See under Monitoring

Electrocardiography, See under Measurement techniques; Monitoring

Electroencephalography, See under Monitoring

Electrophysiology

effects of ketamine (LI) [Aya, Robert, Bruelle, Lefrant, Juan, Peray, Eledjam & de La Coussaye], 1417

See also under Heart

Electrophysiology cerebral, See under Brain

Emax, See under Heart, contractility

Emax, See under Heart, contractility

Embolism

air

associated with cardiac surgery in aged patients (EV) [Mangano], 476

doxycycline and, in rabbit (LI) [Reasoner, Hindman, Dexter, Subieta, Cutkomp & Smith], 569

venous

in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

cerebral

during cardiac surgery in children (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

See also under Brain

pulmonary

due to renal cell carcinoma diagnosed using transesophageal echocardiography (CR) [Sasaoka, Kawaguchi, Sha, Sakamoto, Shimokawa, Kitaguchi & Furuya], 998

Embolus

pulmonary

fatal, during liver transplantation (CR) [Sopher, Braunfeld, Shackleton, Busuttil, Sangwan & Csete], 429

Emergence time, See under Recovery

Emergency anesthesia, See under Anesthesia

Emission computed tomography, See under Measurement techniques

Emulsion, See under Vehicle

Encephalomyopathy, See under Complications

End-expired PCO₂, See under Monitoring

End-of-life care, See under Outcome

Endoscope, See under Equipment

Endothelium, See under Heart

Endotoxemia, See under Toxicity

Endotracheal intubation, See under Intubation

Endotracheal tube(s), See under Equipment

End-tidal carbon dioxide, See under Carbon dioxide; Monitoring

End-tidal forcing

dynamic, See under Anesthesia, methods

Enoxaparin, See under Blood, coagulation

Enzymes

alanine aminotransferase

in study of halothane and ischemic injury in rabbit (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

aspartate aminotransferase

in study of halothane and ischemic injury in rabbit (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

creatine kinase

increased, after exercise, susceptibility of malignant hyperthermia manifested as (CR) [Kojima, Oku, Takahashi & Mukaida], 1565

cytochrome

P450 3A4

activity during menstrual cycle using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

cytochrome P450 3A4

role of, in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

kinase

and insensitivity to opioid narcotics (EV) [Maze], 1033

signaling cascades, opioid effects on (EV) [Maze], 1032

signaling cascades, opioid effects on (LI) [Gutstein, Rubie, Mansour, Akil & Woodgett], 1118

nitric oxide synthase

inducible, inhibits gastric motility in sepsis, nitric oxide produced by (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

prekallekrein

deficiency

and cardiopulmonary bypass (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

xanthine oxidase

in study of halothane and ischemic injury in rabbit (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

Epidural analgesia, See under Analgesia

Epidural anesthesia, See under Anesthetic techniques
Epidural block, See under Anesthetic techniques, epidural
Epidural blood patch, See under Complications
Epinephrine, See under Sympathetic nervous system
Epsilon-amino caproic acid, See under Pharmacology

Equipment autotransfusion devices

detection of heparin in blood salvaged by (CO) [Loubser], 719 detection of heparin in blood salvaged by (CO) [Taylor], 720

biocompatible materials

and fiberoptic intracranial pressure monitoring during magnetic resonance imaging (CR) [Grady, Wass, Maus & Felmlee], 1001

breathing circuits

glass ampule fragment occlusion of, failure to ventile due to (CO) [Gallacher, Kelly & Mora], 180

catheter(s)

central venous

antiseptic-coated, anaphylactic shock induced by (CR) [Oda, Hamasaki, Kanda & Mikami], 1242

in child, brain circulatory disturbance in (CR) [Matsuda & Tanaka], 701

epidural

arrow Flex Tip Plus (CO) [Jaeger & Madsen], 718

peridural

radicular pain due to retained fragment of (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

suction

for nasotracheal intubation (CO) [Lee & Yang], 449

circuit(s)

leak

with Tec 5 vaporizers (CO) [Chun], 1599

computers

algorithm for quantifying blood pressure lability with (CO) [Cohn], 1593

algorithm for quantifying blood pressure lability with (CO) [Reich & Krol], 1594

computer simulations

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

expert systems monitoring

to assess intraoperative mean arterial pressure lability (SA)
[Reich, Osinski, Bodian, Krol, Sarier, Roth & Konstadt], 156
information systems

for economic analysis of anesthetic drug use (CO) [Bailey & Egan], 1583

for economic analysis of anesthetic drug use (CO) [Lubarsky], 1584

for economic analysis of anesthetic drug use (CO) [Lubarsky], 1586

for economic analysis of anesthetic drug use (CO) [Lubarsky], 1587

1587 for economic analysis of anesthetic drug use (CO) [Riley],

1585 for economic analysis of anesthetic drug use (CO) [Viby-Mogensen], 1587

patient records for anesthesia, elusive artifact and cost issues with (CO) [Edsall, Deshane, Gould, Mehta, White & Solod],

patient records for anesthesia, elusive artifact and cost issues with (CO) [Sanborn], 722

for self-reporting of adverse perioperative events (CO) [Lagasse],

for self-reporting of adverse perioperative events (CO) [Sanborn], 723

endoscope

fiberoptic

short, for difficult intubations (CR) [Guzman], 1563

β-escin permeabilized preparation

to assess halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

failure

adverse anesthetic outcomes arising from (CI) [Caplan, Vistica, Posner & Cheney], 741

fiberscope

oxygen insufflation through to assist intubation not recommended (CO) [Hannenberg & Hershey], 184

oxygen insufflation through to assist intubation not recommended (CO) [Ovassapian & Mesnick], 183

gas delivery machines

and adverse outcomes (CI) [Caplan, Vistica, Posner & Cheney], 741

and adverse outcomes (EV) [Eisenkraft], 731

indocvanine green

measurement of cardiac output by pulse dye densitometry using (CI) [Imai, Takahashi, Fukura & Morishita], 816

iet ventilator

for intraoperative insufflation of stomach (CO) [Brock-Utne & Vierra], 1265

laryngeal mask airway

cuff pressure

and throat discomfort (CI) [Rieger, Brunne & Striebel], 63

kinking of proximal end of nasal RAE tube after intubation *via* (CO) [Benumof], 185

kinking of proximal end of nasal RAE tube after intubation *via* (CO) [Preis], 184

oversize endotracheal tubes and intubation via (CO) [Preis & Preis], 187

severe dysphonia after use of (CO) [Bapat & Verghese], 1006 severe dysphonia after use of (CO) [Cros], 1006

tracheal intubation through, usable versus overall tube length for (CO) [Asai], 173

tracheal intubation through, usable *versus* overall tube length for (CO) [Harvey, Bailey & Cooke], 173

larvngoscope(s)

compared for endotracheal intubation in potential cervical spine injury (CI) [Watts, Gelb, Bach & Pelz], 1335

metallic objects

and fiberoptic intracranial pressure monitoring during magnetic resonance imaging (CR) [Grady, Wass, Maus & Felmlee], 1001

misuse

adverse anesthetic outcomes arising from (CI) [Caplan, Vistica, Posner & Cheney], 741

nasogastric

nasopharyngoscope

short, for difficult intubations (CR) [Guzman], 1563

needle(s)

single

celiac plexus block using (CI) [De Cicco, Matovic, Balestreri, Fracasso, Morassut & Testa], 1301

phenol red

to assess gastric motility in sepsis inhibited by nitric oxide produced by inducible nitric oxide synthase (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

tube(s)

endotracheal

kinking of, after intubation *via* laryngeal mask airway (CO) [Benumofl. 185

kinking of, after intubation *via* laryngeal mask airway (CO) [Preis], 184

length, usable versus overall (CO) [Asai], 173

length, usable *versus* overall (CO) [Harvey, Bailey & Cooke], 173

obstruction, after orogastric tube placement (CR) [Pousman & Koch], 1247

oversize, and intubation *via* laryngeal mask airway (CO) [Preis & Preis], 187

nasogastric

as aid in blind nasotracheal intubation (CO) [Sugiura, Yamada, Kainuma & Miyake], 449

orogastric

placement of, endotracheal tube obstruction after (CR) [Pousman & Koch], 1247

visualized endotracheal

clinical evaluation of (CO) [Frass, Kofler, Thalhammer, Staudinger, Dielacher, Krafft, Ilias, Hüpfl & Ovassapian], 1262 tube exchanger

conversion of nasal to orotracheal intubation using (CO) [Cooper], 717

with flexible fiberoptic endoscope for difficult intubations (CR) [Guzman], 1563

tubing

hybrid intravenous infusion connections and potential flow reduction (CO) [Kempen], 187

hybrid intravenous infusion connections and potential flow reduction (CO) [McHugh], 186

intravenous

laryngotracheal lidocaine administration and (CO) [Burton & Zornow], 185

laryngotracheal lidocaine administration and (CO) [Kempen], 186

vaporizer(s)

Tec 5

potential circuit leak with (CO) [Chun], 1599

ventilation tube

Hunsaker jet

one-lung ventilation for thoracotomy using (CR) [Robinson], 1572

wire

with flexible fiberoptic endoscope for difficult intubations (CR) [Guzman], 1563

Ergonomics, See under Humans

Erythrocytes, See under Blood

Erythromycin, See under Antibiotics

B-escin-permeabilized preparation, See under Equipment

Esmolol, See under Sympathetic nervous system

Esophagogastrectomy, See under Surgery

Estrogen, See under Hormones, female Ethanol, See under Alcohol

Ethics

biomedical

and informed consent (SA) [Waisel & Truog], 968

introduction to (SA) [Waisel & Truog], 411

and issues at end of life (SA) [Waisel & Truog], 676

and use of ethics consultation service by anesthesiologists (SA) [Waisel & Truog], 1231

consultation

and use of ethics consultation service by anesthesiologists (SA) [Waisel & Truog], 1231

ethics consultation service

use by anesthesiologists (SA) [Waisel & Truog], 1231

in publishing

academic-industrial relationships and (EV) [Todd & Saidman], 197

ghostwriting in scientific journals and (EV) [Cullen], 195

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Jackson, Fine, Palmer, Rosenbaum, Truog & Norman], 176

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Bastron], 178

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Berry & Heitman], 174

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Cohen & Cohen], 175

Evoked population spike, See under Brain

Evoked potentials, See under Brain Excitotoxicity, See under Toxicity

Exercise

susceptibility to malignant hyperthermia and (CR) [Kojima, Oku, Takahashi & Mukaida], 1565

Expensive anesthetic drugs, See under Pharmacology Experimental pain, See under Pain

Extubation, See under Anesthetic techniques

Eyes

pupil

reflex dilation

alfentanil and (CI) [Larson, Kurz, Sessler, Dechert, Bjorksten & Tayefeh], 849

cize

alfentanil and (CI) [Larson, Kurz, Sessler, Dechert, Bjorksten & Tavefeh], 849

visual disturbance

and residual paralysis (CO) [Brull], 1258

and residual paralysis (CO) [Kopman, Yee & Neuman], 1258

and residual paralysis (CO) [Lam], 1257

F

Factor XII. See under Blood

Fat emulsion, See under Vehicle

Fentanyl, See under Analgesics, narcotic; Analgesics, opioid; Anesthetics, intravenous

Fetal distress, See under Complications

Fiberoptic endoscope, See under Equipment

Fiberoptic intracranial pressure monitoring, See under Moni-

Fiberoptic intubation, See under Intubation

Fiberscopic laryngoscopy, See under Surgery

Fibrinolysis, See under Blood

5'-N-ethylcarboxamidoadenosine, See under Receptors, adenosine, agonists

Fluid balance

fluid therapy

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200 water/blood

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200 volume kinetics of, in male volunteers (CI) [Svensén & Hahn], 204

Fluids

fluid therapy

volume kinetics of (CI) [Svensén & Hahn], 204

intravenous

administration

hybrid connections and potential flow reduction (CO) [Kempen], 187

hybrid connections and potential flow reduction (CO) [McHugh], 186

Fluid therapy, See under Fluid balance; Fluids

Fluorescent microspheres, See under Measurement techniques

Fluorometry, See under Measurement techniques
Forced air, See under Thermoregulation, cooling methods
Forced air warming, See under Temperature
Forebrain, See under Brain

Foreign body, See under Complications

G

Gases

chemiluminescence

inhaled nitric oxide delivery systems and (CO) [Hess & Imanaka], 1592

inhaled nitric oxide delivery systems and (CO) [Troncy, Francoeur & Blaise], 1591

nitric oxide

inhaled

in acute respiratory distress syndrome (CI) [Manktelow, Bigatello, Hess & Hurford], 297

inhaled nitric oxide delivery systems and (CO) [Hess & Imanakal, 1592

inhaled nitric oxide delivery systems and (CO) [Troncy, Francoeur & Blaise], 1591

nonanesthetic

carbon monoxide

from anesthetic breakdown, optimal rehydration of (CO) [Kharasch], 1591

from anesthetic breakdown, optimal rehydration of (CO) [Woehlck], 1590

carboxyhemoglobin concentrations during desflurane in presence of (LI) [Frink, Nogami, Morgan & Salmon], 308

degradation of volatile anesthetics to (EV) [Kharasch], 202 reduction of exposures to, in humans undergoing general anesthesia (CI) [Woehlck, Dunning & Connolly], 228 carboxyhemoglobin

degradation of volatile anesthetics to (EV) [Kharasch], 202 Gas exchange, See under Lung(s)

Gas tonometry, See under Measurement techniques

Gastric emptying, See under Gastrointestinal tract; Stomach Gastric intramucosal carbon dioxide pressure, See under Carbon dioxide

Gastric lavage, See under Thermoregulation, cooling methods Gastric tonometry, See under Measurement techniques Gastrointestinal tract

gastric emptying

opioid-induced delay in, reversed by methylnaltrexone (CI) [Murphy, Sutton, Prescott & Murphy], 765

opioid-induced delay in, reversed by methylnaltrexone (EV) [Rosow], 736

pharnyx

function of, and aspiration during partial paralysis (CI)[Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & [Kuylenstiema], 1035

stomach

intraoperative insufflation of, using jet ventilator (CO) [Brock-Utne & Vierra], 1265

transit

in mice, interaction of morphine and clonidine on (CO) [Asai & Mapleson], 1256

in mice, interaction of morphine and clonidine on (CO) [Puig], 1256

Gastrointestinal transit, $See\ under$ Gastrointestinal tract Gender

women

menstrual cycle

assessment of cytochrome P450 3A4 activity during, using alfentanil as noninvasive probe (CI) [Kharasch, Russell, Garton, Lentz, Bowdle & Cox], 26

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

Gene expression, See under Genetic factors

General anesthesia, See under Anesthesia; Anesthetic techniques

Genetic factors

gene expression

mRNA

mu opioid receptor, regulation of (LI) [Gies, Peters, Gelb, Knag & Peterfreund], 1127

Gerbils, See under Animals

Ghostwriting, See under Complications

Glutamate, See under Receptors

Glybenclamide, See under Pharmacology

Glyburide, See under Ions, potassium, potassium channels

GR90291, See under Analgesics, opioid

GTP-binding proteins, See under Protein(s)

Guanosine 5'-O-(2-thiodiphosphate) (GDP β S), See under Pharmacology

Guanosine 5'-O-(3-thio triphosphate) (GTPyS), See under Pharmacology

Guanosine 5'-triphosphate (GTP), See under Pharmacology Guinea pig, See under Animals

H

Halothane, See under Anesthetics, intravenous; Anesthetics, volatile

Hamster, See under Animals

Headache, See under Complications

Head rotation, See under Complications

Head trauma, See under Complications

Heart

action potential duration

and blockade of myocardial ATP-sensitive potassium channels by ketamine (HI) (LI) [Ko, Lee, Han, Choe, Kwak, Chae, Cho & Song], 68

anisotropy

effects of ketamine on (LI) [Aya, Robert, Bruelle, Lefrant, Juan, Peray, Eledjam & de La Coussaye], 1417

arrhythmias

intravenous anesthetics and (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172

blood flow

and effects of hypotension due to isoflurane, nitroglycerin, and adenosine (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343

bradycardia

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn],

perioperative, self-reporting of (CO) [Lagasse], 722

perioperative, self-reporting of (CO) [Sanborn], 723

cardiac output

and effect of halothane on drug distribution in dog (EV) [Wood], 1274

and effect of halothane on drug distribution in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthorn], 1381 pulse dye densitometry to measure (CI) [Imai, Takahashi, Fukura & Morishita], 816

cardiac pacing

rate-adaptive

implications of environmental noise during craniotomy (CR) [Schwartzenburg, Wass, Strickland & Hayes], 1252 "rate-adaptive," response to (CO) [Levine], 1261

cardiomyocytes

ventricular, bupivacaine inhibition of L-type calcium current in (LI) [Rossner & Freese], 926

cardiomyopathy

myocardial effects of halothane and isoflurane in, in hamsters (LI) [Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

pacing-induced, effects of triiodothyronine on conscious dogs with (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

volatile anesthetics and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

cardioprotection

and NHE inhibition and anesthetics in myocardial ischemia (LI) [Mathur & Karmazyn], 1460

compliance

artifact and cost issues with computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solodl, 721

artifact and cost issues with computerized patient records for anesthesia (CO) [Sanborn], 722

and self-reporting of adverse perioperative events (CO) [La-gasse], 722

and self-reporting of adverse perioperative events (CO) [Sanborn], 723

contractile protein

Ca2+ sensitivity

and mechanoenergetics of negative inotropism of isoflurane in canine left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Suga], 82

contractility

Ema

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

Emax

and mechanoenergetics of negative inotropism of isoflurane in canine left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Sugal. 82

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

and halothane and isoflurane in cardiomyopathic hamsters (LI)

[Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

of sevoflurane *versus* halothane, in infants (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecofey], 795

diastole

effects of triiodothyronine on, in pacing-induced cardiomyopathy (I.I) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

volatile anesthetics and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

diastolic function

and anesthesia (MI) [Baum & Palmisano], 1529

effects of plasma from OLT patients on (LI) [Chemla, Jayais, Ecoffey, Declere & Lecarpentier], 378

effects of triiodothyronine on, in pacing-induced cardiomyopathy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

volatile anesthetics and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

disease

congenital

and emboli and heart surgery in children (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

dysrhythmias

actions of phenylephrine, isoproterenol, and epinephrine with halothane on (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

electrophysiology

actions of phenylephrine, isoproterenol, and epinephrine with halothane on (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

and anesthesia (MI) [Baum & Palmisano], 1529

inward rectifier K⁺ current, intravenous anesthetics and (LI) [Carnes, Muir & Wagoner], 327

endothelium

leukocyte adhesion with, endotoxin and (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin], 617

failure

effects of triiodothyronine on, in pacing-induced cardiomyopathy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

volatile anesthetics and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

heart rate

cardiac baroreflex and spinal anesthesia (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Quintin], 1359

immature

and anesthesia (MI) [Baum & Palmisano], 1529

ischemia

NHE inhibition and anesthetics in (LI) [Mathur & Karmazyn], 1460

ischemic preconditioning

with isoflurane anesthesia (LI) [Cason, Gamperl, Slocum & Hickey], 1182

and isoflurane in activation of K_{ATP} channels (LI) [Kersten, Schmeling, Pagel, Gross & Warltier], 361

isovolumic relaxation

effects of triiodothyronine on, in pacing-induced cardiomyopa-

thy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

left ventricular relaxation and volatile anesthetics (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

long QT syndrome

intravenous anesthetics and (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172

microvessels

and effects of hypotension due to isoflurane, nitroglycerin, and adenosine (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343

mitochondrial myopathy

white matter degeneration and death in patient with (CR) [Casta, Quackenbush, Houck & Korson], 420

myocardial contractility

effects of plasma from OLT patients on (LI) [Chemla, Jayais, Ecoffey, Declere & Lecarpentier], 378

effects of triiodothyronine on, in pacing-induced cardiomyopathy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

myocardial coronary bridging

fatal acute myocardial infarction during general anesthesia in child associated with (CR) [Iwama, Kaneko, Watanabe, Takasu, Terada & Sugiyama], 426

myocardial function

of sevoflurane *versus* halothane, in infants (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecoffey], 795

myocardial infarction

and isoflurane in activation of K_{ATP} channels (LI) [Kersten, Schmeling, Pagel, Gross & Warltier], 361

myocardial preconditioning with isoflurane anesthesia (LI) [Cason, Gamperl, Slocum & Hickey], 1182

myocardial ischemia

and isoflurane in activation of K_{ATP} channels (LI) [Kersten, Schmeling, Pagel, Gross & Warltier], 361

myocardial preconditioning with isoflurane anesthesia (LI) [Cason, Gamperl, Slocum & Hickey], 1182

mvocardium

actions of phenylephrine, isoproterenol, and epinephrine with halothane on (LI) [Vodanovic, Turner, Hoffman, Kampine & Bosnjak], 117

oxygen consumption

and mechanoenergetics of negative inotropism of isoflurane in canine left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Suga], 82

myocytes

ventricular

effects of halothane on cardiac Na⁺ current in (LI) [Weigt, Rehmert, Bosnjak & Kwok], 1494

effects of volatile anesthetics, α_1 -stimulation and cardiac Na $^+$ current in (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507

pacing

rapid

cardiomyopathy induced by, effects of triiodothyronine on, in conscious dogs (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

papillary muscle

contraction

effects of desflurane on (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

effects of plasma from OLT patients on (LI) [Chemla, Jayais, Ecoffey, Declere & Lecarpentier], 378

myocardial effects of halothane and isoflurane in, in hamsters (LI) [Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

postrest potentiation

effects of desflurane on (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

relaxation

effects of desflurane on (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

preload recruitable stroke work

effects of triiodothyronine on, in pacing-induced cardiomyopathy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

pressure-volume area

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

Purkinje fiber

actions of phenylephrine, isoproterenol, and epinephrine with halothane on (LI) [Vodanovic, Turner, Hoffman, Kampine & Bosnjak], 117

rapid pacing

volatile anesthetics and (LI) [Pagel, Hettrick, Kersten, Tessmer, Lowe & Warltier], 952

relaxation

and halothane and isoflurane in cardiomyopathic hamsters (LI) [Vivien, Hanouz, Gueugniaud, Lecarpentier, Coriat & Riou], 1406

reperfusion

NHE inhibition and anesthetics in (LI) [Mathur & Karmazyn], 1460

signal transduction

phorbol esters

in study of regulation of mu opioid receptor mRNA levels (LI) [Gies, Peters, Gelb, Knag & Peterfreund], 1127

protein kinase C

in study of regulation of mu opioid receptor mRNA levels (LI) [Gies, Peters, Gelb, Knag & Peterfreund], 1127

subaortic stenosis

idiopathic

combined spinal and epidural anesthesia in parturient with (CR) [Ho, Ngan Kee & Poon], 168

subendocardial

and effects of hypotension due to isoflurane, nitroglycerin, and adenosine (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343

systolic function

and anesthesia (MI) [Baum & Palmisano], 1529

tachycardia

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn], 722

perioperative, self-reporting of (CO) [Lagasse], 722 perioperative, self-reporting of (CO) [Sanborn], 723

torsades de pointes

intravenous anesthetics and (LI) [Morey, Martynyuk, Napolitano, Raatikainen, Guyton & Dennis], 1172

total mechanical energy

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga.], 658

tricuspid valve

acute obstruction

due to renal cell carcinoma diagnosed using transesophageal echocardiography (CR) [Sasaoka, Kawaguchi, Sha, Sakamoto, Shimokawa, Kitaguchi & Furuya], 998

ventricular conduction

effects of ketamine on (LI) [Aya, Robert, Bruelle, Lefrant, Juan, Peray, Eledjam & de La Coussaye], 1417

ventricular fibrillation

diltiazem for (CO) [Kishikawa, Kumeta, Kurihara, Endo & Namikil. 709

wavelength

effects of ketamine on (LI) [Aya, Robert, Bruelle, Lefrant, Juan, Peray, Eledjam & de La Coussaye], 1417

Heart rate, See under Heart

Hematoma, See under Complications

Hemodilution, See under Blood

Hemodynamic monitoring, See under Monitoring

Hemodynamics

associated with various noxious stimuli, propofol with fentanyl suppresses (Cl) [Kazama, Ikeda & Morita], 213

and propofol requirements versus stimulus intensity (EV) [Hug], 201

Hemoglobin, See under Blood

Hemoptysis, See under Anesthesia, thoracic

Heparin, See under Blood; Blood, anticoagulation

Heparin-induced thrombocytopenia, See under Blood

Hepatopulmonary syndrome, See under Complications

Hernia, See under Complications

High molecular weight Kininogen deficiency, See under Complications

Hippocampal slice, See under Brain

Hippocampus, See under Brain

History

anesthesia

tribute to Dr. Austin Lamont (CO) [Safar], 461

of drug research on memory, and anesthesiology (EV) [Ghoneim & Hinrichs], 734

Hoarseness, See under Complications

Hormones

female

estrogen

concentrations of, and protein binding (CI) [Tsen, Arthur, Datta, Hornstein & Bader], 879

triiodothyronine

effects of, on left ventricular function in conscious dogs with pacing-induced cardiomyopathy (LI) [Jamali, Pagel, Hettrick, Lowe, Kersten, Tessmer & Warltier], 102

Humans

human factors

ergonomics

to investigate effect of electronic record keeping during cardiopulmonary bypass (HI) (SA) [Weinger, Herndon & Gaba], 144 intravenous anesthetics and inward rectifier K⁺ current in (LI) [Carnes, Muir & Wagoner], 327

Hyaline fibromatosis, See under Complications

Hyperalgesia

mechanical, See under Anesthetic techniques See also under Pain

Hypercapnia, See under Acid-base equilibrium; Acid-base equilibrium, acidosis, respiratory

Hypercapnic response, See under Ventilation

Hyperglycemia, See under Metabolism

Hyperinflation, See under Lung(s)

Hypermetabolism, See under Metabolism

Hyperoxia, See under Ventilation

Hypertension

pulmonary, See under Lung(s)

Hypertension, See under Complications

Hyperthermia

during allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

malignant

efficacy of cooling methods in (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

during sevoflurane anesthesia, delayed recovery from muscle weakness due to (CR) [Maeda, Iranami & Hatano], 425

susceptibility to, manifested as increased creatine kinase activity and rhabdomyolysis after exercise (CR) [Kojima, Oku, Takahashi & Mukaida], 1565

pyrexia

malignant

efficacy of cooling methods in (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

Hypnotics

barbiturates

alkyl phenol

in study of pentobarbital versus propofol in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

pentobarbital

versus propofol in focal ischemia (LI) [Pittman, Sheng, Pearlstein, Brinkhous, Dexter & Warner], 1139

benzodiazepines

midazolam

and cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106

in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński], 740

thiopental

in comparative study of amnesic effects at equisedative concentrations (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

Hypoglycemia, See under Metabolism

Hypoperfusion, See under Arteries, blood flow Hypotension, See under Blood pressure; Complications

Hypotension, See under Blood pressure; Complications Hypothermia

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn], 722

dexmedetomidine in study of (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835 perioperative, self-reporting of (CO) [Lagasse], 722

perioperative, self-reporting of (CO) [Sanborn], 723

prolongs postanesthetic recovery (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

therapeutic

intraoperative, efficacy of (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

Hypoxia

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn],

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

perioperative, self-reporting of (CO) [Lagasse], 722 perioperative, self-reporting of (CO) [Sanborn], 723

Hypoxic response, See under Ventilation

I

Imidazoline, See under Receptors Immunology

complement

terminal complement complex

and inflammatory response after blood transfusion (CI) [Åvall, Hyliner, Bengtson, Carlsson & Bengtsson], 511

Incision, See under Surgery

Indicator dilution technique, See under Measurement techniques

Indocyanine green, See under Equipment Indomethacin, See under Pharmacology

Induction

anesthesia

temperature changes, and allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsukil. 559

Infants, See under Age factors; Anesthesia, pediatric Infection

risk of, with spinal catheters, culture results and (CO) [Bevacqua],

Informed consent, See under Medicolegal Inhalational anesthesia, See under Anesthesia Inhalational anesthetics, See under Anesthetics Injection(s)

single

unilateral epidural block after, radiographic investigation of (CR) [Fukushige, Kano & Sano], 1574

Injections

intramuscular

of rocuronium, bioavailability of, in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

intravenous

of rocuronium, bioavailability of, in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

Insufflation, See under Anesthetic techniques

Interactions (drug)

analysis

isobologram

for analysis of analgesic drugs interacting in carrageenin-injected rats (LI) [Fletcher, Benoist, Gautron & Guilbaud], 317 and role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Coxl. 36.

synergy

between analgesic drugs in carrageenin-injected rats (LI) [Fletcher, Benoist, Gautron & Guilbaud], 317

tizanidine and clonidine with lidocaine in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436

Internal consistency, See under Anesthesia, monitored care Intracranial pressure, See under Brain

Intramural coronary artery, See under Arteries
Intraoperative monitoring, See under Monitoring
Intrathecal anesthesia, See under Anesthetic techniques
Intravascular injection, See under Complications
Intravenous fluids, See under Fluids

Intravital microscopy, See under Measurement techniques Intubation

difficult

Intubation Difficulty Scale for evaluation of (CI) [Adnet, Borron, Racine, Clemessy, Fournier, Plaisance & Lapandry], 1290

Intubation Difficulty Scale for evaluation of (EV) [Benumof], 1273

use of endotracheal tube exchanger in (CO) [Cooper], 717 use of short flexible fiberoptic endoscope for (CR) [Guzman], 1563

endotracheal

blind, use of nasogastric tube as aid in (CO) [Sugiura, Yamada, Kainuma & Miyake], 449

extubation to difficult airway (CO) [Cooper], 460

Intubation Difficulty Scale for characterizing complexicity of (CI)
[Adnet, Borron, Racine, Clemessy, Fournier, Plaisance & Lapandry], 1290

Intubation Difficulty Scale for characterizing complexicity of (EV) [Benumof], 1273

laryngotracheal lidocaine administration and (CO) [Burton & Zornow], 185

laryngotracheal lidocaine administration and (CO) [Kempen], 186

spinal cord injury as result of, in undiagnosed cervical spine fractures (CR) [Muckart, Bhagwanjee & van der Merwe], 418

usable *versus* overall tube length for (CO) [Asai], 173 usable *versus* overall tube length for (CO) [Harvey, Bailey & Cookel, 173

fiberoptic

use of endotracheal tube exchanger in (CO) [Cooper], 717

suction catheter-guided (CO) [Lee & Yang], 449

use of endotracheal tube exchanger in (CO) [Cooper], 717 tracheal

and spine precautions, cervical spine motion during (CI) [Watts, Gelb, Bach & Pelz], 1335

in study of propofol requirements (EV) [Hug], 201

In vitro fertilization, See under Pregnancy Ion channels, See under Ions

Ion currents, See under Ions Ions

calchum

calcium channels, voltage-operated

and blockage of dopamine release in rat striatum (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

calcium sensitivity

halothane attenuation of, in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

Ca2+ influx

contribution of, to adenylate cyclase-mediated NO-cGMP relaxation in rat aorta (CO) [Iranami, Hatano, Tsukiyama, Maeda & Mizumoto], 713

Ca2+ influx

contribution of, to adenylate cyclase-mediated NO-cGMP relaxation in rat aorta (CO) [Wu], 712

concentrations of, during hypoxia, and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kassl. 642

intracellular

lidocaine reduces increase in, in gerbil hippocampal neurons (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

L-type calcium current

in ventricular cardiomyocytes, bupivacaine inhibition of (LI) [Rossner & Freese], 926

ion channels

and nicotinic and purinergic receptors (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumura], 1199

ion currents

immature heart and anesthesia (MI) [Baum & Palmisano], 1529 potassium

channels

K_{ATP} channel, ketamine blocks (HI) (LI) [Ko, Lee, Han, Choe, Kwak, Chae, Cho & Song], 68

concentrations of, during hypoxia, and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass]. 642

inward rectifier current, intravenous anesthetics and (LI) [Carnes, Muir & Wagoner], 327

potassium channel

ATP-sensitive, in myocardial ischemic preconditioning (LI) [Cason, Gamperl, Slocum & Hickey], 1182

potassium channels

adenosine triphosphate-sensitive agonist, halothane and (LI) [Seki, Horibe & Murray], 625

glyburide, pretreatment with, isoflurane preconditioning of myocardium and (LI) [Kersten, Schmeling, Pagel, Gross & Warltierl, 361

sodium

concentrations of, during hypoxia, and nitrous oxide impairment of posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

sodium channels, voltage-operated

and blockage of dopamine release in rat striatum (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

sodium current

cardiac, halothane and (LI) [Weigt, Rehmert, Bosnjak & Kwok], 1494

cardiac, volatile anesthetics, and α₁-stimulation (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak], 1507 sodium-hydrogen exchange

inhibitors and anesthetics in myocardial ischemia (LI) [Mathur & Karmazyn], 1460

Ischemia

splanchnic

gas tonometry for measurement of (Cl) [Creteur, DeBacker & Vincent], 504

Ischemia, See under Complications
Ischemia preconditioning, See under Heart
Isobologram, See under Interactions (drug), analysis
Isocapnia, See under Anesthesia, methods
Isoflurane, See under Anesthetics, volatile
Isoproterenol, See under Sympathetic nervous system
Isotope technique, See under Pharmacokinetics

Isovolumic relaxation, See under Heart

J

Jet ventilator, See under Equipment Jugular bulb oxygen saturation, See under Oxygen Juvenile hyaline fibromatosis, See under Complications

K

Ketamine, See under Anesthetics, intravenous Ketorolac, See under Pharmacology Kidney

disease

renal failure

pharmacokinetics and pharmacodynamics of remifentanil in (CI) [Hoke, Shlugman, Dershwitz, Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533

Kinase C protein, See under Protein(s)

L

Labor, See under Anesthesia, obstetric; Pregnancy
Lactate, See under Metabolism
Lactic acidosis, See under Acid-base equilibrium
Laparoscopy, See under Surgery
L-Arginine, See under Pharmacology
Laryngeal mask airway, See under Equipment
Laryngoscope, See under Equipment
Laryngoscopy, See under Surgery
Laryngotracheal anesthesia, See under Anesthetic techniques
Learning

and memory during general anesthesia (MI) [Ghoneim & Block],
387

Lemakalim, See under Pharmacology Leukocytes, See under Blood Liability, See under Anesthesiology Lidocaine, See under Anesthetics, local Lipid emulsion, See under Vehicle Liver

injury ischemic halothane and xanthine oxidase increase (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

transplantation

fatal pulmonary embolism during (CR) [Sopher, Braunfeld, Shackleton, Busuttil, Sangwan & Csete], 429

national database on pulmonary hypertension and hepatopulmonary syndrome and (CO) [Mandall & Krowka], 450

patients, inotropic effects of plasma from (LI) [Chemla, Jayais, Ecoffey, Declere & Lecarpentier], 378

L-NAME, See under Pharmacology

Local anesthesia, See under Anesthetic techniques

Long QT syndrome, See under Heart

Loss of consciousness, See under Complications

Low flow anesthesia, See under Anesthesia

L-type calcium current, See under Ions, calcium

Lumbar plexus block, See under Anesthetic techniques, regional

Lung(s)

aspiration

of cystic pulmonary masses into airway during anesthesia (CR) [Politis, Baumann & Hubbard], 693

intravenous erythromycin promotes gastric emptying prior to emergency anesthesia (CR) [Koop, Mayer & Shaheen], 703 and neutrophil elastase (LI) [Kaneko, Kudoh, Hattori, Yamada, Ohara, Wiener-Kronish & Okumura], 635

barotrauma

effects of, on alveolar recruitment and hyperinflation (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochard], 495

blood flow

perfusion gradient

in sheep, effects of anesthesia, mechanical ventilation, and change in posture on (LI) [Walther, Domino, Glenny & Hlastala], 335

perfusion heterogeneity

in sheep, effects of anesthesia, mechanical ventilation, and change in posture on (LI) [Walther, Domino, Glenny & Hlastala], 335

circulation

and oxygenation in patients with adult respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

function

sevoflurane inhibits methacholine effects on (LI) [Habre, Wildhaber & Sly], 585

gas exchange

atelectasis after cardiopulmonary bypass (LI) [Magnusson, Zemgulis, Wicky, Tydén, Thelin & Hedenstierna], 1153

hyperinflation

effects of positive end-expiratory pressure and different tidal volumes on (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochard], 495

hypertension

inhaled nitric oxide and (CI) [Manktelow, Bigatello, Hess & Hurford], 297

and oxygenation in patients with adult respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

injury

acute

uptake of inhaled nitric oxide in (CI) [Rao, Gallart, Law-Koune, Lu, Puybasset, Cluzel, Coriat & Rouby], 823

pneumonitis

aspiration, and neutrophil elastase (LI) [Kaneko, Kudoh, Hattori, Yamada, Ohara, Wiener-Kronish & Okumura], 635

respiratory distress syndrome

acute

effects of, on alveolar recruitment and hyperinflation (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochardl, 495

inhaled nitric oxide in (CI) [Manktelow, Bigatello, Hess & Hurford], 297

permissive hypercapnia and tracheal expiratory washout in (HI) (CI) [Kalfon, Rao, Gallart, Puybasset, Coriat & Rouby], 6

phenylephrine and nitric oxide in (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

adult

phenylephrine and inhaled nitric oxide in (EV) [Pearl], 1 respiratory failure

permissive hypercapnia and tracheal expiratory washout in (HI)

(CI) [Kalfon, Rao, Gallart, Puybasset, Coriat & Rouby], 6

phenylephrine and inhaled nitric oxide in (EV) [Pearl], 1

postoperative, after laparoscopic cholecystectomy in hemidiaphragm paralysis (CR) [Sadovnikoff & Maxwell], 996

torsion

intraoperative diagnosis of, after repair of descending thoracic aorta (CR) [Goskowicz, Harrell & Roth], 164

whole lung

after thoracoabdominal esophagogastrectomy (CR) [Fisher, Ammar & Silvay], 162

trachea

canin

halothane attenuation of calcium sensitivity in (LI) [Bremerich, Hirasaki, Jones & Warner], 94

smooth muscle

halothane attenuation of calcium sensitivity in (LI) [Bremerich, Hirasaki, Jones & Warner], 94

vasoconstriction

hypoxic pulmonary

and phenylephrine and nitric oxide in acute respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

M

MAC, See under Potency, anesthetic

Magnetic resonance imaging, See under Measurement techniques

Malignant hyperthermia, See under Hyperthermia

Managed care, See under Anesthesia

Mandible, See under Anatomy

Mandibular block, See under Anesthetic techniques

Manometry, See under Monitoring

Manpower

obstetric anesthesia coverage (EV) [Lagasse & Santos], 4 obstetric anesthesia work force survey, 1981 versus 1992 (SA) [Hawkins, Gibbs, Orleans, Martin-Salvaj & Beaty], 135

residents

matched through National Residency Matching Program, relationship between NIH dollars and (CO) [Longnecker], 456

matched through National Residency Matching Program, relationship between NIH dollars and (CO) [Wu, Yang & Ward], 454

Measurement techniques

acetaminophen absorption test

to assess opioid-induced delay in gastric emptying (CI) [Murphy, Sutton, Prescott & Murphy], 765

bispectral index

improves recovery from propofol anesthesia (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

computed tomography

to assess tidal volume, alveolar recruitment, and hyperinflation (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochard], 495

direct-current potential

for evaluation of cerebral ischemia and lidocaine (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

dye dilution technique

to measure cardiac output using indocyanine green (CI) [Imai, Takahashi, Fukura & Morishita], 816

echocardiography

to compare hemodynamic depression of sevoflurane *versus* halothane in infants (CI) [Wodey, Pladys, Copin, Lucas, Chaumont, Carre, Lelong, Azzis & Ecoffey], 795

transesophageal

obstruction of tricuspid valve and pulmonary embolism diagnosed using (CR) [Sasaoka, Kawaguchi, Sha, Sakamoto, Shimokawa, Kitaguchi & Furuya], 998

electrical bioimpedance

to assess opioid-induced delay in gastric emptying (CI) [Murphy, Sutton, Prescott & Murphy], 765

electrocardiography

to study cardiac baroreflex and spinal anesthesia (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Ouintin], 1359

electromyographic activation

in study of cervlospinal glutamate receptors in fentanyl-induced rigidity (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

fluorescent microspheres

to assess pulmonary perfusion heterogeneity in sheep (LI) [Walther, Domino, Glenny & Hlastala], 335

fluorometry

for evaluation of cerebral ischemia and lidocaine (LI) [Liu, Adachi, Yanase, Kataoka & Arai], 1470

gas tonometry

monitoring gastric mucosal carbon dioxide pressure using (CI) [Creteur, DeBacker & Vincent], 504

gastric tonometry

monitoring gastric mucosal carbon dioxide pressure using (CI) [Creteur, DeBacker & Vincent], 504

indicator dilution technique

to measure cardiac output (CI) [Imai, Takahashi, Fukura & Morishita], 816

intravital microscopy

to assess the effects of isoflurane on subendocardial microvessels (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343

magnetic resonance imaging

adverse effects

and fiberoptic intracranial pressure monitoring during (CR) [Grady, Wass, Maus & Felmlee], 1001

contraindications

and fiberoptic intracranial pressure monitoring during (CR) [Grady, Wass, Maus & Felmlee], 1001

microdialysis

in study of α_z -adrenergic agonists and acetylcholine and norepinephrine (LI) [Klimscha, Tong & Eisenach], 110

multiple inert gas elimination

to assess atelectasis after cardiopulmonary bypass (LI) [Magnusson, Zemgulis, Wicky, Tydén, Thelin & Hedenstierna], 1153 muscle tension

and improvement in design of muscle relaxant studies (CO)
[Fisher & Brown], 460

and improvement in design of muscle relaxant studies (CO) [Storella], 459

neuromuscular blockade

surrogate endpoints and neuromuscular recovery following (EV) [Kopman], 1029

patch clamp

to assess blockage of K_{ATP} channels by ketamine (HI) (LI) [Ko, Lee, Han, Choe, Kwak, Chae, Cho & Song], 68

in assessment of nicotinic and purinergic receptors (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumura], 1199

pulse dye densitometry

to measure cardiac output using indocyanine green (CI) [Imai, Takahashi, Fukura & Morishita], 816

radiography

to investigate unilateral epidural block after single injection (CR) [Fukushige, Kano & Sano], 1574

saline tonometry

monitoring gastric mucosal carbon dioxide pressure using (CI) [Creteur, DeBacker & Vincent], 504

tetanic stimulation

in study of propofol requirements (EV) [Hug], 201

thermodilution

to measure cardiac output (CI) [Imai, Takahashi, Fukura & Morishita], 816

tomography

emission computed

to assess effects of midazolam on cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106

transcranial Doppler sonography

to assess transmyocardial laser revascularization (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Esch], 58

ultrasonography

transcrainal Doppler

of blood flow velocity, clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

videomicroscopy

in vivo

to assess lidocaine and endotoxin-induced microcirculatory changes (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin], 617

Mechanical hyperalgesia, See under Anesthetic techniques Mechanical ventilation, See under Ventilation

Medicine

perioperative

economics of practice of anesthesiology and (CO) [Dávila], 1589 economics of practice of anesthesiology and (CO) [Ellison], 1588 economics of practice of anesthesiology and (CO) [Shapiro],

economics of practice of anesthesiology and (CO) [Shapiro], 1590

Medicolegal

decision-making capacity

informed consent and (SA) [Waisel & Truog], 968

informed consent

(SA) [Waisel & Truog], 968

patient-physician relationship

informed consent and (SA) [Waisel & Truog], 968

Membrane

mitochondria

inherited disease of, in adult (CR) [Ciccotelli, Prak & Murachick], 1240

affective state, and midazolam-propofol interactions (LI) [Pain, Oberling, Sandner & DiScala], 935

cognition

drugs, and sedation (EV) [Ghoneim & Hinrichs], 734

conscious

awareness

learning and, during general anesthesia (MI) [Ghoneim & Block], 387 explicit

learning and, during general anesthesia (MI) [Ghoneim & Block],

implicit

learning and, during general anesthesia (MI) [Ghoneim & Block], 387

recall

and comparative amnesic effects of four sedatives (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

recognition

and comparative amnesic effects of four sedatives (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

sevoflurane effects on (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

Menstrual cycle, See under Gender, women

Meperidine, See under Analgesics, narcotic

Mesentery plasma extravasation, See under Blood

Meta-analysis, See under Statistics

Metabolism

adenosine triphosphate

potassium channels regulated by, isoflurane preconditioning of myocardium and (LI) [Kersten, Schmeling, Pagel, Gross & Warltier], 361

in study of nitrous oxide and posthypoxic recovery (LI) [Amorim, Chambers, Cottrell & Kass], 642

hyperglycemia

effects of, on anesthetic requirements of halothane in rats (LI) [Ishizawa, Ohta, Shimonaka & Dohi], 354

hypermetabolism

efficacy of intraoperative cooling methods and (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089 hypoglycemia

effects of, on anesthetic requirements of halothane in rats (LI) [Ishizawa, Ohta, Shimonaka & Dohi], 354

lactate

circulating, after ischemia, halothane and xanthine oxidase increase (LI) [Nielsen, Tan, Kirk, Baird, McCammon, Samuelson & Parks], 908

Metallic objects, See under Equipment

Metformin, See under Pharmacology

Methacholine, See under Pharmacology

Methoxamine, See under Sympathetic nervous system

Methylnaltrexone, See under Pharmacology

Mice, See under Animals

Microdialysis, See under Measurement techniques

Microvessels, See under Heart, blood flow

Midazolam, See under Anesthetics, hypnotic; Anesthetics, intravenous; Hypnotics, benzodiazepines

Minimum alveolar concentration, See under Potency, anesthetic

Mitochondria, See under Membrane

Mitochondrial myopathy, See under Complications; Heart Mivacurium chloride, See under Neuromuscular relaxants Modeling, See under Pharmacokinetics Models

biomedical

of role of anesthesiologists in management of chronic non-malignant pain (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

biopsychosocial

of role of anesthesiologists in management of chronic non-malignant pain (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

pharmacokinetic-pharmacodynamic

and amnesic effects of four sedatives (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

pharmacokinetics

recirculatory

effect of halothane on, in dog (EV) [Wood], 1274

effect of halothane on, in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthorn], 1381

Monitored anesthesia, See under Anesthesia, monitored care Monitoring

anesthetic gas

unusual capnogram encountered in (CO) [Gozal & Robinson],

unusual capnogram encountered in (CO) [Lehman], 454

bispectral analysis

and recovery from inhalation anesthesia (CI) [Song, Joshi & Whitel, 842

capnography

unusual capnogram encountered in (CO) [Gozal & Robinson], 453

unusual capnogram encountered in (CO) [Lehman], 454

capnometry

in air embolization in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

central temporal summation

to assess epidural epinephrine and clonidine (CI) [Curatolo, Petersen-Felix, Arendt-Nielsen & Zbinden], 785

cerebral

of blood flow velocity, clonidine and (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

echocardiography

transesophageal

effect of, on task distribution, workload, and vigilance during cardiac anesthesia (HI) (SA) [Weinger, Herndon & Gaba], 144

electric stimulation

transcutaneous

for study of acute pain and respiration (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289 electrocardiography

sectional to menitor

solution to monitoring in, in extensive burn injury (CO) [Ravindran], 711

ST segment deviation

intermittent reduction in myocardial perfusion causing, after cardiopulmonary bypass (CO) [Jain], 710

electroencephalography

to assess effects of midazolam on cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106

to assess generalized seizures associated with nitrous oxide in infant (CR) [Lannes, Desparmet & Zifkin], 705

burst suppression

and blood flow velocity of middle cerebral artery during prolonged anesthesia with volatile anesthetics (CI) [Kuroda, Murakami, Tsuruta, Murakawa & Sakabe], 527

effect

to assess emulsion formulation and propofol action (LI) [Dutta & Ebling], 1394

and recovery from inhalation anesthesia (CI) [Song, Joshi & White], 842

showing seizure activity under sevoflurane anesthesia in nonepileptic patient (CR) [Woodforth, Hicks, Crawford, Stephen & Burke], 1579

end-expired PCO₂

in air embolization in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

end-tidal CO2

choking hazard during (CO) [Pan], 451

fiberoptic intracranial pressure

during magnetic resonance imaging (CR) [Grady, Wass, Maus & Felmleel. 1001

hemodynamic

using algorithm for quantifying blood pressure lability in (CO) [Cohn], 1593

using algorithm for quantifying blood pressure lability in (CO) [Reich & Krol], 1594

in assessment of mean arterial pressure lability (SA) [Reich, Osinski, Bodian, Krol, Sarier, Roth & Konstadt], 156

intraoperative

during administration of volatile anesthetics (EV) [Kharasch], 202

computerized patient records for anesthesia (CPRA), elusive artifact and cost issues with (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

computerized patient records for anesthesia (CPRA), elusive artifact and cost issues with (CO) [Sanborn], 722 self-reporting can be reliable means of tracking adverse perioperative events (CO) [Lagasse], 722

self-reporting can be reliable means of tracking adverse perioperative events (CO) [Sanborn], 723

neuromuscular function

manometry

to assess pharyngeal function and aspiration during partial paralysis (CI) [Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & Kuylenstiema], 1035

train-of-four

to assess pharyngeal function and aspiration during partial paralysis (CI) [Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & Kuylenstiema], 1035

and recovery of neuromuscular function (CO) [Jones], 1595 and recovery of neuromuscular function (CO) [Kopman, Yee & Neuman], 1595

surrogate endpoints and neuromuscular recovery (EV) [Kopman], 1029

O₂ saturation

in air embolization in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

perfusion, during radical perineal prostatectomy (CO) [Findlay, Rettke & Myers], 457

pharnyx

function of, and aspiration during partial paralysis (CI)[Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & [Kuylenstiema], 1035

pulse oximetry

in air embolization in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

radionuclide imaging

H₂15O

to study midazolam and cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106

splanchnic

of gastric mucosal carbon dioxide pressure (CI) [Creteur, De-Backer & Vincent], 504

Mood, See under Recovery

Morphine, See under Analgesics, narcotic; Analgesics, opioid Morphine-6-glucuronide, See under Pharmacology

Multiple inert gas elimination, See under Measurement techniques

Mu opioid receptor, See under Receptors

Mural coronary artery, See under Arteries

Murray score, See under Testing

Muscle

igidity

fentanyl-induced, cerulospinal glutamate receptors in (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

skeletal

diaphragm

paralysis of, postoperative respiratory failure due to (CR) [Licker, Schweizer, Höhn & Clergue], 1239

paralysis

diaphragmatic, postoperative respiratory failure due to (CŔ) [Licker, Schweizer, Höhn & Clergue], 1239

time, time to desaturation *versus* (LI) [Benumof, Dagg & Benumof], 979

smooth

and opioid-induced delay in gastric emptying (CI) [Murphy, Sutton, Prescott & Murphy], 765

and opioid-induced delay in gastric emptying (EV) [Rosow], 736 trachea

halothane attenuation of calcium sensitivity in (LI) [Bremerich, Hirasaki, Jones & Warner], 94

vascular smooth

K⁺_{ATP} vasodilation, halothane and (LI) [Seki, Horibe & Murray], 625

Muscle(s)

weakness

delayed recovery from, due to malignant hyperthermia during sevoflurane (CR) [Maeda, Iranami & Hatano], 425

Muscle relaxants

rocuronium bromide

intramuscular, bioavailability of, in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

succinvlcholine

resistance to, in patient with juvenile hyaline fibromatosis (CR) [Baraka], 1250

vecuronium

and improvement in design of muscle relaxant studies (CO) [Fisher & Brown], 460

and improvement in design of muscle relaxant studies (CO) [Storella], 459

Muscle relaxants, See under Neuromuscular relaxants

Muscle tension, See under Measurement techniques

Muscle weakness, See under Complications; Muscle(s)

Muscular rigidity, See under Complications

Myocardial contractility, See under Heart

Myocardial coronary bridging, See under Heart

Myocardial function, See under Heart

Myocardial infarction, See under Heart

Myocardial ischemia, See under Complications; Heart

Myocardial oxygen consumption, See under Heart; Oxygen

Myocardium, See under Heart

Myocytes, See under Heart

Myopathy, See under Complications

N

N6-(R)-phenylisopropyladenosine, See under Receptors, adenosine, agonists

Naloxone, See under Antagonists, narcotic

NARP syndrome, See under Complications

Nasogastric tube, See under Equipment

Nasopharyngoscope, See under Equipment

Nasotracheal intubation, See under Intubation

Nausea, See under Complications

N6-cyclohexyladenosine, See under Receptors, adenosine, agonists

Needles, See under Equipment

Neocortex, See under Brain

Nerve(s)

axon

neurons

damage, and neuroprotective effects of dexmedetomidine (LI) [Kuhmonen, Pokorný, Miettinen, Haapalinna, Jolkkonen, Riekkinen & Sivenius], 371

axons

dorsal root

pregnancy decreases sensitivity to bupivacaine in (LI) [Dietz & Jaffe], 610

ventral root

pregnancy decreases sensitivity to bupivacaine in (LI) [Dietz & Jaffe], 610

damage

paralysis

hemidiaphragm, respiratory failure after laparoscopic cholecystectomy in (CR) [Sadovnikoff & Maxwell], 996

injury

neuropathic pain

nociceptin and (LI) [Yamamoto & Nozaki-Taguchi], 1145

motor reaction

and propofol concentration required for various noxious stimuli (CI) [Kazama, Ikeda & Morita], 213

and propofol requirements *versus* stimulus intensity (EV) [Hug], 201

neuroprotection

by dexmedetomidine, in gerbil hippocampus (LI) [Kuhmonen, Pokorný, Miettinen, Haapalinna, Jolkkonen, Riekkinen & Sivenius], 371

phrenic

halothane and peripheral chemoresponse to hypoxia (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

sciatic

blockade of, in popliteal fossa (CI) [Benzon, Kim, Benzon, Silverstein, Jericho, Prillaman & Buenaventura], 547

stimulation

tetanic

and improvement in design of muscle relaxant studies (CO) [Fisher & Brown], 460

and improvement in design of muscle relaxant studies (CO) [Storella], 459

stimulator

peripheral, effects of auditory volume control knob on stimulus amplitude display of (CO) [Hadzic, Vloka & Koorn], 714

peripheral, effects of auditory volume control knob on stimulus amplitude display of (CO) [Hughey], 715

Nerve block, See under Anesthetic techniques; Anesthetic techniques, regional

Nerve stimulator, See under Nerve(s)

Neuroblastoma cells, See under Cells

Neurological complications, See under Complications

Neurologic complications, See under Complications

Neurologic injury, See under Complications

Neuromuscular blockade, *See under Measurement techniques* Neuromuscular blocking drugs, *See under Pharmacology*

Neuromuscular recovery, See under Postoperative period Neuromuscular relaxants

cisatracurium

anaphylactic reaction after (CR) [Clendenen, Harper, Wharen & Guarderas], 690

mivacurium chloride

and indicators of recovery of neuromuscular function (CO) [Jones], 1595

and indicators of recovery of neuromuscular function (CO) [Kopman, Yee & Neuman], 1595

muscle relaxants

anaphylactic reaction after (CR) [Clendenen, Harper, Wharen & Guarderas], 690

nondepolarizing

surrogate endpoints and neuromuscular recovery (EV) [Kopmanl. 1029

pancuronium

expenditures for, cost-effective reduction of (CI) [Freund, Bowdle, Posner, Kharasch & Burkhartl, 1044

pancuronium-metocurine

expenditures for, cost-effective reduction of (CI) [Freund, Bowdle, Posner, Kharasch & Burkhart], 1044

rocuronium

dose response of, in children (CI) [Woolf, Crawford & Choo], 1368

succinvlcholine

dose response of rocuronium and, in children (CI) [Woolf, Crawford & Choo], 1368

intravenous, hemoglobin desaturation before return to unparalyzed state following (LI) [Benumof, Dagg & Benumof], 979

vecuronium expenditures for, cost-effective reduction of (CI) [Freund, Bowdle, Posner, Kharasch & Burkhart], 1044

partial paralysis induced by, pharyngeal function and aspiration during (CI) [Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & Kuylenstiema], 1035

Neurons, See under Nerve(s), axon

Neuropathic pain, See under Pain

Neuroprotection, See under Nerve(s)

Neurosurgery, See under Surgery

Neurosurgical anesthesia, See under Anesthesia

Neurotoxicity, See under Toxicity

Neurotransmitters

acetylcholine

spinal α_2 agonists increase (LI) [Klimscha, Tong & Eisenach], 110

in study of halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner],

Neutrophil inhibitor, See under Blood, neutrophils

Nicomorphine, See under Anesthetics, local

Nicotinic receptors, See under Receptors

Nitric oxide, See under Anesthetics, gases; Gases

Nitric oxide synthase, See under Enzymes; Pharmacology

Nitroglycerin, See under Pharmacology

Nitrous oxide, See under Anesthetics, gases; Anesthetics, inhalational; Anesthetics, intravenous

NMDA, See under Receptors, glutamate

NMDA receptors, See under Receptors

N-Methyl-D-aspartate, See under Receptors

Nociceptin, See under Agonists, receptor

Nociception, See under Spinal cord

Noise

environmental, See under Complications See also under Complications

Nondepolarizing neuromuscular relaxants, See under Neuromuscular relaxants

NONMEM. See under Pharmacokinetics

Norepinephrine, See under Sympathetic nervous system Number-needed-to-treat, See under Statistics

0

Obesity, See under Complications Obstetric anesthesia, See under Anesthesia Ondansetron, See under Vomiting One-lung ventilation, See under Ventilation Opioid receptor-like, receptor, See under Receptors μ-Opioid receptors, See under Receptors **Opioids**

interactions

after intravenous fentanyl, maternal and fetal complications following (CR) [Lu, Manullang, Staples, Kern & Bailey], 170 intrathecal

versus systemic, assessment of potency and intrinsic activity of (HI) (LR) [Abram, Mampilly & Milosavljevic], 127

spinal

after intravenous fentanyl, maternal and fetal complications following (CR) [Lu, Manullang, Staples, Kern & Bailey], 170 systemic

versus intrathecal, assessment of potency and intrinsic activity of (HI) (LR) [Abram, Mampilly & Milosavljevic], 127

See also under Analgesics; Analgesics, narcotic Oral administration, See under Administration

Organizations

American Heart Association

recommendations for treating tricyclic antidepressant-induced hypotension (CO) [Rosenthal], 1259

recommendations for treating tricyclic antidepressant-induced hypotension (CO) [Sprung & Schoenwald], 1260

American Society of Anesthesiologists

difficult airway algorithm

recommendations of (LI) [Benumof, Dagg & Benumof], 979

Reports of Scientific Meetings

Overview of American Society of Regional Anesthesia Annual Meeting. Atlanta, Georgia, April 10-13, 1997 (SM) [War-

Society of Neurosurgical Anesthesia and Critical Care. New Orleans, Louisiana, October 18, 1996 (SM) [Black], 188

The 29th Annual Meeting of SOAP. Southhampton, Bermuda (SM) [Birnbach], 1600

Workshop on How to Perform Clinical Outcome Studies. Münster, Germany, May 22-23, 1997 (SM) [Wedel, White, Brennan & Sandler], 1021

Orogastric tube, See under Equipment

Outcome

autopsy

and diagnosis of ventilator-associated pneumonia (CI) [Papazian, Autillo-Touati, Thomas, Bregeon, Garbe, Saux, Seite &

clinical

and cost-effective reduction of drug expenditures (CI) [Freund, Bowdle, Posner, Kharasch & Burkhart], 1044

death

and computerized patient records for anesthesia (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

and computerized patient records for anesthesia (CO) [Sanborn],

following self-reporting of adverse perioperative events (CO) [Lagasse], 722

following self-reporting of adverse perioperative events (CO) [Sanborn], 723

end-of-life care

and issues at end of life (SA) [Waisel & Truog], 676

Outcome(s)

adverse

and gas delivery systems (CI) [Caplan, Vistica, Posner & Cheney], 741

and gas delivery systems (EV) [Eisenkraft], 731

anesthesia

bispectral index and (CI) [Song, Joshi & White], 842

bispectral index monitoring improves recovery from propofol anesthesia (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

patient satisfaction

development of measure of, with monitored anesthesia care (CI) [Dexter, Aker & Wright], 865

outpatient ambulatory surgical patients (CI) [Tong, Chung & Wongl, 856

savings, and pharmaceutical practice guidelines (CO) [Bailey & Egan], 1583

savings, and pharmaceutical practice guidelines (CO) [Lubarsky], 1584

avings, and pharmaceutical practice guidelines (CO) [Lubarsky], 1586

savings, and pharmaceutical practice guidelines (CO) [Lubarsky], 1587

savings, and pharmaceutical practice guidelines (CO) [Riley],

savings, and pharmaceutical practice guidelines (CO) [Viby-Mogensen], 1587

Oxygen

consumption

myocardial

and mechanoenergetics of negative inotropism of isoflurane in canine left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Suga], 82

delivery

assessment of, using gastric gas tonometry (CI) [Creteur, De-Backer & Vincent], 504

jugular bulb oxygen saturation

during transmyocardial laser revascularization (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Esch], 58

myocardial consumption

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

oxygen carrier

hemoglobin-based

in experimental subarachnoid hemorrhage in rats (LI) [Cole, Nary, Reynolds, Patel & Drummond], 1486

oxygen cost of PVA, unloaded VO2

fentanyl and (LI) [Kohno, Takaki, Ishioka, Nakayama, Suzuki, Araki, Namba & Suga], 658

Oxygen carrier

hemoglobin-based, See under Oxygen Oxyhemoglobin desaturation, See under Blood

P

Paco₂, See under Carbon dioxide Pain

Lam

acute

induced by activation of cutaneous nociceptors on ventilatory control (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

allodynia

capsaican-evoked (CO) [Sang, Gracely, Max & Bennett], 452 capsaican-evoked (CO) [Vandam], 452

analgesia, See under Analgesia

in carrageenin-injected rats, interactions between analgesic drugs in (LI) [Fletcher, Benoist, Gautron & Guilbaud], 317

kperimentai to assess epidural epinephrine and clonidine (CI) [Curatolo, Petersen-Felix, Arendt-Nielsen & Zbinden], 785

hyperalgesia

capsaican-evoked (CO) [Sang, Gracely, Max & Bennett], 452 capsaican-evoked (CO) [Vandam], 452

thermal

nociceptin and (LI) [Yamamoto & Nozaki-Taguchi], 1145 interactions of tizanidine and clonidine with lidocaine in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436 intractable

role of anesthesiologists in management of (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

management

double-blind method

remifentanil vs. morphine sulfate analgesia for (CI) [Yarmush, D'Angelo, Kirkhart, O'Leary, Pitts, Graf, Sebel, Watkins, Miguel, Streisand, Maysick & Vujic], 235

neuropathic

nociceptin and (LI) [Yamamoto & Nozaki-Taguchi], 1145 pain clinics

anesthesiologists and (MI) [Jacobson, Mariano, Chabal & Chanevl. 1210

and patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

postoperative

control

remifentanil vs. morphine sulfate analgesia for (CI) [Yarmush, D'Angelo, Kirkhart, O'Leary, Pitts, Graf, Sebel, Watkins, Miguel, Streisand, Maysick & Vujic], 235

and culture results related to risk of infection with spinal catheters (CO) [Bevacqua], 179

incisional, comparison and intrathecal morphine and bupivacaine in (LI) [Brennan, Umali & Zahn], 1517

management of, practice guidelines for (EV) [Dexter], 1031 postherniorrhaphy (MI) [Callesen & Kehlet], 1219 prevention

remifentanil vs. morphine sulfate analgesia for (CI) [Yarmush,

D'Angelo, Kirkhart, O'Leary, Pitts, Graf, Sebel, Watkins, Miguel, Streisand, Maysick & Vujicl, 235

reduction of, after pediatric hernia repair (CI) [Splinter, Reid, Roberts & Bass], 542

radicular

due to retained fragment of epidural catheter (CR) [Blanchard, Clabeau, Ossart, Dekens, Legars & Tchaoussoff], 1567

Pancuronium, See under Neuromuscular relaxants

Pancuronium-metocurine, See under Neuromuscular relaxants

Papillary muscle, See under Heart

Paralysis, See under Muscle, skeletal; Nerve(s), damage

Parasympathetic nervous system

vagus nerve

halothane and peripheral chemoresponse to hypoxia (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

and peripheral chemoresponse to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

Patch clamp, See under Anesthetic techniques; Measurement techniques

Patient-controlled analgesia, See under Analgesia

Patient satisfaction, See under Outcome(s)

PC12 cells, See under Cells

Pediatric anesthesia, See under Anesthesia

Pentobarbital, See under Anesthetics, intravenous; Hypnotics, barbiturates

Perioperative anesthesia, See under Anesthesia

Perioperative medicine, See under Medicine

Pharmacodynamics

alfentanil

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

drug-drug interactions

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

fentanyl

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Boyilli, 1549

of morphine and morphine-6-glucuronide after short term intravenous administration (CI) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

propofol

and rational opioid selection (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

of remifentanil in renal failure and in healthy volunteers (CI)
[Hoke, Shlugman, Dershwitz, Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533

remifentanil

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

sufentanil

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

Pharmacokinetic model drug delivery, See under Anesthetic techniques

Pharmacokinetics

aging

and role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

alfentanil

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

bioavailability

of intramuscular rocuronium in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

disposition

and block after epidural ropivacaine (CI) [Emanuelsson, Persson, Alm, Heller & Gustafsson], 1309

distribution

and alteration of drug disposition by halothane in dog (EV) [Wood], 1274

and alteration of drug disposition by halothane in dog (LI) [Avram, Krejcie, Niemann, Klein, Gentry, Shanks & Henthornl, 1381

drug-drug interactions

and propofol anesthesia (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

elimination

and block after epidural ropivacaine (CI) [Emanuelsson, Persson, Alm, Heller & Gustafsson], 1309

fentanyl

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

of intravenous fluids (EV) [Stanski], 200

isotope technique

epidural ropivacaine and (CI) [Emanuelsson, Persson, Alm, Heller & Gustafsson], 1309

modeling

mixed-effects

and bioavailability of intramuscular rocuronium in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096 twenty-four-hour, of rectal acetaminophen in children (CI) [Birmingham, Tobin, Henthorn, Fisher, Berkelhamer, Smith, Fanta & Coté], 244

NONMEM

and bioavailability of intramuscular rocuronium in children (CI) [Reynolds, Lau, Brown, Luks, Sharma & Fisher], 1096

propofol

and rational opioid selection (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

protein binding

of bupivacaine, estrogen-induced changes in, during in vitro fertilization (CI) [Tsen, Arthur, Datta, Hornstein & Bader], 879

of remifentanil in renal failure and in healthy volunteers (CI)
[Hoke, Shlugman, Dershwitz Michalowski, Malthouse-Dufore, Connors, Martel, Rosow, Muir, Rubin & Glass], 533

remifentanil

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

ringer solution

volume kinetics of, in male volunteers (CI) [Svensén & Hahn], 204

steady-state

and analgesic activity of morphine-6-glucuronide (CI) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

sufentani

propofol anesthesia and (SA) [Vuyk, Mertens, Olofsen, Burm & Bovill], 1549

thiopental

in humans (CI) [Wada, Björkman, Ebling, Harashima, Harapat & Stanski], 884

variability

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox], 36

Pharmacology

acetaminophen

rectal

twenty-four-hour pharmacokinetics of, in children (CI) [Bir-mingham, Tobin, Henthorn, Fisher, Berkelhamer, Smith, Fanta & Cotél, 244

acetylcholine

in investigation of halothane and K^+_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

adenosine

effects of hypotension due to, on subendocardial microcirculation (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343 aminoguanidine

effect of, on inducible nitric oxide synthase and gastric motility in sepsis (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

antidepressants

tricvclic

hypotension induced by, American Heart Association recommendations for treating (CO) [Rosenthal], 1259

hypotension induced by, American Heart Association recommendations for treating (CO) [Sprung & Schoenwald], 1260

biquanides

lactic acidosis as serious perioperative complication of (CR) [Mercker, Maier, Neumann & Wulf], 1003

bupivacaine

after intravenous fentanyl, maternal and fetal complications following (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

calcium channel blockers

diltiazem

for ventricular fibrillation (CO) [Kishikawa, Kumeta, Kurihara, Endo & Namiki], 709

caproic acid

epsilon-amino

during liver transplantation, fatal pulmonary embolism and (CR) [Sopher, Braunfeld, Shackleton, Busuttil, Sangwan & Csete], 429

capsaican

mechanical allodynia and hyperalgesia induced by (CO) [Sang, Gracely, Max & Bennett], 452

mechanical allodynia and hyperalgesia induced by (CO) [Vandam], 452

carrageenin

rats injected with, morphine, propacetamol, and diclofenac in (LI) [Fletcher, Benoist, Gautron & Guilbaud], 317

compound A

recovery and kinetics of (CI) [Eger, Bowland, Ionescu, Laster, Fang, Gong, Sonner & Weiskopf], 517

depressants

and blockage of dopamine release by riluzole (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

desmopressin acetate (DDAVP)

and blood loss in children with cerebral palsy (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260

dexmethasone

effect of, on inducible nitric oxide synthase and gastric motility in sepsis (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

doxycycline

and air embolism, in rabbit (LI) [Reasoner, Hindman, Dexter, Subieta, Cutkomp & Smith], 569

and neurologic dysfunction after cerebral embolism (EV) [Mangano], 476

drugs

memory, and sedation (EV) [Ghoneim & Hinrichs], 734

expensive anesthetic drugs

practice guidelines for (EV) [Dexter], 1031

glybenclamide

in investigation of halothane and K⁺_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

guanosine 5'-O-(2-thiodiphosphate)(GDPβS)

in study of halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

guanosine 5'-O-(3-thiotriphosphate) (GTPyS)

in study of halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

guanosine 5'-triphosphate (GTP)

in study of halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

indomethacin

in investigation of halothane and K⁺_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

intracellular adhesion molecule-1

in study of anesthesia and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takedal, 591

ketorolac

in study of pain reduction after pediatric hernia repair (CI) [Splinter, Reid, Roberts & Bass], 542

L-arginine

effect of, on inducible nitric oxide synthase and gastric motility in sepsis (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

lemakalim

in investigation of halothane and K^+_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

L-NAME

and intravenous anesthetics (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479

in investigation of halothane and K^+_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

metformin

lactic acidosis as serious perioperative complication of (CR) [Mercker, Maier, Neumann & Wulf], 1003

methacholine

effects of, on lung function, sevoflurane inhibits (LI) [Habre, Wildhaber & Sly], 585

methylnaltrexone

reverses gastric emptying delay induced by opioids (CI) [Murphy, Sutton, Prescott & Murphy], 765

reverses gastric emptying delay induced by opioids (EV) [Rosow], 736

morphine-6-glucuronide

lack of analgesic activity of, after short-term administration (CI) [Lötsch, Kobal, Stockmann, Brune & Geisslinger], 1348

neuromuscular blocking drugs

practice guidelines for (EV) [Dexter], 1031

nitric oxide

-cGMP relaxation in rat aorta, adenylate cyclase-mediated, contribution of transmembrane Ca²⁺ influx (CO) [Iranami, Hatano, Tsukiyama, Maeda & Mizumoto], 713

 -cGMP relaxation in rat aorta, adenylate cyclase-mediated, contribution of transmembrane Ca²⁺ influx (CO) [Wu], 712

produced by inducible nitric oxide synthase inhibits gastric motility in sepsis (LI) [Takakura, Hasegawa, Goto & Muramatsu], 652

in study of anesthesia and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takeda], 591

nitric oxide synthase

inhibition

and intravenous anesthetics (LI) [Tonner, Scholz, Lamberz, Schlamp & Schulte am Esch], 1479

nitroglycerin

effects of hypotension due to, on subendocardial microcirculation (LI) [Fujita, Habazetti, Corso, Messmer & Yada], 343 for uterine relaxation (CO) [Bell], 717

for uterine relaxation (CO) [Langevin], 716

phenylephrine

in adult respiratory distress syndrome (EV) [Pearl], 1

in investigation of halothane and K*_{ATP} pulmonary vasodilation (LI) [Seki, Horibe & Murray], 625

and nitric oxide in acute respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

phorbol 12,13-dibutyrate (PDBu)

in study of halothane attenuation of calcium sensitivity in airway smooth muscle (LI) [Bremerich, Hirasaki, Jones & Warner], 94

P-selection

in study of anesthesia and leukocyte adherence (LI) [Morisaki, Suematsu, Wakabayashi, Moro-oka, Fukushima, Ishimura & Takeda], 591

psychopharmacology

drugs, memory, and sedation (EV) [Ghoneim & Hinrichs], 734 rilmenidine

effect of, on anesthetic requirement for halothane in rats (LI) [Kagawa, Mammoto, Hayashi, Kamibayashi, Mashimo & Yoshiya], 963

riluzole

and blockage of dopamine release (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

saline solution

hypertonic

volume kinetics of, in male volunteers (CI) [Svensén & Hahn], 204

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200

sufentanil

after intravenous fentanyl, maternal and fetal complications following (CR) [Lu, Manullang, Staples, Kern & Bailey], 170

€-aminocaproic acid

cost-benefit and efficacy of, versus aprotinin in patients having repeated cardiac operation (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

Pharynx, See under Anatomy; Gastrointestinal tract

Phenol red, See under Equipment

Phenylephrine, See under Pharmacology; Sympathetic nervous system

Phorbol 12,13-dibutyrate (PDBu), See under Pharmacology Phorbol esters, See under Heart, signal transduction

Phrenic nerves, See under Nerve(s)

Piglets, See under Animals

Platelet aggregation, See under Blood

Plexopathy

lumbar, See under Complications

Pneumonia, See under Complications

Pneumonitis, See under Lung(s)

Pneumoperitonium, See under Carbon dioxide

Popliteal fossa, See under Anatomy

Position

positioning

for perfusion monitoring during radical perineal prostatectomy (CO) [Findlay, Rettke & Myers], 457

prone

effects of, on pulmonary blood flow distribution in sheep (LI) [Walther, Domino, Glenny & Hlastala], 335

sitting

air embolization in, in neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

supine

effects of, on pulmonary blood flow distribution in sheep (LI) [Walther, Domino, Glenny & Hlastala], 335

Positioning, See under Position

Postanesthesia care, See under Postoperative care

Post-anesthesia care unit

recovery of neuromuscular function in (CO) [Jones], 1595

recovery of neuromuscular function in (CO) [Kopman, Yee & Neuman], 1595

Postanesthesia care unit testing, See under Postoperative period

Postoperative analgesia, See under Analgesia

Postoperative care

postanesthesia care

hypothermia prolongs (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

Postoperative complications, See under Complications

Postoperative pain, See under Pain

Postoperative period

neuromuscular recovery

indicators of (CO) [Jones], 1595

indicators of (CO) [Kopman, Yee & Neuman], 1595

pharyngeal function and aspiration during partial paralysis during (CI) [Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & Kuylenstiema], 1035

surrogate endpoints and (EV) [Kopman], 1029

postanesthesia care unit

pharyngeal function and aspiration during partial paralysis in (CI) [Eriksson, Sundman, Olsson, Nilsson, Witt, Ekberg & Kuylenstiema], 1035

postanesthesia care unit testing

surrogate endpoints and neuromuscular recovery (EV) [Kopman], 1029

Potassium, See under Ions

Potassium channel(s), See under Ions, potassium Potency

anesthetic

alfentanil

and remifentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

MAC

effects of blood glucose changes and physostigmine on (LI) [Ishizawa, Ohta, Shimonaka & Dohi], 354

for halothane, effect of α_2 agonists on (LI) [Kagawa, Mammoto, Hayashi, Kamibayashi, Mashimo & Yoshiya], 963

of sevoflurane, clonidine and (CI) [Nishina, Mikawa, Shiga, Maekawa & Obaral, 1324

median effective concentration (EC50)

of remifentanil and alfentanil for loss of consciousness (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

median effective dose (ED₅₀) of remifentanil and alfentanil for loss of consciousness (CI)

[Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253 of propofol and hemodynamic responses to various noxious stim-

uli (CI) [Kazama, Ikeda & Morita], 213 and propofol requirements versus stimulus intensity (EV) [Hug], 201

remifentanil

and alfentanil, loss of consciousness with (CI) [Jhaveri, Joshi, Batenhorst, Baughman & Glass], 253

Practice guidelines

application of, to anesthesiology (EV) [Dexter], 1031 pharmaceutical

implementation of (CO) [Bailey & Egan], 1583

implementation of (CO) [Lubarsky], 1584

implementation of (CO) [Lubarsky], 1586

implementation of (CO) [Lubarsky], 1587

implementation of (CO) [Riley], 1585

implementation of (CO) [Viby-Mogensen], 1587

Preemptive analgesia, See under Analgesia Pregnancy

decreases sensitivity to bupivacaine (LI) [Dietz & Jaffe], 610 ewe

arterial to end-tidal gradients in (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients in (CO) [Shankar & Mushlin], 1596 arterial to end-tidal gradients in (CO) [Steinbrook & Datta], 1596

in vitro fertilization estrogen concentrations and protein binding during (CI) [Tsen,

labor

epidural versus patient-controlled analgesia during, cesarean delivery and (CI) [Sharma, Sidawi, Ramin, Lucas, Leveno & Cunningham], 487

Prekallekrein deficiency, See under Enzymes Preload recruitable stroke work, See under Heart

Arthur, Datta, Hornstein & Bader], 879

Pressure-volume area, See under Heart

Prone position, See under Position

Propofol, See under Anesthetics, hypnotic; Anesthetics, intravenous

Prostatectomy, See under Surgery

Protein(s)

albumin serum

measurement of, in study of volume kinetics of fluid therapy (CI) [Svensén & Hahn], 204

and pharmacokinetics of intravenous fluids (EV) [Stanski], 200

binding

of bupivacaine, estrogen-induced changes in, during *in vitro* fertilization (CI) [Tsen, Arthur, Datta, Hornstein & Bader], 879

contractile

Ca2+ sensitivity

and mechanoenergetics of negative inotropism of isoflurane in canine left ventricle (LI) [Nakayama, Takaki, Kohno, Araki & Suga], 82

immature heart and anesthesia (MI) [Baum & Palmisano], 1529

kinase (

and insensitivity to opioid narcotics (EV) [Maze], 1033

second messenger systems

GTP-binding proteins

and calcium sensitivity, effect of halothane on (LI) [Bremerich, Hirasaki, Jones & Warner], 94

protein kinase C

and calcium sensitivity, effect of halothane on (LI) [Bremerich, Hirasaki, Jones & Warner], 94

Protein binding, See under Pharmacokinetics; Protein(s)

Protein kinase C, See under Heart, signal transduction; Protein(s)

Pruritus, See under Complications

Psychomotor recovery, See under Recovery

Pulmonary arteries, See under Arteries

Pulmonary embolism, See under Embolism

Pulmonary embolism, *See under Embolism* Pulmonary embolis, *See under Embolis*

Pulmonary gas exchange, See under Lung(s)

Pulmonary hypertension, See under Complications; Lung(s)

Pulmonary perfusion gradient, See under Lung(s)

Pulmonary perfusion heterogeneity, See under Lung(s)

Pulse dye densitometry, See under Measurement techniques

Pulse oximetry, See under Monitoring

Pupil, See under Eyes

Purinergic receptors, See under Receptors

Purkinje fibers, See under Heart

Q

Quality assurance, See under Anesthesia

R

Rabbit(s), See under Animals Radiography, See under Measurement techniques Radionuclide imaging, See under Monitoring Rat, See under Animals

Recall, See under Memory

Receptor agonists, See under Agonists Receptors

adenosine, agonists

CGS-21680

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

N6-(R)-phenylisopropyladenosine

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

N6-cyclohexyladenosine

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

5'-N-ethylcarboxamidoadenosine

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

adenosine, antagonists

8-cyclopentyltheophylline

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

theophylline

and spinal sensory transmission in rat (LI) [Nakamura, Ohta & Kemmotsu], 577

α-adrenoreceptors

effects of intravenous anesthetics on (LI) [Hamada, Damron & Murray], 900

AMPA

and blockage of dopamine release by riluzole (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

chemoreceptors

carotid body

effects of halothane on phrenic nerve responses to carbon dioxide mediated by (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

response to hypoxia, halothane and (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1428

glutamate

AMPA

toxicity, effect of thiopental/propofol on (LI) [Zhu, Cottrell & Kassl, 944

NMDA

toxicity, effect of thiopental/propofol on (LI) [Zhu, Cottrell & Kass], 944

imidazoline

effect of, on anesthetic requirement for halothane in rats (LI) [Kagawa, Mammoto, Hayashi, Kamibayashi, Mashimo & Yoshiya], 963

mu opioid receptor

mRNA levels, regulation of (LI) [Gies, Peters, Gelb, Knag & Peterfreund], 1127

nicotini

and blockage of dopamine release by riluzole (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

differential effects of thiopental on (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumura], 1199

NMDA

and blockage of dopamine release by riluzole (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164 N-methyl-D-aspartate

nociceptin and neuropathic pain (LI) [Yamamoto & Nozaki-Taguchi], 1145

opiate

signal transduction and kinase signaling cascades (LI) [Gutstein, Rubie, Mansour, Akil & Woodgett], 1118

opiates

signal transduction and kinase signaling cascades (EV) [Maze], 1032

μ-opioid

why does insensitivity to opioid narcotics develop? (EV) [Maze], 1033

opioid receptor-like

nociceptin and neuropathic pain (LI) [Yamamoto & Nozaki-Taguchi], 1145

purinergic

differential effects of thiopental on (LI) [Andoh, Furuya, Oka, Hattori, Watanabe, Kamiya & Okumura], 1199

Recognition, See under Memory

Record keeping, See under Records

Records

anesthesia

computerized patient (CPRA), elusive artifact and cost issues with (CO) [Edsall, Deshane, Gould, Mehta, White & Solod], 721

computerized patient (CPRA), elusive artifact and cost issues with (CO) [Sanborn], 722

self-reporting can be reliable means of tracking adverse perioperative events (CO) [Lagasse], 722

self-reporting can be reliable means of tracking adverse perioperative events (CO) [Sanborn], 723

record keeping

electronic

and anesthesia task performance (HI) (SA) [Weinger, Herndon & Gaba], 144

Recovery

anesthesia recovery period

remifentanil versus remifentanil/midazolam for monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy; Maurer, Clarke & Jamerson], 51

from anesthetics, and pharmaceutical practice guidelines (CO) [Bailey & Egan], 1583

from anesthetics, and pharmaceutical practice guidelines (CO) [Lubarsky], 1584

from anesthetics, and pharmaceutical practice guidelines (CO) [Lubarsky], 1586

from anesthetics, and pharmaceutical practice guidelines (CO) [Lubarsky], 1587

from anesthetics, and pharmaceutical practice guidelines (CO) [Riley], 1585

from anesthetics, and pharmaceutical practice guidelines (CO) [Viby-Mogensen], 1587

bispectral index and (CI) [Song, Joshi & White], 842

cognitive

following subanesthetic concentrations of sevoflurane and nitrous oxide (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

convalescence

postherniorrhaphy pain (MI) [Callesen & Kehlet], 1219

delirium

incidence of, during recovery from sevoflurane anesthesia (CI) [Aono, Ueda, Mamiya, Takimoto & Manabe], 1298

emergence time

from propofol anesthesia, bispectral index monitoring improves (CI) [Gan, Glass, Windsor, Payne, Rosow, Sebel, Manberg & BIS Utility Study Group], 808

mod

following subanesthetic concentrations of sevoflurane and nitrous oxide (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

postanesthetic

hypothermia prolongs (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

psychomotor

following subanesthetic concentrations of sevoflurane and nitrous oxide (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

subjective

following subanesthetic concentrations of sevoflurane and nitrous oxide (CI) [Galinkin, Janiszewski, Young, Klafta, Klock, Coalson, Apfelbaum & Zacny], 1082

Reflexes

baroreflexes

and anesthesia (MI) [Baum & Palmisano], 1529

Regional anesthesia, See under Anesthesia; Anesthetic techniques

Remifentanil, See under Analgesics; Analgesics, opioid; Anesthetics; Anesthetics, intravenous; Anesthetics, opioid; Pharmacodynamics; Pharmacokinetics; Potency, anesthetic

Renal cell carcinoma, See under Cancer

Renal failure, See under Kidney, disease

Reperfusion, See under Heart

Reports of Scientific Meetings, See under Organizations Research

award

Richard J. Traystman (SA) [Miller], 739

drugs, memory, and sedation (EV) [Ghoneim & Hinrichs], 734

Residents, See under Manpower

Respiration, See under Ventilation

Respiratory depression, See under Complications; Lung(s)

Respiratory failure, See under Complications; Lung(s)

Resuscitation, See under Ventilation, artificial

Reviews of Educational Material

Albin, M. S. (cd.), Textbook of Neuroanesthesia with Neurosurgical and Neuroscience Perspectives (EM) [Black], 192

Barash, P., Cullen, B., and Stoelting, R. (eds.), Handbook of Clinical Anestbesia (EM) [Gerancher], 726

Bell, C., and Kain, Z. N., with Hughes, C. (eds.), *The Pediatric Anesthesia Handbook* (EM) [deSoto], 1266

Chung, D. C., and Lam, A. M., Essentials of Anestbesiology, Tbird Edition (EM) [Trankina], 1023

Datta, S., Anestbesia and Obstetric Management of High Risk Pregnancy, Second Edition (EM) [Dewan], 1266

Dripps, Eckenhoff, Vandam. Longnecker, D. E., and Murphy, F. L. (eds.), Introduction to Anesthesia, Ninth Edition (EM) [Youngberg], 191

Hall, J. K., and Berman, J. M. (eds.), *Pediatric Trauma Anesthe*sia & Critical Care (EM) [Uejima], 1024 Irving, G. A., and Wallace, M. S. (eds.), Pain Management for the Practicing Physician (EM) [Stacey], 1603

Latto, I. P., and Vaughan, R. S. (eds.), Difficulties in Tracbeal Intubation, Second Edition (EM) [Butterworth], 1603

Mulroy, M. F., Regional Anesthesia: An Illustrated Procedural Guide, Second Edition (EM) [Horlocker], 463

Murray, M. J., Cousins, D. B., Pearl, R. G., and Prough, D. S., *Critical Care Medicine: Perioperative Management* (EM) [Pittet], 1604

Todres, I. D., and Fugate, J. H. (eds.), Critical Care of Infants and Children (EM) [Steward], 1023

West, J. B. (ed.), Respiratory Physiology: People and Ideas (EM) [Domino], 1267

Rhabdomyolysis, See under Complications

Rifampin, See under Antibiotics

Rilmenidine, See under Pharmacology

Riluzole, See under Pharmacology

Rocuronium, See under Neuromuscular relaxants

Rocuronium bromide, *See under* Muscle relaxants Ropivacaine, *See under* Anesthetics, local

S

Saline solution, See under Pharmacology

Saline tonometry, See under Measurement techniques

Sciatic nerve, See under Nerve(s)

Sciatic nerve block, See under Anesthetic techniques, regional Second messenger systems, See under Protein(s) Sedation

conscious or semi-conscious

and air embolization in seated, sedated, spontaneously breathing neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

drugs, memory and (EV) [Ghoneim & Hinrichs], 734

four sedative compared for amnesic effects (CI) [Veselis, Reinsel, Feshchenko & Wroński], 749

midazolam and cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106 time course

to evaluate propofol action and emulsion formulation (LI) [Dutta & Ebling], 1394

Seizures, See under Complications

Sevoflurane, See under Anesthetics, gases; Anesthetics, volatile Shivering, See under Thermoregulation Shock

anaphylactic

induced by antiseptic-coated central nervous catheter (CR) [Oda, Hamasaki, Kanda & Mikami], 1242

Short-term potentiation of breathing, See under Ventilation SH-SY5Y neuroblastoma cells, See under Cells

Sickle cell disease, See under Complications

Signal transduction, See under Heart

Sleep

drug effects

midazolam and cerebral blood flow (CI) [Veselis, Reinsel, Beattie, Mawlawi, Feshchenko, DiResta, Larson & Blasberg], 1106 Smooth muscle, See under Muscle

Soda lime, See under Carbon dioxide; Carbon dioxide, absorption Sodium, See under Ions Sodium channels, See under Ions, sodium Sodium current, See under Ions, sodium Sodium-hydrogen exchange, See under Ions Somatization

and role of anesthesiologists in management of chronic non-malignant pain (MI) [Jacobson, Mariano, Chabal & Chaney], 1210

Somatosensory-evoked potentials, See under Brain

Sore throat, See under Complications

Spina bifida occulta, See under Complications

Spinal analgesia, See under Analgesia

Spinal anesthesia, See under Anesthesia; Anesthetic techniques; Anesthetic techniques, spinal

Spinal anesthetics, See under Anesthetic techniques, spinal Spinal cord

central nervous system

in cerebral palsy, DDAVP and blood loss in children with (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260

injury to, in endotracheal intubation in undiagnosed cervical spine fractures (CR) [Muckart, Bhagwanjee & van der Merwe], 418

humbar

glutamate receptors in fentanyl-induced rigidity (LI) [Fu, Tsen, Lee, Lui & Chan], 1450

microcirculation

ropivacaine and (LI) [lida, Watanabe, Dohi & Ishiyama], 75 nociception

adenosinergic inhibition of (LI) [Nakamura, Ohta & Kemmotsu],

pain memory and pain behaviors in, preemptive intrathecal morphine and bupivacaine compared for analgesia of (LI) [Brennan, Umali & Zahn], 1517

spinal fusion

in cerebral palsy, DDAVP and blood loss in children with (CI) [Theroux, Corddry, Tietz, Miller, Peoples & Kettrick], 260 Spinal epidural anesthetic, See under Anesthetic techniques Spinal fusion, See under Spinal cord

cervical

Spine

injury

potential, laryngoscopes compared for endotracheal intubation in (CI) [Watts, Gelb, Bach & Pelz], 1335

motion

during simulated spine precautions (CI) [Watts, Gelb, Bach & Pelzl. 1335

tumor

surgery

extreme hemodilution due to massive blood loss in (CR) [Zollinger, Hager, Singer, Friedl, Pasch & Spahn], 985

Splanchnic ischemia, See under Ischemia Splanchnic monitoring, See under Monitoring **Statistics**

context-sensitive half-time

in study of role of cytochrome P450 3A4 in alfentanil clearance (CI) [Kharasch, Russell, Mautz, Thummel, Kunze, Bowdle & Cox1, 36

costs

NIH dollars and residents matched through National Residency Matching Program (CO) [Longnecker], 456

NIH dollars and residents matched through National Residency Matching Program (CO) [Wu, Yang & Ward], 454

perioperative, does early extubation of bypass graft surgery patients decrease? (CO) [Cheng], 182

perioperative, does early extubation of bypass graft surgery patients decrease? (CO) [Dexter & Macario], 181

Intubation Difficulty Scale

proposal and evaluation of, characterizing complexity of endotracheal intubation (CI) [Adnet, Borron, Racine, Clemessy, Fournier, Plaisance & Lapandry], 1290

proposal and evaluation of, characterizing complexity of endotracheal intubation (EV) [Benumof], 1273

meta-analysis

of ondansetron in prevention of postoperative nausea and vomiting (CI) [Tramèr, Reynolds, Moore & McQuay], 1277 of ondansetron in prevention of postoperative nausea and vom-

iting (EV) [Fisher], 1271

number-needed-to-treat of ondansetron in prevention of postoperative nausea and vomiting (CI) [Tramer, Reynolds, Moore & McQuay], 1277

of ondansetron in prevention of postoperative nausea and vomiting (EV) [Fisher], 1271

systematic review

of ondansetron in prevention of postoperative nausea and vomiting (CI) [Tramèr, Reynolds, Moore & McQuay], 1277

of ondansetron in prevention of postoperative nausea and vomiting (EV) [Fisher], 1271

Steady-state pharmacokinetics, See under Pharmacokinetics Stomach

gastric emptying

intravenous erythromycin promotes, prior to emergency anesthesia (CR) [Koop, Mayer & Shaheen], 703

in sepsis, nitric oxide produced by inducible nitric oxide synthase inhibits (LI) [Takakura, Hasegawa, Goto & Muramatsul, 652

See also under Gastrointestinal tract

surgical, See under Complications

Striatum, See under Brain

ST segment, See under Monitoring electrocardiography

Subaortic stenosis, See under Heart

Subarachnoid hemorrhage, See under Hemorrhage

Subendocardial blood flow, See under Heart, blood flow Subjective recovery, See under Recovery

Succinylcholine, See under Muscle relaxants; Neuromuscular relaxants

Sufentanil, See under Analgesics, narcotic; Analgesics, opioid; Anesthetics, intravenous; Anesthetics, narcotic; Pharmacology; Pharmacodynamics; Pharmacokinetics

Summated rating scale, See under Anesthesia, monitored care Supine position, See under Position

Surgery

ambulatory

remifentanil versus remifentanil/midazolam for monitored anesthesia care (CI) [Gold, Watkins, Sung, Yarmush, Chung, Uy, Maurer, Clarke & Jamerson], 51

aortic

intraoperative diagnosis of torsion of lung after (CR) [Goskowicz, Harrell & Roth], 164

bone cement

methylmethacrylate

acute bronchospasm associated with (CR) [Wong & Vidovich], 696

bronchoscopy

emergent lung separation for pulmonary artery rupture (CR) [Klafta & Olson], 1248

cardiac

CACI in (CO) [Jain], 1015

CACI in (CO) [Reves, Sladen & Newman], 1015

cardiopulmonary bypass

atelectasis after (LI) [Magnusson, Zemgulis, Wicky, Tydén, Thelin & Hedenstierna], 1153

in children, cerebral emboli during (CI) [O'Brien, Butterworth, Hammon, Morris, Phipps & Stump], 1063

desflurane *versus* sevoflurane during (CI) [Rödig, Keyl, Kaluza, Kees & Hobbhahn], 801

Factor XII deficiency and (CR) [Gerhardt, Greenberg, Slaughter & Smith], 990

coronary artery bypass graft

intermittent reduction in myocardial perfusion causing ST segment oscillation after (CO) [Jain], 710

coronary artery bypass grafting

algorithm for assessing intraoperative mean arterial pressure lability during (SA) [Reich, Osinski, Bodian, Krol, Sarier, Roth & Konstadt], 156

algorithm for quantifying blood pressure lability during (CO) [Cohn], 1593

algorithm for quantifying blood pressure lability during (CO) [Reich & Krol], 1594

early extubation in, does it decrease perioperative costs? (CO) [Cheng], 182

early extubation in, does it decrease perioperative costs? (CO) [Dexter & Macario], 181

heparin-associated thrombocytopenia and thrombosis (MI) [Slaughter & Greenberg], 667

repeated

aprotinin versus ε-aminocaproic acid for, costs and (LI) [Bennett-Guerrero, Sorohan, Gurevich, Kazanjian, Levy, Barberá, White, Slaughter, Sladen, Smith & Newman], 1373

cesarean section

and epidural *versus* patient-controlled analgesia for labor (CI) [Sharma, Sidawi, Ramin, Lucas, Leveno & Cunningham], 487 incidence of, epidural analgesia and (EV) [Chestnut], 472

cholecystectomy

laparoscopic

respiratory failure after, in patient with hemidiaphragm paralysis (CR) [Sadovnikoff & Maxwell], 996

cranioplasty

and acute bronchospasm associated with polymethylmethacrylate (CR) [Wong & Vidovich], 696

craniotomy

environmental noise during, and "rate-adaptive" cardiac pacing (CO) [Levine], 1261

rate-adaptive cardiac pacing and environmental noise during (CR) [Schwartzenburg, Wass, Strickland & Hayes], 1252

detorsion

in intraoperative torsion of lung after aortic repair (CR) [Goskowicz, Harrell & Roth], 164

esophagogastrectomy

thoracoabdominal

whole lung torsion after (CR) [Fisher, Ammar & Silvay], 162 incision

pain in, in rat, intrathecal morphine and bupivacaine compared in (LI) [Brennan, Umali & Zahn], 1517

laparoscopy

arterial to end-tidal gradients and, in pregnant ewe (CO) [Cruz, Crone, Southerland, Duke & Ferguson], 1597

arterial to end-tidal gradients and, in pregnant ewe (CO) [Shankar & Mushlin], 1596

arterial to end-tidal gradients and, in pregnant ewe (CO) [Steinbrook & Datta], 1596

laryngoscopy

oxygen insufflation in, to assist intubation, not recommended (CO) [Hannenberg & Hershey], 184

oxygen insufflation in, to assist intubation, not recommended (CO) [Ovassapian & Mesnick], 183

neurosurgery

craniotomy

air embolization during (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

prostatectomy

radical perineal, perfusion monitoring during (CO) [Findlay, Rettke & Myers], 457

shoulder

patient-controlled analgesia after (CI) [Borgeat, Schäppi, Biasca & Gerberl, 1343

stimulation

anesthetic interaction with time

and blood flow velocity of middle cerebral artery (CI) [Kuroda, Murakami, Tsuruta, Murakawa & Sakabe], 527

thoracotomy

one-lung ventilation for, using Hunsaker jet ventilation tube (CR) [Robinson], 1572

transmyocardial laser revascularization

induces cerebral microembolization (CI) [von Knobelsdorff, Brauer, Tonner, Hänel, Naegele, Stubbe & Schulte am Esch], 58

tumor

extreme hemodilution due to massive blood loss in (CR) [Zollinger, Hager, Singer, Friedl, Pasch & Spahn], 985

Sweating, See under Thermoregulation

Sympathetic blockade, See under Anesthetic techniques, regional

Sympathetic nervous system

 α_3 -adrenergic agonists

α₂-adrenergic agonists

clonidine

added to lidocaine for brachial plexus block, dose-range effects of (CI) [Bernard & Macaire], 277

and epinephrine, epidural analgesia with (CI) [Curatolo, Petersen-Felix, Arendt-Nielsen & Zbinden], 785

premedication does not alter efficacy of intravenous test dose containing low dose epinephrine in awake volunteers (CI) [Tanaka & Nishikawa], 285

and tizanidine, interaction of, with lidocaine in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436

dexmedetomidine

and thermoregulation (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835

tizanidine

and clonidine, interaction of, with lidocaine in rats (LR) [Kawamata, Omote, Kawamata, Iwasaki & Namiki], 436

α2-adrenoceptor agonists

clonidine

and MAC of sevoflurane (CI) [Nishina, Mikawa, Shiga, Maekawa & Obaral, 1324

α-adrenoceptors

dexmedetomidine

decreases MAC for halothane (LI) [Kagawa, Mammoto, Hayashi, Kamibayashi, Mashimo & Yoshiya], 963

autonomic nervous system

sympathovagal balance

assessment of, in study of cardiac baroreflex and spinal anesthesia (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Quintin], 1359

baroreflex

cardiac

and spinal anesthesia (CI) [Gratadour, Viale, Parlow, Sagnard, Counioux, Bagou, Annat, Hughson & Quintin], 1359

blood pressure changes

with intrathecal sufentanil for labor (CI) [Riley, Walker, Hamilton & Cohen], 874

catecholamines

epinephrine

and clonidine, epidural analgesia with (CI) [Curatolo, Petersen-Felix, Arendt-Nielsen & Zbinden], 785

intramvocardial

effects of desflurane on (LI) [Gueugniaud, Hanouz, Vivien, Lecarpentier, Coriat & Riou], 599

to compare desflurane versus sevoflurane during cardiopulmonary bypass (CI) [Rödig, Keyl, Kaluza, Kees & Hobbhahn], 801

and transient neurologic symptoms (CI) [Sakura, Sumi, Sakaguchi, Saito, Kosaka & Drasner], 771

and transient neurologic symptoms (EV) [Rowlingson], 737

and cerebral blood flow velocity (CI) [Lee, Caldwell, Dodson, Talke & Howley], 553

and morphine, interactions in gastrointestinal transit (CO) [Asai & Mapleson], 1256

and morphine, interactions in gastrointestinal transit (CO) [Puig], 1256

in study of α_2 -adrenergic agonists stimulation of acetylcholine and norepinephrine (LI) [Klimscha, Tong & Eisenach], 110

dexmedetomidine

neuroprotective effects of, in gerbil hippocampus (LI) [Kuhmonen, Pokorný, Miettinen, Haapalinna, Jolkkonen, Riekkinen & Sivenius], 371

in study of \alpha_2-adrenergic agonists stimulation of acetylcholine and norepinephrine (LI) [Klimscha, Tong & Eisenach], 110

riluzole blocks release of (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

epinephrine

actions of, on endocardial conduction and activation in canine

left ventricular papillary muscles (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

simulated intravenous test dose containing, clonidine premedication does not alter efficacy of (CI) [Tanaka & Nishikawa], 285

esmolol

possible interaction with nitrous oxide (CO) [Baranov & Bagshawl, 461

possible interaction with nitrous oxide (CO) [Johansen & Sebel], 462

isoproterenol

actions of, on endocardial conduction and activation in canine left ventricular papillary muscles (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

methoxamine

in study of volatile anesthetics, a₁-stimulation and cardiac Na⁺ current (LI) [Weigt, Kwok, Rehmert, Turner & Bosnjak],

norepinephrine

spinal α₂-agonists increase (LI) [Klimscha, Tong & Eisenach], 110

phenylephrine

actions of, on endocardial conduction and activation in canine left ventricular papillary muscles (LI) [Vodanovic, Turner, Hoffmann, Kampine & Bosnjak], 117

and transient neurologic symptoms (CI) [Sakura, Sumi, Sakaguchi, Saito, Kosaka & Drasner], 771

and transient neurologic symptoms (EV) [Rowlingson], 737

sensory changes

with intrathecal sufentanil for labor (CI) [Riley, Walker, Hamilton & Cohen], 874

vasoconstriction

and oxygenation in patients with adult respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall],

Sympathovagal balance, See under Sympathetic, nervous system, autonomic nervous system

Synapses

presynaptic

riluzole blocks dopamine release in, in rat (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

release

riluzole blocks dopamine in rat (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

and riluzole blockage of dopamine in rat striatum (LI) [Keita, Lepouse, Henzel, Desmonts & Mantz], 1164

Synapses, See under Brain

Synergy, See under Interactions (drug)

Systematic review, See under Statistics

Systemic vascular resistance, See under Blood pressure Systolic function, See under Heart

T

Target-controlled intravenous anesthesia, See under Anesthetic techniques, intravenous

Temperature

core

during allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

and postanesthetic recovery (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

dexmedetomidine in study of (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835

fever

during allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsuki], 559

tissue

during allergic reactions (CI) [Kotani, Kushikata, Matsukawa, Sessler, Muraoka, Hashimoto, Ishihara & Matsukil, 559

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

toe

elevation of, detection of successful epidural blockade by (CO) [Asato & Takenami], 1264

warming techniques

forced air

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

Test dose, See under Anesthetic techniques

Testing

Murray Score

in assessment of phenylephrine and nitric oxide in respiratory distress syndrome (CI) [Doering, Hanson, Reily, Marshall & Marshall], 18

of recovery of neuromuscular function (CO) [Jones], 1595

of recovery of neuromuscular function (CO) [Kopman, Yee & Neuman], 1595

Test-retest reliability, See under Anesthesia, monitored care Tetanic nerve stimulation, See under Nerve(s), stimulation Tetanic stimulation, See under Anesthetic techniques

Tetracaine, See under Anesthetics, local Theophylline, See under Receptors, adenosine, antagonists Therapeutic hypothermia, See under Hypothermia Thermodilution, See under Measurement techniques

Thermoregulation

cooling methods bladder lavage

intraoperative, efficacy of (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

forced air

intraoperative, efficacy of (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

gasteic lavage

intraoperative, efficacy of (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

water immersion

intraoperative, efficacy of (CI) [Plattner, Kurz, Sessler, Ikeda, Christensen, Marder & Clough], 1089

and postanesthetic recovery (CI) [Lenhardt, Marker, Goll, Tschernich, Kurz, Sessler, Narzt & Lackner], 1318

shivering

dexmedetomidine and (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835

spinal anesthesia facilitates postoperative rewarming (CI) [Szmuk, Ezri, Sessler, Stein & Geva], 1050

sweating

dexmedetomidine and (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835

vasoconstriction

dexmedetomidine and (CI) [Talke, Tayefeh, Sessler, Jeffrey, Noursalehi & Richardson], 835

Thiopental, See under Anesthetics, intravenous

Thoracoabdominal esophagogastrectomy, See under Surgery

Thoracotomy, See under Surgery

Thrombosis, See under Complications Thyroid storm, See under Complications

Time course, See under Sedation

Tissue temperature, See under Temperature

Toe temperature, See under Temperature

Tolerance

opioid effects on kinase signaling cascades (EV) [Maze], 1032 opioid effects on kinase signaling cascades (LI) [Gutstein, Rubie, Mansour, Akil & Woodgett], 1118

Tomography, See under Measurement techniques

Tonometry, See under Measurement techniques

Torsades de pointes, See under Heart

Torsion

pulmonary, See under Complications; Lung(s) Total mechanical energy, See under Heart Toxicity

carbon monoxide

from anesthetic breakdown, optimal rehydration of (CO) [Kharasch], 1591

from anesthetic breakdown, optimal rehydration of (CO) [Woehlek], 1590

reduction of exposures to (CI) [Woehlck, Dunning & Connolly], 228

endotoxemia

microcirculatory changes induced by, lidocaine and (LI) [Schmidt, Schmidt, Bauer, Gebhard & Martin], 617

excitotoxicity

NMDA/AMPA, effect of thiopental/propofol on (LI) [Zhu, Cottrell & Kass], 944

neurotoxicity

following single spinal administration of 5% hyperbaric lidocaine through 25-gauge needle (CR) [Gerancher], 687

 ${\bf Tracheal\ intubation}, {\it See\ under\ } {\bf Anesthetic\ techniques}; {\bf Intubation}$

Train-of-four, See under Monitoring, neuromuscular function Transcranial Doppler sonography, See under Measurement techniques; Measurement techniques

Transesophageal, echocardiography, See under Measurement techniques; Monitoring

Transfusion

autologous

perioperative

extension of role of anesthesiologist (CO) [Green], 458 extension of role of anesthesiologist (CO) [Zauder], 458

blood

autologous and allogeneic

postoperative inflammatory response after (CI) [Åvall, Hyliner, Bengtson, Carlsson & Bengtsson], 511

inflammatory response after (CI) [Åvall, Hyliner, Bengtson, Carlsson & Bengtsson], 511

Transmyocardial laser revascularization, See under Surgery

Transplantation

liver, See under Liver
Trauma, See under Complications
Tricuspid valve, See under Heart
Triiodothyronine, See under Hormones
Troleandomycin, See under Antibiotics
Tube exchanger, See under Equipment
Tubes, See under Equipment
Tubing, See under Equipment
Tumor surgery, See under Surgery
Tumor thrombus, See under Complications
Tunneled coronary artery, See under Arteries

 \mathbf{U}

Ultrasonography, See under Measurement techniques Uterine blood flow, See under Blood, blood flow Uterus, See under Anatomy

V

Vagus nerve, See under Parasympathetic nervous system Vaporizer, See under Equipment

Vascular smooth muscle, See under Muscle

Vasoconstriction, See under Blood vessels; Lung(s); Sympathetic nervous system; Thermoregulation

Vasodilation, See under Blood vessels

Vasospasm, See under Arteries

Vecuronium, See under Muscle relaxants; Neuromuscular relaxants

Vehicle

emulsion

lipid

formulation accelerates propofol action (LI) [Dutta & Ebling],

Venous air embolism, See under Embolism

Ventilation

artificial

resuscitation

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) Jackson, Fine, Palmer, Rosenbaum, Truog & Normani, 176

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Bastron], 178

response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Berry & Heitman], 174 response to ethical concerns in anesthetic care for patients with do-not-resuscitate orders (CO) [Cohen & Cohen], 175 response to ethical concerns in anesthetic care for patients with do-not-resusitate orders (CO) [Berry & Heitman], 174

hypercapnic response

acute pain and (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

hyperoxia

acute pain and (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

hypoxic response

acute pain and (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

isocapnic hypoxic ventilatory response

dose-dependent effects of halothane on phrenic nerve responses to (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

mechanical

in acute respiratory distress syndrome (CI) [Manktelow, Bigatello, Hess & Hurford], 297

effect of, on alveolar recruitment and hyperinflation (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochardl. 495

effects of, on pulmonary blood flow distribution in sheep (LI) [Walther, Domino, Glenny & Hlastala], 335

inaccuracies of nitric oxide delivery systems during (CO) [Hess & Imanaka], 1592

inaccuracies of nitric oxide delivery systems during (CO) [Troncy, Francoeur & Blaise], 1591

during permissive hypercapnia in severe acute respiratory distress syndrome (HI) (CI) [Kalfon, Rao, Gallart, Puybasset, Coriat & Rouby], 6

and uptake of inhaled nitric oxide in acute lung injury (CI) [Rao, Gallart, Law-Koune, Lu, Puybasset, Cluzel, Coriat & Rouby],

one-lung

for thoracotomy using Hunsaker jet ventilation tube (CR) [Robinson], 1572

peripheral ventilatory chemoresponse

to carbon dioxide and halothane (LI) [Stuth, Dogas, Krolo, Kampine, Hopp & Zuperku], 1440

pneumonia associated with, diagnosis of (CI) [Papazian, Autillo-Touati, Thomas, Bregeon, Garbe, Saux, Seite & Gouin], 268

positive end-expiratory pressure

effect of, on alveolar recruitment and hyperinflation (CI) [Dambrosio, Roupie, Mollet, Anglade, Vasile, Lemaire & Brochard], 495

respiration

acute pain and (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

failure

postoperative, due to diaphragmatic paralysis (CR) [Licker, Schweizer, Höhn & Clergue], 1239

spontaneous

air embolization in, in neurosurgical patients (CR) [Stone, Schwartz, Berman, Lenczewski, Ahmad, Bruce & Goodman], 1244

short-term potentiation of breathing

acute pain and (CI) [Sarton, Dahan, Teppema, Berkenbosch, van den Elsen & van Kleef], 289

Ventilation tube, See under Equipment

Ventral root axons, See under Nerve(s)

Ventricular fibrillation, See under Heart

Vertigo, See under Complications

VETT, See under Equipment, tube(s), visualized endotracheal Videomicroscopy, See under Measurement techniques Visual disturbance, See under Complications; Eyes Voltage clamp, See under Anesthetic techniques

Vomiting

ondansetron

and postoperative nausea and vomiting (CI) [Tramèr, Reynolds, Moore & McQuay], 1277

and postoperative nausea and vomiting (EV) [Fisher], 1271

and patient-controlled analgesia after major shoulder surgery (CI) [Borgeat, Schäppi, Biasca & Gerber], 1343

postoperative

ondansetron and (CI) [Tramèr, Reynolds, Moore & McQuay], 1271

ondansetron and (EV) [Fisher], 1271

plasma propofol concentration to manage (CI) [Gan, Glass, Howell, Canada, Grant & Ginsberg], 779

Vomiting, See under Complications

W

Warming techniques, See under Temperature Water/blood, See under Fluid balance

Water immersion, See under Thermoregulation, cooling methods

Water trap, See under Complications Web site reviews

Anesthesiology (WS) [Ruskin], 193

E-chocardiography (WS) [Ruskin], 464

The American Academy of Pediatrics, with assistance from the High Wire Press of Stanford University Libraries (WS) [Bell], 1606

The American Society of Anesthesiologists (ASA) (WS) [Rampil], 1026

The National Library of Medicine PubMed (WS) [Rampil], 1268 Virtual Anaesthesia Textbook (WS) [Ruskin], 727

White matter degeneration, See under Brain; Complications Wire, See under Equipment

X

Xanthine oxidase, See under Enzymes ϵ -Aminocaproic acid, See under Pharmacology

AUTHOR INDEX TO VOLUME 87

A

Abrams, Jonathan T., see Bennett, Joel A. Abram, Stephen E., Mampilly, George A., Milosavljevic, Douglas: Assessment of the Potency and Intrinsic Activity of Systemic versus Intrathecal Opioids in Rats, 127

Adachi, Naoto, see Liu, Keyue

Adhikary, Gaury, see Dorje, Pema Adnet, Frédéric, Borron, Stephen W., Racine, Stéphane X., Clemessy, Jean-Luc, Fournier, Jean-Luc, Plaisance, Patrick, Lapandry, Claude: The Intubation Difficulty Scale (IDS): Proposal and Evaluation of a New Score Characterizing the Complexity of En-

dotracheal Intubation, 1290 Ahmad, Shabina M., see Stone, J. Gilbert Akazawa, Satoshi, see Konishi, Ruriko Aker, John, see Dexter, Franklin

Akil, Huda, see Gutstein, Howard B. Albanèse, Jacques, Arnaud, Sophie, Rey, Marc, Thomachot, Laurent, Alliez, Bernard, Martin, Claude: Ketamine Decreases Intracranial Pressure and Electroencephalographic Activity in Traumatic Brain Injury Patients during Propofol Sedation, 1328

Alliez, Bernard, *see* Albanèse, Jacques Alm, Christina, *see* Emanuelsson, Britt-Marie K. Ammar, Tameshwar, *see* Fisher, Cherie F.

Amorim, Pedro, Chambers, Geoffrey, Cottrell, James, Kass, Ira S.: Nitrous Oxide Impairs Electrophysiologic Recovery after Severe Hypoxia in Rat Hippocampal Slices, 642

Andoh, Tomio, Furuya, Ryousuke, Oka, Kei-kou, Hattori, Satoshi, Watanabe, Itaru, Kamiya, Yoshitaka, Okumura, Fukuichiro:
 Differential Effects of Thiopental on Neuronal Nicotinic Acetylcholine Receptors and P_{2x} Purinergic Receptors in PC12 Cells, 1199

Anglade, Marie-Christine, see Dambrosio, Michele

Annat, G., see Gratadour, P.

Aoki, Hiroshi, Mizobe, Toshiki: Platelet Aggregation Inhibited by Sevoflurane, or by Ethanol?, 1016

Aono, Jun, Ueda, Wasa, Mamiya, Kikyo, Takimoto, Eri, Manabe, Masanobu: Greater Incidence of Delirium during Recovery from Sevoflurane Anesthesia in Preschool Boys, 1298

Apfelbaum, Jeffrey L., see Galinkin, Jeffrey L. Appavu, Samuel K., see Khorasani, Arjang Appleyard, Ross W.: Cardiac Arrest and Epidural Anesthesia, 1008

Arai, Tatsuru, see Liu, Keyue

Araki, Junichi, see Kohno, Kunihisa; also see Nakayama, Yasunori Arendt-Nielsen, Lars, see Curatolo, Michele Arnaud, Sophie, see Albanèse, Jacques Arthur, G. Richard, see Tsen, Lawrence C. Asai, Takashi: Reply, 173

Asai, Takashi, Mapleson, W. W.: Interaction of Morphine and Clonidine on Gastrointestinal Transit in Mice. 1256

Asato, Fumio, Takenami, Tamie: The Detection of Successful Epidural Blockade by Subjective Assessment of Toe-temperature Elevation, 1264

Atz, Andrew M., Wessel, David L.: Inhaled Nitric Oxide in Sickle Cell Disease with Acute Chest Syndrome. 988

Auroy, Yves, Narchi, Patrick, Messiah, Antoine, Litt, Lawrence, Rouvier, Bernard, Samii, Kamran: Serious Complications Related to Regional Anesthesia: Results of a Prospective Survey in France, 479

Autillo-Touati, Amapola, see Papazian, Laurent

Åvall, Anders, Hyllner, Monica, Bengtson, Jan Peter, Carlsson, Lars, Bengtsson, Anders: Postoperative Inflammatory Response after Autologous and Allogeneic Blood Transfusion, 511

Avram, Michael J., Krejcie, Tom C., Niemann, Claus U., Klein, Cheri, Gentry, W. Brooks, Shanks, Colin A., Henthorn, Thomas K.: The Effect of Halothane on the Recirculatory Pharmacokinetics of Physiologic Markers. 1381

Aya, Antoine G. M., Robert, Emmanuelle, Bruelle, Pascal, Lefrant, Jean-Yves, Juan, Jean-Marie, Peray, Pascale, Eledjam, Jean-Jacques, de La Coussaye, Jean E.: Effects of Ketamine on Ventricular Conduction, Refractoriness, and Wavelength: Potential Antiarrhythmic Effects: A High-resolution Epicardial Mapping in Rabbit Hearts, 1417 Azzis, Olivier, see Wodey, Eric

B

Bach, David B., see Watts, Andrew D. J.
Bader, Angela M., see Tsen, Lawrence C.
Bagou, G., see Gratadour, P.
Bagshaw, Roger J., see Baranov, Dmitry
Bailey, Melinda K., see Harvey, Susan C.
Bailey, Peter L., Egan, Talmage D.: The Successful Implementation of Pharmaceutical
Practice Guidelines? Far From Convincing!, 1583

Bailey, Peter L., see Lu, Jeffrey K.
Baird, Manuel S., see Nielsen, Vance G.
Balestreri, Luca, see De Cicco, Marcello
Bapat, Pramod P., Verghese, Chandy: Severe
Dysphonia after the Use of a Laryngeal
Mask Airway, 1006

Baraka, Anis S.: Succinylcholine Resistance in a Patient with Juvenile Hyaline Fibromatosis, 1250

Baranov, Dmitry, Bagshaw, Roger J.: Possible Interaction of Esmolol and Nitrous Oxide, 461

Barberá, Alberto V., see Bennett-Guerrero, Elliott

Bass, Juan, see Splinter, William M. Bastron, R. Dennis: Reply, 178 Batenhorst, Randall, see Jhaveri, Rajiv Bauer, Harald, see Schmidt, Werner Baughman, Verna, see Jhaveri, Rajiv Baumann, Robert, see Politis, George D.

Baum, Victor C., Palmisano, Barbara W.: The Immature Heart and Anesthesia, 1529 Beattie, Bradley J., see Veselis, Robert A. Beaty, Brenda, see Hawkins, Joy L. Bell, Charlotte: The American Academy of Pediatrics, 1606

Bell, Elizabeth: In Reply, 717 Bengtson, Jan Peter, see Åvall, Anders Bengtsson, Anders, see Åvall, Anders Bennett, Gary J., see Sang, Christine N.

Bennett-Guerrero, Elliott, Sorohan, Jonathan G., Gurevich, Miguel L., Kazanjian, Paul E., Levy, Roberto R., Barberá, Alberto V., White, William D., Slaughter, Thomas F., Sladen, Robert N., Smith, Peter K., Newman, Mark F.: Cost-Benefit and Efficacy of Aprotinin Compared with ε-Aminocaproic Acid in Patients Having Repeated Cardiac Operations: A Randomized, Blinded Clinical Trial. 1373

Bennett, Joel A., Abrams, Jonathan T., Van Riper, Daniel F., Horrow, Jan C.: Difficult or Impossible Ventilation after Sufentanilinduced Anesthesia Is Caused Primarily by Vocal Cord Closure, 1070

Benoist, Jean-Michel, see Fletcher, Dominique

Benumof, Jonathan L.: Intubation Difficulty Scale: Anticipated Best Use, 1273

Benumof, Jonathan L.: Lidocaine to Topically Anesthetize the Mucosal Lining of the Airway, 1598

Benumof, Jonathan L.: Reply, 185

Benumof, Jonathan L., Dagg, Rachel, Benumof, Reuben: Critical Hemoglobin Desaturation Will Occur before Return to an Unparalyzed State following 1 mg/kg Intravenous Succinylcholine, 979

Benumof, Reuben, see Benumof, Jonathan L. Benzon, Hazel P., see Benzon, Honorio T.

Benzon, Honorio T., Kim, Charles, Benzon, Hazel P., Silverstein, Mark E., Jericho, Barbara, Prillaman, Katherine, Buenaventura, Ricardo: Correlation between Evoked Motor Response of the Sciatic Nerve and Sensory Blockade, 547 Berkelhamer, Maura C., see Birmingham, Patrick K.

Berkenbosch, Aad, see Sarton, Elise Berman, Mitchell F., see Stone, J. Gilbert Bernard, Jean-Marc, Macaire, Philippe: Dose-Range Effects of Clonidine Added to Lidocaine for Brachial Plexus Block, 277

Berry, James M., Heitman, Elizabeth: Response to "Ethical Concerns in Anesthetic Care for Patients with Do-not-resuscitate Orders," 174

Bevacqua, Brian K.: Do Culture Results Tell Us Anything about the Risk of Infection with Spinal Catheters?, 179

Bhagwanjee, Satish, *see* Muckart, David J. J. Biasca, Nicola, *see* Borgeat, Alain

Bigatello, Luca M, see Manktelow, Claire
Birmingham, Patrick K., Tobin, Michael J.,
Henthorn, Thomas K., Fisher, Dennis M.,
Berkelhamer, Maura C., Smith, Frederick
A., Fanta, Kaaren B., Coté, Charles J.:
Twenty-four-Hour Pharmacokinetics of
Rectal Acetaminophen in Children: An Old

Drug with New Recommendations, 244 Bito, Hiromichi, Ikeuchi, Yukako, Ikeda, Kazuyuki: Area under the Compound A Concentration Curve (Compound A AUC) Analysis. 715

Björkman, Sven, see Wada, D. Russell Bjorksten, Andrew R., see Larson, Merlin D. Black, Susan: Textbook of Neuroanestbesia with Neurosurgical and Neuroscience Perspectives, edited by Maurice S. Albin, 192

Blaise, Gilbert, see Troncy, Eric

Blanchard, Nicolas, Clabeau, Jean-Jacques, Ossart, Michel, Dekens, Jacky, Legars, Daniel, Tchaoussoff, Jean: Radicular Pain Due to a Retained Fragment of Epidural Catheter. 1567

Blasberg, Ronald G., see Veselis, Robert A. Block, Robert I., see Ghoneim, M. M. Blundell, Peter E., see Slinger, Peter

Bodian, Carol, see Reich, David L. Bogush, Stephen, see Dorje, Pema

Borgeat, Alain, Schäppi, Beatrice, Biasca, Nicola, Gerber, Christian: Patient-controlled Analgesia after Major Shoulder Surgery: Patient-controlled Interscalene Analgesia versus Patient-controlled Analgesia, 1343

Borron, Stephen W., see Adnet, Frédéric Borum, Stanley E., Naul, L. Gill, McLeskey, Charles: In Reply, 1018

Bosnjak, Zeljko J., see Vodanovic, Sanja; also see Weigt, Henry U.

Bovill, James G., see Vuyk, Jaap

Bowdle, T. Andrew, see Freund, Peter R.; also see Kharasch, Evan D.

Bowland, Terri, see Eger, Edmond I, II Brauer, Patrick, see Von Knobelsdorff, Georg Braunfeld, Michelle, see Sopher, Michael Bregeon, Fabienne, see Papazian, Laurent Bremerich, Dorothee H., Hirasaki, Akihito, Jones, Keith A., Warner, David O.: Halothane Attenuation of Calcium Sensitivity in Airway Smooth Muscle: Mechanisms of Action during Muscarinic Receptor Stimulation. 94

Brennan, Timothy J., Umali, Eric F., Zahn, Peter K.: Comparison of Pre- versus Postincision Administration of Intrathecal Bupivacaine and Intrathecal Morphine in a Rat Model of Postoperative Pain, 1517

Brinkhous, Ann, see Pittman, Janet E. Brochard, Laurent, see Dambrosio, Michele Brock-Utne, John G., Vierra, Mark: Intraoperative Insufflation of the Stomach: Another Approach Using a Jet Ventilator, 1265

Brooker, Robert F.: In Reply, 1255 Brown, Ronald, see Fisher, Dennis M.; also

see Reynolds, Lynne M. Bruce, Jeffrey N., see Stone, J. Gilbert Bruelle, Pascal, see Aya, Antoine G. M. Brull, Sorin J.: In Reply, 1258

Brune, Kay, see Lötsch, Jörn Brunne, Bergit, see Rieger, Armin Buenaventura, Ricardo, see Benzon, Honorio T. Burke, David J., see Woodforth, Ian J.

Burkhart, V. dePaul, *see* Freund, Peter R. Burm, Anton G. L., *see* Vuyk, Jaap Burton, Allen W., Zornow, Mark H.: Laryngo-

tracheal Lidocaine Administration, 185 Busuttil, Ronald W., see Sopher, Michael Butterworth, John: Difficulties in Tracheal Intubation, Second Edition, edited by I. P. Latto, R. S. Vaughan, 1603

Butterworth, John, see O'Brien, James J.

C

Caldwell, James E., see Lee, Hye-Won Callesen, Torben, Kehlet, Henrik: Postherniorrhaphy Pain, 1219 Campbell, Christina, see Currier, David S.

Canada, A. T., see Gan, T. J.

Caplan, Robert A., Vistica, Mary F., Posner, Karen L., Cheney, Frederick W.: Adverse Anesthetic Outcomes Arising from Gas Delivery Equipment: A Closed Claims Analysis, 741

Carlsson, Lars, see Åvall, Anders

Carnes, Cynthia A., Muir, William W., III, Van Wagoner, David R.: Effect of Intravenous Anesthetics on Inward Rectifier Potassium Current in Rat and Human Ventricular Myocytes, 327

Carre, Philippe, see Wodey, Eric

Cason, Brian A., Gamperl, A. Kurt, Slocum, Robert E., Hickey, Robert F.: Anestheticinduced Preconditioning: Previous Administration of Isoflurane Decreases Myocardial Infarct Size in Rabbits, 1182

Casta, Alfonso, Quackenbush, Elizabeth J., Houck, Constance S., Korson, Mark S.: Perioperative White Matter Degeneration and Death in a Patient with a Defect in Mitochondrial Oxidative Phosphorylation, 420

Chabal, Charles, see Jacobson, Louis Chae, Soo-Wan, see Ko, Seong-Hoon Chambers, Geoffrey, see Amorim, Pedro Chancy, Edmund F., see Jacobson, Louis Chan, Samuel H. H., see Fu, Miin-Jiuan Chaumont, André, see Wodey, Eric

Chemla, Denis, Jayais, Pascal, Ecoffey, Claude, Declere, Adrien Descorps, Lecarpentier, Yves: In Vitro Negative Inotropic Effect of Plasma Collected at the Time of Reperfusion in Humans undergoing Liver Transplantation, 378

Cheney, Frederick W., see Caplan, Robert A. Cheng, Davy C. H.: Reply, 182

Chestnut, David H.: Epidural Analgesia and the Incidence of Cesarean Section: Time for Another Close Look, 472

Cho, Kyu-Park, see Ko, Scong-Hoon Choe, Huhn, see Ko, Seong-Hoon Choo, Shu May, see Woolf, Rex L.

Christensen, Richard, see Plattner, Olga Chung, Frances, see Gold, Martin, I.; also see Tong, Doris

Chun, Noel Lee: A Potential Circuit Leak with Tec 5 Vaporizers, 1599

Ciccotelli, Kristina Kloss, Prak, Eline Luning, Muravchick, Stanley: An Adult with Inherited Mitochondrial Encephalomyopathy: Report of a Case, 1240

Clabeau, Jean-Jacques, see Blanchard, Nicolas Clarke, Marcia Y., see Gold, Martin, I.

Clemessy, Jean-Luc, see Adnet, Frédéric

Clendenen, Steven R., Harper, James V., Wharen, Robert E., Jr., Guarderas, Juan C.: Anaphylactic Reaction after Cisatracurium, 600

Clergue, François, see Licker, Marc Clough, David, see Plattner, Olga Cluzel, Philippe, see Rao, Umamaheswara G. S. Coalson, Dennis W., see Galinkin, Jeffrey L. Cohen, Cynthia B., Cohen, Peter J.: Response to "Ethical Concerns in Anesthetic Care for Patients with Do-not-resuscitate Orders," 175

Cohen, Peter J., see Cohen, Cynthia B. Cohen, Sheila E., see Riley, Edward T.

Cohn, Aaron I.: An Algorithm for Quantifying Blood Pressure Lability, 1593

Cole, Daniel J., Nary, Jeffrey C., Reynolds, Lowell W., Patel, Piyush M., Drummond, John C.: Experimental Subarachnoid Hemorrhage in Rats: Effect of Intravenous α α Diaspirin Crosslinked Hemoglobin on Hypoperfusion and Neuronal Death, 1486 Cole, Daniel J., see Taga, Kiichiro

Connolly, Lois A., see Woehlck, Harvey J.
Connors, Patricia M., see Hoke, J. Frank
Cooke, James E., see Harvey, Susan C.
Cooper, Jeffrey B.: In Reply, 724

Cooper, Richard M.: Conversion of a Nasal to an Orotracheal Intubation Using an Endotracheal Tube Exchanger, 717

Cooper, Richard M.: Extubation of the Difficult Airway, 460

Copin, Catherine, see Wodey, Eric Corddry, David H., see Theroux, Mary C. Coriat, Pierre, see Gueugniaud, Pierre-Yves; also see Kalfon, Pierre; Rao, Umamahe-

swara G. S.; Vivien, Benoît Corso, Carlos O., see Fujita, Yoshihisa Coté, Charles J., see Birmingham, Patrick K. Cottrell, James, see Amorim, Pedro; also see

Zhu, Hechen Counioux, H., see Gratadour, P. Cox, Kathy, see Kharasch, Evan D.

Crawford, Mark W., see Woolf, Rex L.
Crawford, Matthew R., see Woodforth, Ian J.
Creteur, Jacques, de Backer, Daniel, Vincent,
Jean-Louis: Monitoring Gastric Mucosal
Carbon Dioxide Pressure Using Gas Tonometry: In Vitro and in Vivo Validation

Studies, 504 Crone, Lesley-Ann, *see* Cruz, Antonio M. Cros, A. M.: In Reply, 1006

Cruz, Antonio M., Crone, Lesley-Ann, Southerland, Lucy C., Duke, Tanya, Ferguson, James G.: In Reply, 1597

Csete, Marie, see Sopher, Michael

Cullen, David J.: Ghostwriting in Scientific Anesthesia Journals, 195

Cunningham, F. Gary, see Sharma, Shiv K. Curatolo, Michele, Petersen-Felix, Steen, Arendt-Nielsen, Lars, Zbinden, Alex M.: Epidural Epinephrine and Clonidine: Segmental Analgesia and Effects on Different Pain Modalities, 785

Currier, David S., Levin, Katherine R., Campbell, Christina: Dysphagia with Intrathecal Fentanyl, 1570

Cutkomp, Johann, see Reasoner, Daniel K.

D

Dagg, Rachel, see Benumof, Jonathan L. Dahan, Albert, see Sarton, Elise Dambrosio, Michele, Roupie, Eric, Mollet,

Jambrosio, Michele, Roupie, Eric, Mollet, Jean-Jacques, Anglade, Marie-Christine, Vasile, Norbert, Lemaire, François, Brochard, Laurent: Effects of Positive End-expiratory Pressure and Different Tidal Volumes on Alveolar Recruitment and Hyperinflation, 495

Damron, Derek S., see Hamada, Hiroshi

D'Angelo, Robert, Eisenach, James C.: Severe Maternal Hypotension and Fetal Bradycardia after a Combined Spinal Epidural Anesthetic, 166

D'Angelo, Robert, see Yarmush, Joel Datta, Sanjay, see Steinbrook, Richard A.; also see Tsen, Lawrence C.

Dávila, José J.: Anesthesia: Coach, Business, or First Class?. 1589

de Backer, Daniel, *see* Creteur, Jacques Dechert, Martha, *see* Larson, Merlin D.

De Cicco, Marcello, Matovic, Mira, Balestreri, Luca, Fracasso, Augusto, Morassut, Sandro, Testa, Vinicio: Single-needle Celiac Plexus Block: Is Needle Tip Position Critical in Patients with No Regional Anatomic Distortions?, 1301

Declere, Adrien Descorps, see Chemla, Denis Dekens, Jacky, see Blanchard, Nicolas de La Coussaye, Jean E., see Aya, Antoine G. M. Dennis, Donn M., see Morey, Timothy E. D'Ercole, Francine, see Klein, Stephen M. Dershwitz, Mark, see Hoke, J. Frank Deshane, Patricia D., see Edsall, David W. Desmonts, Jean-Marie, see Keita, Hawa

de Soto, Hernando: *The Pediatric Anesthesia Handbook*, edited by Charlotte Bell and Zeev N. Kain, 1266

DeSouza, Gerard, Lewis, Michael C., TerRiet, Menno F.: Severe Bradycardia after Remifentanil, 1019

Desparmet, Joëlle F., see Lannes, Marcelo Dewan, David M.: Anestbesia and Obstetric Management of Higb Risk Pregnancy, Second Edition, by Sanjay Datta, 1266

Dexter, Franklin: Application of Practice Guidelines to Anesthesiology, 1031

Dexter, Franklin, Aker, John, Wright, Will A.: Development of a Measure of Patient Satisfaction with Monitored Anesthesia Care: The Iowa Satisfaction with Anesthesia Scale, 865

Dexter, Franklin, Macario, Alex: Does Early Extubation ("Fast-tracking") of Coronary Artery Bypass Graft Surgery Patients Truly Decrease Perioperative Costs?: Appropriate Analysis of Direct Variable Costs, 181

Dexter, Franklin, see Pittman, Janet E.; also see Reasoner, Daniel K.

Dielacher, Christoph, see Frass, Michael Dietz, Friederike B., Jaffe, Richard A.: Pregnancy Does Not Increase Susceptibility to Bupivacaine in Spinal Root Axons, 610

DiResta, Gene R., see Veselis, Robert A. Di Scala, Georges, see Pain, Laure Dodson, Barbara, see Lee, Hye-Won Doering, Elana B., Hanson, C. William, III, Reily, Daniel J., Marshall, Carol, Marshall, Bryan E.: Improvement in Oxygenation by Phenylephrine and Nitric Oxide in Patients with Adult Respiratory Distress Syndrome, 18

Dogas, Zoran, see Stuth, Eckehard A. E. Dohi, Shuji, see Iida, Hiroki; also see Ishizawa, Yumiko

Domino, Karen B.: Respiratory Physiology: People and Ideas, edited by John B. West, 1267

Domino, Karen B., see Walther, Sten M. Dorje, Pema, Adhikary, Gaury, McLaren, Ian D., Bogush, Stephen: Dilutional Acidosis or Altered Strong Ion Difference, 1011

Drasner, Kenneth: Lidocaine Spinal Anesthesia: A Vanishing Therapeutic Index?, 469 Drasner, Kenneth, see Sakura, Shinicki Drummond, John C., see Cole, Daniel J.; also

see Taga, Kiichiro

 Duke, Tanya, see Cruz, Antonio M.
 Dunning, Marshall, III, see Wochlck, Harvey J.
 Dutta, Sandeep, Ebling, William F.: Emulsion Formulation Reduces Propofol's Dose Requirements and Enhances Safety, 1394

E

Ebling, William F., see Dutta, Sandeep; also see Wada, D. Russell

Ecoffey, Claude, see Chemla, Denis; also see Wodey, Eric

Edsall, David W., Deshane, Patricia D., Gould, Norman J., Mehta, Zoya, White, Stephen P., Solod, Eugene: Elusive Artifact and Cost Issues with Computerized Patient Records for Anesthesia (CPRA), 721

Egan, Talmage D., see Bailey, Peter L.

Eger, Edmond I, II, Bowland, Terri, Ionescu, Pompiliu, Laster, Michael J., Fang, Zexu, Gong, Diane, Sonner, James, Weiskopf, Richard B.: Recovery and Kinetic Characteristics of Desflurane and Sevoflurane in Volunteers after 8-h Exposure, including Kinetics of Degradation Products, 517

Eisenach, James C.: Regional Anesthesia: Vintage Bordeaux (and Napa Valley), 467

Eisenach, James C., see D'Angelo, Robert Eisenach, J. C., see Klimscha, W.

Eisenkraft, James B.: A Commentary on Anesthesia Gas Delivery Equipment and Adverse Outcomes, 731

Ekberg, Olle, see Eriksson, Lars I.

Eledjam, Jean-Jacques, see Aya, Antoine G. M. Ellison, Norig: Why Must the Practice of Anesthesiology Change? Economics is Not the Only Thing!, 1588 Emanuelsson, Britt-Marie K., Persson, Jan, Alm, Christina, Heller, Agneta, Gustafsson, Lars L.: Systemic Absorption and Block after Epidural Injection of Ropivacaine in Healthy Volunteers, 1309

Endo, Hideko, see Kishikawa, Kazuhiro Eriksson, Lars I., Sundman, Eva, Olsson, Rolf, Nilsson, Lena, Witt, Hanne, Ekberg, Olle, Kuylenstierna, Richard: Functional Assessment of the Pharynx at Rest and during Swallowing in Partially Paralyzed Humans:

Simultaneous Videomanometry and Mechanomyography of Awake Human Volunteers, 1035

Ezri, Tiberiu, see Szmuk, Peter

F

Fang, Zexu, see Eger, Edmond I, II
Fanta, Kaaren B., see Birmingham, Patrick K.
Farber, Neil F. Harkin, Christopher P. Nied-

Farber, Neil E., Harkin, Christopher P., Niedfeldt, Jennifer, Hudetz, Antal G., Kampine, John P., Schmeling, William T.: Region-specific and Agent-specific Dilation of Intracerebral Microvessels by Volatile Anesthetics in Rat Brain Slices, 1191

Felmlee, Joel P., see Grady, Robert E., Jr. Ferguson, James G., see Cruz, Antonio M. Feshchenko, Vladimir A., see Veselis, Robert A.

Findlay, James Y., Rettke, Steven R., Myers, Robert P.: Perfusion Monitoring during Radical Perineal Prostatectomy, 457

Fine, Perry, see Jackson, Stephen H.

Fisher, Cherie F., Ammar, Tameshwar, Silvay, George: Whole Lung Torsion after a Thoracoabdominal Esophagogastrectomy, 162

Fisher, Dennis M.: The "Big Little Problem" of Postoperative Nausea and Vomiting: Do We Know the Answer Yet?, 1271

Fisher, Dennis M., Brown, Ronald: In Reply, 460

Fisher, Dennis M., see Birmingham, Patrick K.; also see Reynolds, Lynne M.

Fletcher, Dominique, Benoist, Jean-Michel, Gautron, Michèle, Guilbaud, Gisèle: Isobolographic Analysis of Interactions between Intravenous Morphine, Propacetamol, and Diclofenac in Carrageenin-injected Rats, 317

Fortney, Jennifer, see Gan, Tong J. Fournier, Jean-Luc, see Adnet, Frédéric

Fracasso, Augusto, see De Cicco, Marcello Francœur, Martin, see Troncy, Eric

Frass, Michael, Kofler, Julia, Thalhammer, Florian, Staudinger, Thomas, Dielacher, Christoph, Krafft, Peter, Ilias, Wilfried, Hüpfl, Michael, Ovassapian, Andranik: Clinical Evaluation of a New Visualized Endotracheal Tube (VETT), 1262

Freese, Kenneth J., see Rossner, Kenneth L. Freund, Peter R., Bowdle, T. Andrew, Posner, Karen L., Kharasch, Evan D., Burkhart, V. dePaul: Cost-effective Reduction of Neuromuscular-blocking Drug Expenditures, 1044

Friedl, Hans P., see Zollinger, Andreas

Frink, Edward J., Jr., Nogami, Wallace M., Morgan, Scott E., Salmon, Roger C.: High Carboxyhemoglobin Concentrations Occur in Swine during Desflurane Anesthesia in the Presence of Partially Dried Carbon Dioxide Absorbents, 308

Fujita, Yoshihisa, Habazettl, Helmut, Corso, Carlos O., Messmer, Konrad, Yada, Toyotaka: Comparative Effects of Hypotension Due to Isoflurane, Nitroglycerin, and Adenosine on Subendocardial Microcirculation: Observation of the *in Situ* Beating Swine Heart with Critical Coronary Stenosis, 343 Fukura, Haruhiko, see Imai, Takasuke

Fukushige, Tetsushi, Kano, Tatsuhiko, Sano, Tomomi: Radiographic Investigation of Unilateral Epidural Block after Single Injection, 1574

Fukushima, Kazuaki, see Morisaki, Hiroshi Fu, Miin-Jiuan, Tsen, Le-Yin, Lee, Tak-Yu, Lui, Ping-Wing, Chan, Samuel H. H.: Involvement of Cerulospinal Glutamatergic Neurotransmission in Fentanyl-induced Muscular Rigidity in the Rat. 1450

Furuya, Hitoshi, see Sasaoka, Noriyuki Furuya, Ryousuke, see Andoh, Tomio

G

Gaba, David M., see Weinger, Matthew B.
Galinkin, Jeffrey L., Janiszewski, Debra,
Young, Christopher J., Klafta, Jerome M.,
Klock, P. Allan, Coalson, Dennis W., Apfelbaum, Jeffrey L., Zacny, James P.: Subjective, Psychomotor, Cognitive, and Analgesic Effects of Subanesthetic Concentrations
of Sevoflurane and Nitrous Oxide, 1082

Gallacher, Bernard P., Kelly, Maryann, Mora, Ricardo R.: Failure to Ventilate Due to Glass Ampule Fragment Occlusion of the Breathing Circuit, 180

Gallart, Lluis, see Kalfon, Pierre; also see Rao, Umamaheswara G. S.

Gamperl, A. Kurt, see Cason, Brian A.

Gan, T. J., Glass, P. S. A., Howell, S. T., Canada, A. T., Grant, A. P., Ginsberg, B.: Determination of Plasma Concentrations of Propofol Associated with 50% Reduction in Postoperative Nausea, 779

Gan, Tong J., Ginsberg, Brian, Glass, Peter

S. A., Fortney, Jennifer, Jhaveri, Rajiv, Perno, Rhonda: Opioid-sparing Effects of a Low-dose Infusion of Naloxone in Patientadministered Morphine Sulfate, 1075

Gan, Tong J., Glass, Peter S., Windsor, Alastair, Payne, Fredrick, Rosow, Carl, Sebel, Peter, Manberg, Paul: Bispectral Index Monitoring Allows Faster Emergence and Improved Recovery from Propofol, Alfentanil, and Nitrous Oxide Anesthesia, 808

Garbe, Louise, see Papazian, Laurent Garton, Kyle, see Kharasch, Evan D.

Gautron, Michèle, see Fletcher, Dominique Gebhard, Martha Maria, see Schmidt, Werner Geisslinger, Gerd, see Lötsch, Jörn

Gelb, Adrian W., see Watts, Andrew D. J. Gelb, Carol R., see Gies, Elizabeth K.

Gentry, W. Brooks, see Avram, Michael J. Gerancher, J. C.: Cauda Equina Syndrome following a Single Spinal Administration of 5% Hyperbaric Lidocaine through a 25-gauge Whitacre Needle, 687

Gerancher, J. C.: Handbook of Clinical Anesthesia, edited by Paul Barash, M.D., Bruce Cullen, M.D., and Robert Stoelting, M.D, 726

Gerber, Christian, see Borgeat, Alain

Gerhardt, Mark A., Greenberg, Charles S., Slaughter, Thomas F., Smith, Mark Stafford: Factor XII Deficiency and Cardiopulmonary Bypass: Use of a Novel Modification of the Activated Clotting Time to Monitor Anticoagulation, 990

Geva, Daniel, see Szmuk, Peter

Gevirtz, Clifford M., Sanapati, Mahendra R., Lebowitz, Philip: Anesthesia-related Deaths during Obstetric Delivery in the United States. 1979–1990. 1007

Ghoneim, M. M., Block, Robert I.: Learning and Memory during General Anesthesia: An Update, 387

Ghoneim, M. M., Hinrichs, J. V.: Drugs, Memory, and Sedation: Specificity of Effects, 734

Gibbs, Charles P., see Hawkins, Joy L.

Gies, Elizabeth K., Peters, Dawn M., Gelb, Carol R., Knag, Kathleen M., Peterfreund, Robert A.: Regulation of Mu Opioid Receptor mRNA Levels by Activation of Protein Kinase C in Human SH-SY5Y Neuroblastoma Cells. 1127

Ginsberg, B., see Gan, T. J.

Ginsberg, Brian, see Gan, Tong J.

Glass, Peter S. A., see Gan, Tong J.; also see Hoke, J. Frank; Jhaveri, Rajiv

Glenny, Robb W., see Walther, Sten M.

Gold, Martin, I., Watkins, W. David, Sung, Yung-Fong, Yarmush, Joel, Chung, Frances, Uy, Nonita T., Maurer, Walter, Clarke, Marcia Y., Jamerson, Brenda D.: Remifentanil *versus* Remifentanil/midazolam for Ambulatory Surgery during Monitored Anesthesia Care, 51

Goll, Veronika, see Lenhardt, Rainer Gong, Diane, see Eger, Edmond I, II Goodman, Robert R., see Stone, J. Gilbert Goskowicz, Randall, Harrell, James H., Roth, David M.: Intraoperative Diagnosis of Torsion of the Left Lung after Repair of a Disruption of the Descending Thoracic Aorta, 164

Goto, Yukio, see Takakura, Ko Gouin, François, see Papazian, Laurent Gould, Norman J., see Edsall, David W. Gozal, Y., Robinson, Stephen T.: An Unusual Capnogram, 453

Gracely, Richard H., see Sang, Christine N. Grady, Robert E., Jr., Wass, C. Thomas, Maus, Timothy P., Felmlee, Joel P.: Fiberoptic Intracranial Pressure Monitoring during Magnetic Resonance Imaging, 1001

Graf, George, see Yarmush, Joel Grant, A. P., see Gan, T. J.

Gratadour, P., Viale, J. P., Parlow, J., Sagnard,
P., Counioux, H., Bagou, G., Annat, G.,
Hughson, R., Quintin, L.: Sympathovagal
Effects of Spinal Anesthesia Assessed by
the Spontaneous Cardiac Baroreflex, 1359
Greenberg, Charles S., see Gerhardt, Mark A.
Greenberg, Charles S., see Slaughter, Thomas F.
Green, David M.: In Reply, 458
Greengass, Roy A., see Klein, Stephen M.

Greengrass, Roy A., see Klein, Stephen M. Gross, Garrett J., see Kersten, Judy R.

Guarderas, Juan C., see Clendenen, Steven R. Gueugniaud, Pierre-Yves, Hanouz, Jean-Luc, Vivien, Benoît, Lecarpentier, Yves, Coriat, Pierre, Riou, Bruno: Effects of Desflurane in Rat Myocardium: Comparison with Isoflurane and Halothane, 599

Gucugniaud, Pierre-Yves, see Vivien, Benoît Guilbaud, Gisèle, see Fletcher, Dominique Gurevich, Miguel L., see Bennett-Guerrero, Elliott

Gustafsson, Lars L., see Emanuelsson, Britt-Marie K.

Gutstein, Howard B., Rubie, Elizabeth A., Mansour, Alfred, Akil, Huda, Woodgett, James R.: Opioid Effects on Mitogen-activated Protein Kinase Signaling Cascades, 1118

Guyton, Thomas S., see Morey, Timothy E. Guzman, Jose L.: Use of a Short Flexible Fiberoptic Endoscope for Difficult Intubations, 1563

Н

Haapalinna, Antti, see Kuhmonen, Johanna Habazettl, Helmut, see Fujita, Yoshihisa Habre, Walid, Wildhaber, Johannes H., Sly, Peter D.: Prevention of Methacholine-induced Changes in Respiratory Mechanics in Piglets: A Comparison of Sevoflurane and Falothane, 585

Hadzic, Admir, Vloka, Jerry D., Koom, Robert: Effects of the Auditory Volume Control Knob on the Stimulus Amplitude Display of the Dualstim/Deluxe Model NS-2CA/DX Peripheral Nerve Stimulator, 714

Hager, Pablo, see Zollinger, Andreas Hahn, Robert G., see Svensén, Christer

Hamada, Hiroshi, Damron, Derek S., Murray, Paul A.: Intravenous Anesthetics Attenuate Phenylephrine-induced Calcium Oscillations in Individual Pulmonary Artery Smooth Muscle Cells, 900

Hamasaki, Junichiro, see Oda, Toshiyuki Hamilton, Catherine L., see Riley, Edward T. Hammon, John W., see O'Brien, James J. Hänel, Frank, see Von Knobelsdorff, Georg Hannenberg, Alexander A., Hershey, Mark D.: Reply, 184

Hanouz, Jean-Luc, see Gueugniaud, Pierre-Yves; also see Vivien, Benoît

Hanson, C. William, III, see Doering, Elana B. Han, Young-Jin, see Ko, Scong-Hoon Harapat, Sandra R., see Wada, D. Russell Harashima, Hideyoshi, see Wada, D. Russell Harkin, Christopher P., see Farber, Neil E. Harper, James V., see Clendenen, Steven R. Harrell, James H., see Goskowicz, Randall Harvey, Susan C., Bailey, Melinda K., Cooke, James E.: Usable versus Overall Tracheal Tube Length: The Difference May Be Critical 172

Hasegawa, Koichi, see Takakura, Ko Hashimoto, Hiroshi, see Kotani, Naoki Hatano, Yoshio, see Iranami, Hiroshi; also see Maeda, Hiroshi

Hattori, Satoshi, see Andoh, Tomio; also see Kaneko, Kazuhiro

Hawkins, Joy L.: In Reply, 1008

Hawkins, Joy L., Gibbs, Charles P., Orleans, Miriam, Martin-Salvaj, Gallice, Beaty, Brenda: Obstetric Anesthesia Work Force Survey, 1981 versus 1992, 135

Hayashi, Yukio, see Kagawa, Kiyokazu Hayes, David L., see Schwartzenburg, Cynthia F. Hedenstierna, Göran, see Magnusson, Lennart

Heitman, Elizabeth, see Berry, James M. Heller, Agneta, see Emanuelsson, Britt-Marie K. Henthorn, Thomas K., see Avram, Michael J. Henthorn, Thomas K., see Birmingham, Patrick K.

Henzel, Danielle, see Keita, Hawa Herndon, Oliver W., see Weinger, Matthew B. Hershey, Mark D., see Hannenberg, Alexander A.

Hess, Dean, Imanaka, Hideaki: In Reply, 1592
 Hess, Dean, see Manktelow, Claire
 Hettrick, Douglas A., see Jamali, Iyad N.; also see Pagel, Paul S.

Hickey, Robert F., see Cason, Brian A. Hicks, Richard G., see Woodforth, Ian J. Hindman, Bradley J., see Reasoner, Daniel K. Hinrichs, J. V., see Ghoneim, M. M. Hirakata, Hideo, Nakamura, Kumi: In Reply, 1016

Hirasaki, Akihito, see Bremerich, Dorothee H. Hlastala, Michael P., see Walther, Sten M. Hobbhahn, Jonny, see Rödig, Gabriele Hoffmann, Raymond G., see Vodanovic, Sanja Höhn, Laurent, see Licker, Marc

Hoke, J. Frank, Shlugman, David, Dershwitz, Mark, Michalowski, Piotr, Malthouse-Dufore, Sherry, Connors, Patricia M., Martel, Dave, Rosow, Carl E., Muir, Keith T., Rubin, Nina, Glass, Peter S. A.: Pharmacokinetics and Pharmacodynamics of Remifentanil in Persons with Renal Failure Compared with Healthy Volunteers, 533

Ho, Kwok M., Ngan Kee, Warwick D., Poon, Michael C. M.: Combined Spinal and Epidural Anesthesia in a Parturient with Idiopathic Hypertrophic Subaortic Stenosis, 168

Hopp, Francis A., see Stuth, Eckehard A. E. Horibe, Mayumi, see Seki, Sumihiko Horlocker, Terese T.: Regional Anesibesia: An Illustrated Procedural Guide, Second Edition, by Michael F. Mulroy, 463 Hornstein, Mark D., see Tsen, Lawrence C. Horrow, Jan C., see Bennett, Joel A. Houck, Constance S., see Casta, Alfonso Howell, S. T., see Gan, T. J. Howley, Joan, see Lee, Hye-Won Hubbard, Anne M, see Politis, George D. Hudetz, Antal G., see Farber, Neil E. Hug, Carl C., Jr.: Propofol Requirements ver-

sus Stimulus Intensity, 201
Hughey, Katherine: In Reply, 715
Hughson, R., see Gratadour, P.
Hüpfl, Michael, see Frass, Michael
Hurford, William E., see Manktelow, Claire
Hyllner, Monica, see Åvall, Anders

I

lida, Hiroki, Watanabe, Yukinaga, Dohi, Shuji, Ishiyama, Tadahiko: Direct Effects of Ropivacaine and Bupivacaine on Spinal Pial Vessels in Canine: Assessment with Closed Spinal Window Technique, 75 Ikeda, Kazuyuki, see Bito, Hiromichi; also see

Kazama, Tomiei

Ikeda, Takehiko, see Plattner, Olga Ikeuchi, Yukako, see Bito, Hiromichi Ilias, Wilfried, see Frass, Michael

Imai, Takasuke, Takahashi, Kenichirou, Fukura, Haruhiko, Morishita, Yasuo: Measurement of Cardiac Output by Pulse Dye Densitometry Using Indocvanine Green: A Comparison with the Thermodilution Method, 816

Imanaka, Hideaki, see Hess, Dean Ionescu, Pompiliu, see Eger, Edmond I, II Iranami, Hiroshi, Hatano, Yoshio, Tsukiyama, Yoshi, Maeda, Hiroshi, Mizumoto, Kazuhiro: In Reply, 713

Iranami, Hiroshi, see Maeda, Hiroshi Ishihara, Hironori, see Kotani, Naoki Ishimura, Yuzuru, see Morisaki, Hiroshi Ishioka, Kazunari, see Kohno, Kunihisa Ishiyama, Tadahiko, see Iida, Hiroki

Ishizawa, Yumiko, Ohta, Shuichiro, Shimonaka, Hiroyuki, Dohi, Shuji: Effects of Blood Glucose Changes and Physostigmine on Anesthetic Requirements of Halothane in Rats, 354

Isono, Shiroh, Tanaka, Atsuko, Tagaito, Yugo, Sho, Yasuhide, Nishino, Takashi: Pharyngeal Patency in Response to Advancement of the Mandible in Obese Anesthetized Persons, 1055

Iwama, Hiroshi, Kaneko, Toshikazu, Watanabe, Kazuhiro, Takasu, Makoto, Terada, Koichi, Sugiyama, Yoshihiko: Fatal Acute Myocardial Infarction during General Anesthesia in a 7-yr-old Boy: Associated with Total Intramural Coronary Arteries, 426 Iwasaki, Hiroshi, see Kawamata, Tomoyuki

Jacka, Michael J., see Wood, Gordon G. Jackson, Stephen H., Fine, Perry, Palmer, Susan, Rosenbaum, Stanley, Truog, Robert, Van Norman, Gail: Response to "Ethical Concerns in Anesthetic Care for Patients with Do-not-resuscitate Orders," 176

Jacobson, Louis, Mariano, Anthony J., Chabal, Charles, Chaney, Edmund F.: Beyond the Needle: Expanding the Role of Anesthesiologists in the Management of Chronic Nonmalignant Pain, 1210

Jaeger, J. Michael, Madsen, Melissa L.: Delayed Subarachnoid Migration of an Epidural Arrow FlexTip Plus Catheter, 718 Jaffe, Richard A., see Dietz, Friederike B.

Jain, Uday: In Reply, 1015

Jain, Uday: Intermittent Reduction in Myocardial Perfusion Causing ST Segment Oscillation after Cardiopulmonary Bypass, 710 Jamali, Iyad N., Pagel, Paul S., Hettrick, Douglas A., Lowe, Dermot, Kersten, Judy R., Tessmer, John P., Warltier, David C.: Positive Inotropic and Lusitropic Effects of Triiodothyronine in Conscious Dogs with Pacinginduced Cardiomyopathy, 102

Jamerson, Brenda D., see Gold, Martin, I. Janiszewski, Debra, see Galinkin, Jeffrey L. Jayais, Pascal, see Chemla, Denis

Jeffrey, Renee, see Talke, Pekka

Jericho, Barbara, see Benzon, Honorio T. Jhaveri, Rajiv, Joshi, Pradip, Batenhorst, Randall, Baughman, Verna, Glass, Peter S. A.: Dose Comparison of Remifentanil and Alfentanil for Loss of Consciousness, 253

Jhaveri, Rajiv, see Gan, Tong J. Johansen, Jay W., Sebel, Peter S.: In Reply,

462 Jolkkonen, Jukka, see Kuhmonen, Johanna

Jones, C. Stanley: Indicators of Recovery of Neuromuscular Function, 1595

Jones, Keith A., see Bremerich, Dorothee H. Joshi, Girish P., see Song, Dajun Joshi, Pradip, see Jhaveri, Rajiv Juan, Jean-Marie, see Aya, Antoine G. M.

K

Kagawa, Kiyokazu, Mammoto, Tadanori, Hayashi, Yukio, Kamibayashi, Takahiko, Mashimo, Takashi, Yoshiya, Ikuto: The Effect of Imidazoline Receptors and α2-adrenoceptors on the Anesthetic Requirement (MAC) for Halothane in Rats, 963

Kainuma, Motoshi, see Sugiura, Naoki Kalfon, Pierre, Rao, G. S. Umamaheswara, Gallart, Lluis, Puybasset, Louis, Coriat, Pierre, Rouby, Jean-Jacques: Permissive Hypercapnia with and without Expiratory Washout in Patients with Severe Acute Respiratory Distress Syndrome, 6

Kaluza, Mirko, see Rödig, Gabriele Kamibayashi, Takahiko, see Kagawa, Kiyo-

Kamiya, Yoshitaka, see Andoh, Tomio Kampine, John P., see Farber, Neil E.; also see Stuth, Eckehard A. E.; Vodanovic, Sanja Kanda, Naomi, see Oda, Toshiyuki

Kaneko, Kazuhiro, Kudoh, Ichidai, Hattori, Satoshi, Yamada, Hiroshi, Ohara, Maria, Wiener-Kronish, Jeanine, Okumura, Fukuichiro: Neutrophil Elastase Inhibitor, ONO-5046, Modulates Acid-induced Lung and Systemic Injury in Rabbits, 635

Kaneko, Toshikazu, see Iwama, Hiroshi Kano, Tatsuhiko, see Fukushige, Tetsushi Karmazyn, Morris, see Mathur, Sanjiv Kass, Ira S., see Amorim, Pedro; also see Zhu, Hechen

Kataoka, Kazuya, see Naito, Yoshiyuki

Kataoka, Kiyoshi, see Liu, Keyue

Kawaguchi, Masahiko, see Sasaoka, Noriyuki Kawamata, Mikito, see Kawamata, Tomoyuki Kawamata, Tomoyuki, Omote, Keiichi, Kawamata, Mikito, Iwasaki, Hiroshi, Namiki, Akiyoshi: Antinociceptive Interaction of Intrathecal az-adrenergic Agonists, Tizanidine and Clonidine, with Lidocaine in Rats, 436

Kazama, Tomiei, Ikeda, Kazuyuki, Morita, Koji: Reduction by Fentanyl of the Cp50 Values of Propofol and Hemodynamic Responses to Various Noxious Stimuli, 213 Kazanjian, Paul E., see Bennett-Guerrero, El-

Kees, Frieder, see Rödig, Gabriele Kehlet, Henrik, see Callesen, Torben

Keita, Hawa, Lepouse, Claire, Henzel, Danielle, Desmonts, Jean-Marie, Mantz, Jean: Riluzole Blocks Dopamine Release Evoked by N-methyl-D-aspartate, Kainate, and Veratridine in the Rat Striatum, 1164

Kelly, Maryann, see Gallacher, Bernard P. Kelly, Paul J., see Taga, Kiichiro

Kemmotsu, Osamu, see Nakamura, Isao

Kempen, Paul M.: Reply, 186 Kempen, Paul M.: Reply, 187

Kern, Steven E., see Lu, Jeffrey K.

Kersten, Judy R., Schmeling, Todd J., Pagel, Paul S., Gross, Garrett J., Warltier, David C.: Isoflurane Mimics Ischemic Preconditioning via Activation of KATP Channels: Reduction of Myocardial Infarct Size with An Acute Memory Phase, 361

Kersten, Judy R., see Jamali, Iyad N.; also see Pagel, Paul S.

Kettrick, Robert G., see Theroux, Mary C. Keyl, Cornelius, see Rödig, Gabriele

Kharasch, Evan D.: In Reply, 1591 Kharasch, Evan D.: Keep the Blood Red . . .

The Right Way, 202 Kharasch, Evan D., Russell, Michael, Garton, Kyle, Lentz, Gretchen, Bowdle, T. Andrew, Cox, Kathy: Assessment of Cytochrome

P450 3A4 Activity during the Menstrual Cycle Using Alfentanil as a Noninvasive Probe, 26

Kharasch, Evan D., Russell, Michael, Mautz, Douglas, Thummel, Kenneth E., Kunze, Kent L., Bowdle, T. Andrew, Cox, Kathy: The Role of Cytochrome P450 3A4 in Alfentanil Clearance: Implications for Interindividual Variability in Disposition and Perioperative Drug Interactions, 36

Kharasch, Evan D., see Freund, Peter R. Khorasani, Arjang, Appavu, Samuel K., Saatee, Simin: Decrease in the Total Amount of Extracellular Bicarbonate Is Not Dilution, 1012

Kim, Charles, see Benzon, Honorio T.

Kirkhart, Barbara, see Yarmush, Joel Kirk, Katharine A., see Nielsen, Vance G. Kishikawa, Kazuhiro, Kumeta, Yukihiro, Kurihara, Chieko, Endo, Hideko, Namiki, Akiyoshi: Diltiazem for Ventricular Fibrillation, 709

Kitaguchi, Katsuyasu, see Sasaoka, Noriyuki Klafta, Jerome M., Olson, Jeffrey P.: Emergent Lung Separation for Management of Pulmonary Artery Rupture, 1248

Klafta, Jerome M., see Galinkin, Jeffrey L. Klein, Cheri, see Avram, Michael J.

Klein, Stephen M., D'Ercole, Francine, Greengrass, Roy A., Warner, David S.: Enoxaparin Associated with Psoas Hematoma and Lumbar Plexopathy after Lumbar Plexus Block, 1576

Klimscha, W., Tong, C., Eisenach, J. C.: Intrathecal α-Adrenergic Agonists Stimulate Acetylcholine and Norepinephrine Release from the Spinal Cord Dorsal Horn in Sheep: An *In Vivo* Microdialysis Study, 110

Klock, P. Allan, see Galinkin, Jeffrey L. Knag, Kathleen M., see Gies, Elizabeth K. Kobal, Gerd, see Lötsch, Jörn

Koch, Stephen M., see Pousman, Robert M. Kofler, Julia, see Frass, Michael

Kohno, Kunihisa, Takaki, Miyako, Ishioka, Kazunari, Nakayama, Yasunori, Suzuki, Shunsuke, Araki, Junichi, Namba, Taketoshi, Suga, Hiroyuki: Effects of Intracoronary Fentanyl on Left Ventricular Mechanoenergetics in the Excised Cross-circulated Canine Heart (Revised Publication),

Kohno, Kunihisa, see Nakayama, Yasunori Kojima, Yuko, Oku, Shiro, Takahashi, Kan, Mukaida, Keiko: Susceptibility to Malignant Hyperthermia Manifested as Delayed Return of Increased Serum Creatine Kinase Activity and Episodic Rhabdomyolysis after Exercise, 1565

Konishi, Ruriko, Mitsuhata, Hiromasa, Akazawa, Satoshi, Shimizu, Reiju: Temporary Severe Vertigo Associated with Mandibular Nerve Block with Absolute Alcohol for Treatment of Trigeminal Neuralgia, 699

Konstadt, Steven N., see Reich, David L. Koom, Robert, see Hadzic, Admir

Kopman, Aaron F.: Surrogate Endpoints and Neuromuscular Recovery, 1029

Kopman, Aaron F., Yee, Pamela S., Neuman, George G.: In Reply, 1258

Kopman, Aaron F., Yee, Pamela S., Neuman, George G.: In Reply, 1595

Kopp, Vincent J., Mayer, David C., Shaheen, Nicholas J.: Intravenous Erythromycin Promotes Gastric Emptying Prior to Emergency Anesthesia, 703

Korson, Mark S., see Casta, Alfonso

Kosaka, Yoshihiro, see Sakura, Shinicki Ko, Seong-Hoon, Lee, Sang-Kyi, Han, Young-Jin, Choe, Huhn, Kwak, Yong-Geun, Chae, Soo-Wan, Cho, Kyu-Park, Song, He-Sun: Blockade of Myocardial ATP-sensitive Potassium Channels by Ketamine, 68

Kotani, Naoki, Kushikata, Tetsuya, Matsukawa, Takashi, Sessler, Daniel I., Muraoka, Masatoshi, Hashimoto, Hiroshi, Ishihara, Hironori, Matsuki, Akitomo: A Rapid Increase in Foot Tissue Temperature Predicts Cardiovascular Collapse during Anaphylactic and Anaphylactoid Reactions, 559

Krafft, Peter, see Frass, Michael
Krejcie, Tom C., see Avram, Michael J.
Krol, Marina, see Reich, David L.
Krolo, Mirko, see Stuth, Eckehard A. E.
Krowka, Michael J., see Mandall, M. Susan
Kudoh, Ichidai, see Kaneko, Kazuhiro
Kuhmonen, Johanna, Pokorný, Jaroslav, Miettinen, Riitta, Haapalinna, Antti, Jolkkonen,
Jukka, Riekkinen, Paavo, Sr., Sivenius, Juhani: Neuroprotective Effects of Dexmedetomidine in the Gerbil Hippocampus after
Transient Global Ischemia, 371

Kumeta, Yukihiro, see Kishikawa, Kazuhiro Kunze, Kent L., see Kharasch, Evan D.

Kurihara, Chieko, see Kishikawa, Kazuhiro Kuroda, Yasuhiro, Murakami, Mari, Tsuruta, Junko, Murakawa, Toshisuke, Sakabe, Takefumi: Blood Flow Velocity of Middle Cerebral Artery during Prolonged Anesthesia with Halothane, Isoflurane, and Sevoflurane in Humans, 527

Kurz, Andrea, see Larson, Merlin D.; also see Lenhardt, Rainer; Plattner, Olga Kushikata, Tetsuya, see Kotani, Naoki Kuylenstierna, Richard, see Eriksson, Lars I. Kwak, Yong-Geun, see Ko, Seong-Hoon Kwok, Wai-Meng, see Weigt, Henry U.

T

Lackner, Franz, see Lenhardt, Rainer Lagasse, Robert S.: Self-reporting Can Be a Reliable Means of Tracking Adverse Perioperative Events, 722

Lagasse, Robert S., Santos, Alan C.: Obstetric Anesthesia Coverage: The Problem in Perspective, 4

Lam, Arthur M.: Visual Disturbance and Residual Paralysis, 1257

Lamberz, Lars, see Tonner, Peter H. Langevin, Paul B.: The Practice of Using Ni-

troglycerin for Uterine Relaxation, 717 Lannes, Marcelo, Desparmet, Joëlle F., Zifkin, Benjamin G.: Generalized Seizures Associ-

ated with Nitrous Oxide in an Infant, 705 Lapandry, Claude, see Adnet, Frédéric Larson, Merlin D., Kurz, Andrea, Sessler, Daniel I., Dechert, Martha, Bjorksten, Andrew R., Tayefeh, Farzin: Alfentanil Blocks Reflex Pupillary Dilation in Response to Noxious Stimulation But Does Not Diminish the Light Reflex, 849

Larson, Steven M., see Veselis, Robert A. Laster, Michael J., see Eger, Edmond I, II Lau, Marie, see Reynolds, Lynne M.

Law-Koune, Jean-Dominique, see Rao, Umamaheswara G. S.

Lebowitz, Philip, see Gevirtz, Clifford M. Lecarpentier, Yves, see Chemla, Denis; also see Gueugniaud, Pierre-Yves

Lecarpentier, Yves, see Vivien, Benoît Lee, Don S., Yang, Charles I.: Suction Catheter-guided Nasotracheal Intubation, 449

Lee, Hye-Won, Caldwell, James E., Dodson, Barbara, Talke, Pekka, Howley, Joan: The Effect of Clonidine on Cerebral Blood Flow Velocity, Carbon Dioxide Cerebral Vasoreactivity, and Response to Increased Arterial Pressure in Human Volunteers, 553

Lee, Sang-Kyi, see Ko, Seong-Hoon Lee, Tak-Yu, see Fu, Miin-Jiuan Lefrant, Jean-Yves, see Aya, Antoine G. M. Legars, Daniel, see Blanchard, Nicolas Lehman, Daryl: In Reply, 454 Lelong, Bernard, see Wodey, Eric

Lemaire, François, see Dambrosio, Michele Lenczewski, Vincent S., see Stone, J. Gilbert Lenhardt, Rainer, Marker, Elvine, Goll, Veronika, Tschernich, Heinz, Kurz, Andrea, Sessler, Daniel L., Narzt, Edith, Lackner, Franz: Mild Intraoperative Hypothermia Prolongs Postanesthetic Recovery, 1318

Lentz, Gretchen, see Kharasch, Evan D. Lepouse, Claire, see Keita, Hawa

Leveno, Kenneth J., see Sharma, Shiv K.
Levine, Paul A.: Response to "Rate-adaptive Cardiac Pacing: Implications of Environmental Noise during Craniotomy," 1261

Levin, Katherine R., see Currier, David S. Levy, Roberto R., see Bennett-Guerrero, Elliott

Lewis, Michael C., see DeSouza, Gerard Licker, Marc, Schweizer, Alexandre, Höhn, Laurent, Clergue, François: Unexpected Postoperative Respiratory Failure Due to Diaphragmatic Paralysis. 1239

Liguori, Gregory A., Sharrock, Nigel E.: In Reply, 1009

Litt, Lawrence, see Auroy, Yves

Liu, Keyue, Adachi, Naoto, Yanase, Hisato, Kataoka, Kiyoshi, Arai, Tatsuru: Lidocaine Suppresses the Anoxic Depolarization and Reduces the Increase in the Intracellular Ca²⁺ Concentration in Gerbil Hippocampal Neurons, 1470

Longnecker, David E.: In Reply, 456 Lötsch, Jörn, Kobal, Gerd, Stockmann, Anne, Brune, Kay, Geisslinger, Gerd: Lack of Analgesic Activity of Morphine-6-glucuronide after Short-term Intravenous Administration in Healthy Volunteers, 1348 Loubser, Paul G.: Detection of Heparin in Salvaged Blood, 719 Lowe, Dermot, see Jamali, Iyad N.; also see Pagel, Paul S. Lubarsky, David A.: In Reply, 1584 Lubarsky, David A.: In Reply, 1586 Lubarsky, David A.: In Reply, 1587 Lucas, Marie Madeleine, see Wodey, Eric Lucas, Michael J., see Sharma, Shiv K. Lui, Ping-Wing, see Fu, Miin-Jiuan Lu, Jeffrey K., Manullang, Theodore R., Staples, Mark H., Kern, Steven E., Bailey, Peter

M

L.: Maternal Respiratory Arrests, Severe Hy-

potension, and Fetal Distress after Adminis-

tration of Intrathecal, Sufentanil, and Bupi-

vacaine after Intravenous Fentanyl, 170

Luks, Andrew, see Reynolds, Lynne M.

Lu, Qin, see Rao, Umamaheswara G. S.

Macaire, Philippe, see Bernard, Jean-Marc Macario, Alex, see Dexter, Franklin Madsen, Melissa L., see Jaeger, J. Michael Maeda, Hiroshi, Iranami, Hiroshi, Hatano, Yoshio: Delayed Recovery from Muscle Weakness Due to Malignant Hyperthermia during Sevoflurane Anesthesia, 425 Maeda, Hiroshi, see Iranami, Hiroshi Maekawa, Nobuhiro, see Nishina, Kahoru Magnusson, Lennart, Zemgulis, Vitas, Wicky, Stephan, Tydén, Hans, Thelin, Stefan, Hedenstierna, Göran: Atelectasis Is a Major Cause of Hypoxemia and Shunt after Cardiopulmonary Bypass: An Experimental Study, 1153 Maier, Christoph, see Mercker, Stefanie K. Malthouse-Dufore, Sherry, see Hoke, J. Frank Mamiya, Kikyo, see Aono, Jun Mammoto, Tadanori, see Kagawa, Kiyokazu Mampilly, George A., see Abram, Stephen E. Manabe, Masanobu, see Aono, Jun Manberg, Paul, see Gan, Tong J. Mandall, M. Susan, Krowka, Michael J.: Formation of a National Database on Pulmonary Hypertension and Hepatopulmonary Syndrome in Chronic Liver Disease, 450 Mangano, Christina Mora: Scuds, Scads, and Other Air-borne Hazards, 476 Manktelow, Claire, Bigatello, Luca M, Hess, Dean, Hurford, William E.: Physiologic Determinants of the Response to Inhaled Ni-

tric Oxide in Patients with Acute Respiratory Distress Syndrome, 297 Mansour, Alfred, see Gutstein, Howard B. Mantz, Jean, see Keita, Hawa Manullang, Theodore R., see Lu, Jeffrey K. Mapleson, W. W., see Asai, Takashi Marder, Danielle, see Plattner, Olga Mariano, Anthony J., see Jacobson, Louis Marker, Elvine, see Lenhardt, Rainer Marshall, Bryan E., see Doering, Elana B. Marshall, Carol, see Doering, Elana B. Martel, Dave, see Hoke, J. Frank Martin, Claude, see Albanèse, Jacques Martin, Eike, see Schmidt, Werner Martin-Salvaj, Gallice, see Hawkins, Joy L. Martynyuk, Anatoly E., see Morey, Timothy E. Mashimo, Takashi, see Kagawa, Kiyokazu Mathes, Donald D., Morell, Robert C.: In Reply, 1013 Mathur, Sanjiv, Karmazyn, Morris: Interaction between Anesthetics and the Sodium-Hydrogen Exchange Inhibitor HOE 642 (Cariporide) in Ischemic and Reperfused Rat Hearts, 1460 Matovic, Mira, see De Cicco, Marcello Matsuda, Tomovuki, Tanaka, Yoshifumi: Brain Circulatory Disturbance in a Central Venous Catheter-inserted Child, 701 Matsukawa, Takashi, see Kotani, Naoki Matsuki, Akitomo, see Kotani, Naoki Maurer, Walter, see Gold, Martin, I. Maus, Timothy P., see Grady, Robert E., Jr. Mautz, Douglas, see Kharasch, Evan D. Mawlawi, Osama R., see Veselis, Robert A. Max, Mitchell B., see Sang, Christine N. Maxwell, Lynne G., see Sadovnikoff, Nicholas Mayer, David C., see Kopp, Vincent J. Maysick, Laurie K., see Yarmush, Joel Maze, Mervyn: "Exciting" Aspects of Opiate Receptor Signal Transduction, 1032 Maze, Mervyn: Why Does Insensitivity to Opioid Narcotics Develop?, 1033 McCammon, Andrew T., see Nielsen, Vance G. McHugh, Gerard J.: Hybrid Intravenous Infusion Connections and Potential Flow Reduction, 186 McLaren, Ian D., see Dorje, Pema McLeskey, Charles, see Borum, Stanley E. McQuay, Henry J., see Tramèr, Martin R. Mehta, Zoya, see Edsall, David W. Mercker, Stefanie K., Maier, Christoph, Neumann, Günther, Wulf, Hinnerk: Lactic Acidosis as a Serious Perioperative Complication of Antidiabetic Biguanide Medication with Metformin, 1003 Mertens, Martijn J., see Vuyk, Jaap Mesnick, Paul S., see Ovassapian, Andranik Messiah, Antoine, see Auroy, Yves Messmer, Konrad, see Fujita, Yoshihisa

Metcalf, Ian R., see Slinger, Peter

Michalowski, Piotr, see Hoke, J. Frank Miettinen, Riitta, see Kuhmonen, Johanna Miguel, Rafael, see Yarmush, Joel Mikami, Ko, see Oda, Toshiyuki Mikawa, Katsuya, see Nishina, Kahoru Miller, Edward D., Jr.: Richard J. Traystman: A Personal Story, 739 Miller, Freeman, see Theroux, Mary C. Miller, Lawrence R., Waters, Jonathan H.: Mechanism of Hyperchloremic Nonanion Gap Acidosis, 1009 Milosavljevic, Douglas, see Abram, Stephen E. Mitsuhata, Hiromasa, see Konishi, Ruriko Miyake, Toshiyuki, see Sugiura, Naoki Mizobe, Toshiki, see Aoki, Hiroshi Mizumoto, Kazuhiro, see Iranami, Hiroshi Mollet, Jean-Jacques, see Dambrosio, Michele Moore, R. Andrew, see Tramèr, Martin R. Mora, Ricardo R., see Gallacher, Bernard P. Morassut, Sandro, see De Cicco, Marcello Morell, Robert C., see Mathes, Donald D. Morey, Timothy E., Martynyuk, Anatoly E., Napolitano, Charles A., Raatikainen, M. J. Pekka, Guyton, Thomas S., Dennis, Donn M.: Ionic Basis of the Differential Effects of Intravenous Anesthetics on Erythromycininduced Prolongation of Ventricular Repolarization in the Guinea Pig Heart, 1172 Morgan, Scott E., see Frink, Edward J., Jr. Morisaki, Hiroshi, Suematsu, Makoto, Wakabayashi, Yoshiyuki, Moro-oka, Shigeaki, Fukushima, Kazuaki, Ishimura, Yuzuru, Takeda, Junzo: Leukocyte-Endothelium Interaction in the Rat Mesenteric Microcirculation during Halothane or Sevoflurane Anesthesia, 591 Morishita, Yasuo, see Imai, Takasuke Morita, Koji, see Kazama, Tomici Moro-oka, Shigeaki, see Morisaki, Hiroshi Morris, Kristin J., see O'Brien, James J. Muckart, David J. J., Bhagwanjee, Satish, Van der Merwe, Retief: Spinal Cord Injury as a Result of Endotracheal Intubation in Patients with Undiagnosed Cervical Spine Fractures, 418 Muir, Keith T., see Hoke, J. Frank Muir, William W., III, see Carnes, Cynthia A. Mukaida, Keiko, see Kojima, Yuko Murakami, Mari, see Kuroda, Yasuhiro Murakawa, Toshisuke, see Kuroda, Yasuhiro Muramatsu, Ikunobu, see Takakura, Ko Muraoka, Masatoshi, see Kotani, Naoki Muravchick, Stanley, see Ciccotelli, Kristina Murphy, D. B., Sutton, J. A., Prescott, L. F., Murphy, M. B.: Opioid-induced Delay in Gastric Emptying: A Peripheral Mechanism in Humans, 765

Murphy, M. B., see Murphy, D. B.

Murray, Paul A., see Hamada, Hiroshi; also see Seki, Sumihiko

Mushlin, Phillip S., *see* Shankar, K. Bhavani Myers, Robert P., *see* Findlay, James Y.

N

Naegele, Herbert, see Von Knobelsdorff, Georg

Naito, Yoshiyuki, Sone, Tetsuhiro, Kataoka, Kazuya, Sawada, Masaki, Yamazaki, Kazuo: Thyroid Storm Due to Functioning Metastatic Thyroid Carcinoma in a Burn Patient, 433

Nakamura, Isao, Ohta, Yoshihiro, Kemmotsu, Osamu: Characterization of Adenosine Receptors Mediating Spinal Sensory Transmission Related to Nociceptive Information in the Rat, 577

Nakamura, Kumi, see Hirakata, Hideo Nakayama, Yasunori, Takaki, Miyako, Kohno, Kunihisa, Araki, Junichi, Suga, Hiroyuki: Mechanoenergetics of the Negative Inotropism of Isoflurane in the Canine Left Ventricle: No O₂ Wasting Effect, 82

Nakayama, Yasunori, see Kohno, Kunihisa Namba, Takctoshi, see Kohno, Kunihisa Namiki, Akiyoshi, see Kawamata, Tomoyuki;

also see Kishikawa, Kazuhiro Napolitano, Charles A., see Morey, Timothy E.

Narchi, Patrick, see Auroy, Yves Nary, Jeffrey C., see Cole, Daniel J. Narzt, Edith, see Lenhardt, Rainer

Naul, L. Gill, see Borum, Stanley E. Neuman, George G., see Kopman, Aaron F. Neumann, Günther, see Mercker, Stefanie K. Newman, Mark F., see Bennett-Guerrero, Elliott; also see Reves, J. G.

Ngan Kee, Warwick D., see Ho, Kwok M. Niedfeldt, Jennifer, see Farber, Neil E.

Nielsen, Vance G., Tan, Sidhartha, Kirk, Katharine A., Baird, Manuel S., McCammon, Andrew T., Samuelson, Paul N., Parks, Dale A.: Halothane and Xanthine Oxidase Increase Hepatocellular Enzyme Release and Circulating Lactate after Ischemia-Reperfusion in Rabbits, 908

Niemann, Claus U., *see* Avram, Michael J. Nilsson, Lena, *see* Eriksson, Lars I. Nishikawa. Toshiaki. *see* Tanaka. Makoto

Nishina, Kahoru, Mikawa, Katsuya, Shiga, Makoto, Maekawa, Nobuhiro, Obara, Hidehumi: Oral Clonidine Premedication Reduces Minimum Alveolar Concentration of Sevoflurane for Tracheal Intubation in Children, 1324

Nishino, Takashi, *see* Isono, Shiroh Nogami, Wallace M., *see* Frink, Edward J., Jr. Noursalehi, Mojtaba, *see* Talke, Pekka Nozaki-Taguchi, Natsuko, see Yamamoto, Tatsuo

0

Obara, Hidehumi, see Nishina, Kahoru

Oberling, Philippe, see Pain, Laure O'Brien, James J., Butterworth, John, Hammon, John W., Morris, Kristin J., Phipps, Julia M., Stump, David A.: Cerebral Emboli during Cardiac Surgery in Children, 1063 Oda, Toshiyuki, Hamasaki, Junichiro, Kanda, Naomi, Mikami, Ko: Anaphylactic Shock Induced by an Antiseptic-coated Central Nervous Catheter, 1242 Ohara, Maria, see Kaneko, Kazuhiro Ohta, Shuichiro, see Ishizawa, Yumiko Ohta, Yoshihiro, see Nakamura, Isao Oka, Keikou, see Andoh, Tomio Okumura, Fukuichiro, see Andoh, Tomio; also see Kaneko, Kazuhiro Oku, Shiro, see Kojima, Yuko O'Leary, Colleen, see Yarmush, Joel Olofsen, Erik, see Vuyk, Jaap Olson, Jeffrey P., see Klafta, Jerome M. Olsson, Rolf, see Eriksson, Lars I. Omote, Keiichi, see Kawamata, Tomoyuki Orleans, Miriam, see Hawkins, Joy L. Osinski, Todd K., see Reich, David L. Ossart, Michel, see Blanchard, Nicolas Ovassapian, Andranik, Mesnick, Paul S.: Oxygen Insufflation Through the Fiberscope to Assist Intubation Is Not Recommended, 183 Ovassapian, Andranik, see Frass, Michael

P

Pagel, Paul S., Hettrick, Douglas A., Kersten, Judy R., Tessmer, John P., Lowe, Dermot, Warltier, David C.: Isoflurane and Halothane Do Not Alter the Enhanced Afterload Sensitivity of Left Ventricular Relaxation in Dogs with Pacing-induced Cardiomyopathy, 952

Pagel, Paul S., see Jamali, Iyad N.; also see Kersten, Judy R.

Pain, Laure, Oberling, Philippe, Sandner, Guy, Di Scala, Georges: Effect of Midazolam on Propofol-induced Positive Affective State Assessed by Place Conditioning in Rats. 945

Palmer, Susan, see Jackson, Stephen H.
Palmisano, Barbara W., see Baum, Victor C.
Pan, Peter H.: A Choking Hazard during Nasal
End-tidal CO₂ Monitoring, 451

Papazian, Laurent, Autillo-Touati, Amapola, Thomas, Pascal, Bregeon, Fabienne, Garbe, Louise, Saux, Pierre, Seite, Raymond, Gouin, François: Diagnosis of Ventilatorassociated Pneumonia: An Evaluation of Direct Examination and Presence of Intracellular Organisms, 268

Parks, Dale A., see Nielsen, Vance G. Parlow, J., see Gratadour, P.

Pasch, Thomas, see Zollinger, Andreas Patel, Piyush M., see Cole, Daniel J.; also see

Taga, Kiichiro Payne, Fredrick, see Gan, Tong J.

Pearl, Ronald G.: Phenylephrine and Inhaled Nitric Oxide in Adult Respiratory Distress Syndrome: When Are Two Better Than One?, 1

Pearlstein, Robert, see Pittman, Janet E. Pelz, David M., see Watts, Andrew D. J. Peoples, Joseph D., see Theroux, Mary C. Peray, Pascale, see Aya, Antoine G. M. Perno, Rhonda, see Gan, Tong J.

Persson, Jan, see Emanuelsson, Britt-Marie K. Peterfreund, Robert A., see Gies, Elizabeth K. Peters, Dawn M., see Gies, Elizabeth K. Petersen-Felix, Steen, see Curatolo, Michele Phipps, Iulia M., see O'Brien, James J.

Pittet, Jean-François: Critical Care Medicine: Perioperative Management, by M. J. Murray, D. B. Cousins, R. G. Pearl, and D. S. Prough, 1604

Pittman, Janet E., Sheng, Huaxin, Pearlstein, Robert, Brinkhous, Ann, Dexter, Franklin, Warner, David S.: Comparison of the Effects of Propofol and Pentobarbital on Neurologic Outcome and Cerebral Infarct Size after Temporary Focal Ischemia in the Rat, 1139

Pitts, Melvin C., II, see Yarmush, Joel Pladys, Patrick, see Wodey, Eric

Plaisance, Patrick, see Adnet, Frédéric

Plattner, Olga, Kurz, Andrea, Sessler, Daniel I., Ikeda, Takehiko, Christensen, Richard, Marder, Danielle, Clough, David: Efficacy of Intraoperative Cooling Methods, 1089 Pokorný, Jaroslav, see Kuhmonen, Johanna

Politis, George D., Baumann, Robert, Hubbard, Anne M: Spillage of Cystic Pulmonary Masses into the Airway during Anesthesia, 693

Poon, Michael C. M., see Ho, Kwok M. Posner, Karen L., see Caplan, Robert A.; also see Freund. Peter R.

Pousman, Robert M., Koch, Stephen M.: Endotracheal Tube Obstruction after Orogastric Tube Placement, 1247

Prak, Eline Luning, see Ciccotelli, Kristina Kloss

Preis, Carsten A.: Kinking of the Proximal End of a Nasal RAE Tube after Intubation via Laryngeal Mask Airway: An Alternative Stabilization Approach, 184

Preis, Carsten A., Preis, Irene S.: Oversize En-

dotracheal Tubes and Intubation via Laryngeal Mask Airway, 187
Preis, Irene S., see Preis, Carsten A.
Prescott, L. F., see Murphy, D. B.
Prillaman, Katherine, see Benzon, Honorio T.
Puig, Margarita M.: In Reply, 1256
Puybasset, Louis, see Kalfon, Pierre; also see
Rao, Umamaheswara G. S.

Q

Quackenbush, Elizabeth J., see Casta, Alfonso Quintin, L., see Gratadour, P.

R

Raatikainen, M. J. Pekka, see Morey, Timothy E. Racine, Stéphane X., see Adnet, Frédéric Ramin, Susan M., see Sharma, Shiv K. Rampil, Ira J.: The American Society of Anesthesiologists (ASA), 1026
Rampil, Ira J.: The National Library of Medicine PubMed, 1268

Rao, G. S. Umamaheswara, see Kalfon, Pierre Rao, G. S. Umamaheswara, Gallart, Lluis, Law-Koune, Jean-Dominique, Lu, Qin, Puybasset, Louis, Cluzel, Philippe, Coriat, Pierre, Rouby, Jean-Jacques: Factors Influencing the Tracheal Fluctuation of Inhaled Nitric Oxide in Patients with Acute Lung Injury, 823

Ravindran, Ram S.: A Solution to Monitoring the Electrocardiograph in Patients with Extensive Burn Injury, 711

Reasoner, Daniel K., Hindman, Bradley J., Dexter, Franklin, Subieta, Alberto, Cutkomp, Johann, Smith, Tom: Doxycycline Reduces Early Neurologic Impairment after Cerebral Arterial Air Embolism in the Rabbit, 569

Rehmert, Georg C., see Weigt, Henry U.
Reich, David L., Krol, Marina: In Reply, 1594
Reich, David L., Osinski, Todd K., Bodian,
Carol, Krol, Marina, Sarier, Kaya, Roth,
Ram, Konstadt, Steven N.: An Algorithm
for Assessing Intraoperative Mean Arterial
Pressure Lability, 156

Reid, Craig W., see Splinter, William M.
Reily, Daniel J., see Doering, Elana B.
Reinsel, Ruth A., see Veselis, Robert A.
Rettke, Steven R., see Findlay, James Y.
Reves, J. G., Sladen, Robert N., Newman,
Mark F.: CACI in Cardiac Surgery, 1015
Rey, Marc, see Albanèse, Jacques
Reynolds, John M., see Tramèr, Martin R.
Reynolds, Lowell W., see Cole, Daniel J.
Reynolds, Lynne M., Lau, Marie, Brown, Ronald, Luks, Andrew, Sharma, Manohar,
Fisher, Dennis M.: Bioavailability of Intra-

muscular Rocuronium in Infants and Children, 1096

Richardson, Charles, see Talke, Pekka Rieger, Armin, Brunne, Bergit, Striebel, Hans Walter: Intracuff Pressures Do Not Predict Laryngopharyngeal Discomfort after Use of the Laryngeal Mask Airway, 63

Riekkinen, Paavo, Sr., see Kuhmonen, Johanna

Riley, Edward T.: Economic Analysis of Anesthetic Drug Use, 1585

Riley, Edward T., Walker, Dean, Hamilton, Catherine L., Cohen, Sheila E.: Intrathecal Sufentanil for Labor Analgesia Does Not Cause a Sympathectomy, 874

Riou, Bruno, see Gueugniaud, Pierre-Yves; also see Vivien, Benoît

Robert, Emmanuelle, *see* Aya, Antoine G. M. Roberts, David J., *see* Splinter, William M. Robinson, Richard J. S.: One-lung Ventilation for Thoracotomy Using a Hunsaker Jet Ventilation Tube, 1572

Robinson, Stephen T., see Gozal, Y. Rödig, Gabriele, Keyl, Cornelius, Kaluza,

Rödig, Gabriele, Keyl, Cornelius, Kaluza, Mirko, Kees, Frieder, Hobbhahn, Jonny: Effects of Rapid Increases of Desflurane and Sevoflurane to Concentrations of 1.5 MAC on Systemic Vascular Resistance and Catecholamine Response during Cardiopulmonary Bypass, 801

Rosenbaum, Stanley, see Jackson, Stephen H. Rosenthal, Jeffrey A.: American Heart Association Recommendations for Treating Tricyclic Antidepressant-induced Hypotension, 1259 Rosow, Carl, see Gan, Tong J.

Rosow, Carl E.: Methylnaltrexone: Reversing the Gastrointestinal Effects of Opioids, 736 Rosow, Carl E., see Hoke, J. Frank

Rossner, Kenneth L., Freese, Kenneth J.: Bupivacaine Inhibition of L-Type Calcium Current in Ventricular Cardiomyocytes of Hamster, 926

Roth, David M., see Goskowicz, Randall Roth, Ram, see Reich, David L. Rouby, Jean-Jacques, see Kalfon, Pierre; also see Rao, Umamaheswara G. S. Roupie, Eric, see Dambrosio, Michele Rouvier, Bernard, see Auroy, Yves

Rowlingson, John C.: Transient Neurologic Symptoms: Now, with Phenylephrine?, 737 Rubie, Elizabeth A., see Gutstein, Howard B. Rubin, Nina, see Hoke, J. Frank

Ruskin, Keith J.: ANESTHESIOLOGY, 193Ruskin, Keith J.: E-chocardiography, 464Ruskin, Keith J.: Virtual Anaesthesia Text-book, 727

Russell, Michael, see Kharasch, Evan D.Russo, Marc A.: Dilutional Acidosis: A Nonentity?, 1010

S

Saatee, Simin, see Khorasani, Arjang Sadovnikoff, Nicholas, Maxwell, Lynne G.: Respiratory Failure after Laparoscopic Cholecystectomy in a Patient with Chronic Hemidiaphragm Paralysis, 996 Safar, Peter: Tribute to Dr. Austin Lamont, 461 Sagnard, P., see Gratadour, P.

Saidman, Lawrence J., see Todd, Michael M.
Saito, Yoji, see Sakura, Shinicki
Sakabe, Takefumi, see Kuroda, Yasuhiro
Sakaguchi, Yasuko, see Sakura, Shinicki
Sakamoto, Takanori, see Sasaoka, Noriyuki
Sakura, Shinicki, Sumi, Mariko, Sakaguchi, Yasuko, Saito, Yoji, Kosaka, Yoshihiro, Drasner,
Kenneth: The Addition of Phenylephrine
Contributes to the Development of Transfert

suko, Saito, Yoji, Kosaka, Yoshihiro, Drasner, Kenneth: The Addition of Phenylephrine Contributes to the Development of Transient Neurologic Symptoms after Spinal Anesthesia with 0.5% Tetracaine, 771 Salmon, Roger C., see Frink, Edward J., Jr.

Samii, Kamran, see Auroy, Yves Samuelson, Paul N., see Nielsen, Vance G. Sanapati, Mahendra R., see Gevitz, Clifford M. Sanborn, Kevin V.: In Reply, 722 Sanborn, Kevin V.: In Reply, 723 Sandner, Guy, see Pain, Laure

Sang, Christine N., Gracely, Richard H., Max, Mitchell B., Bennett, Gary J.: In Reply, 452 Sangwan, Susheela, see Sopher, Michael Sano, Tomomi, see Fukushige, Tetsushi Santos, Alan C., see Lagasse, Robert S. Sarier, Kaya, see Reich, David L.

Sarton, Elise, Dahan, Albert, Teppema, Luc, Berkenbosch, Aad, Van den Elsen, Maarten, Van Kleef, Jack: Influence of Acute Pain Induced by Activation of Cutaneous Nociceptors on Ventilatory Control, 289

Sasaoka, Noriyuki, Kawaguchi, Masahiko, Sha, Keiichi, Sakamoto, Takanori, Shimokawa, Mitsuru, Kitaguchi, Katsuyasu, Furuya, Hitoshi: Intraoperative Immediate Diagnosis of Acute Obstruction of Tricuspid Valve and Pulmonary Embolism Due to Renal Cell Carcinoma with Transesophageal Echocardiography, 998

Saux, Pierre, see Papazian, Laurent Sawada, Masaki, see Naito, Yoshiyuki Schäppi, Beatrice, see Borgeat, Alain Schlamp, Nikolas, see Tonner, Peter H. Schmeling, Todd J., see Kersten, Judy R. Schmeling, William T., see Farber, Neil E. Schmidt, Heinfried, see Schmidt, Werner

Schmidt, Werner, Schmidt, Heinfried, Bauer, Harald, Gebhard, Martha Maria, Martin, Eike: Influence of Lidocaine on Endotoxin-induced Leukocyte-Endothelial Cell Adhesion and Macromolecular Leakage in Vivo, 617 Schoenwald, Peter K., see Sprung, Juraj Scholz, Jens, see Tonner, Peter H. Schulte am Esch, Jochen, see Tonner, Peter H.; also see Von Knobelsdorff, Georg Schwartz, Arthur E., see Stone, J. Gilbert Schwartzenburg, Cynthia F., Wass, C. Thomas, Strickland, Robert A., Hayes, David L.: Rate-adaptive Cardiac Pacing: Implications of Environmental Noise during Craniotomy, 1252

Schweizer, Alexandre, see Licker, Marc Sebel, Peter, see Gan, Tong J.; also see Johansen, Jay W.; Yarmush, Joel

Scite, Raymond, see Papazian, Laurent Seki, Sumihiko, Horibe, Mayumi, Murray, Paul A.: Halothane Attenuates Endothelium-dependent Pulmonary Vasorelaxant Response to Lemakalim, an Adenosine Triphosphate (ATP)-sensitive Potassium

Channel Agonist, 625 Sessler, Daniel I., see Kotani, Naoki; also see Larson, Merlin D.; Lenhardt, Rainer; Plattner, Olga; Szmuk, Peter; Talke, Pekka

Shackleton, Christopher, see Sopher, Michael Shaheen, Nicholas J., see Kopp, Vincent J. Shah, J. L.: Postdural Puncture Headache and

Epidural Blood Patch, 1017 Sha, Keiichi, see Sasaoka, Noriyuki Shankar, K. Bhavani, Mushlin, Phillip S.: Arterial to End-tidal Gradients in Pregnant Sub-

jects, 1596 Shanks, Colin A., *see* Avram, Michael J. Shapiro, Barry A.: In Reply, 1588

Shapiro, Barry A.: In Reply, 1590 Sharma, Manohar, see Reynolds, Lynne M. Sharma, Shiv K., Sidawi, J. Elaine, Ramin, Susan M., Lucas, Michael J., Leveno, Kenneth J., Cunningham, F. Gary: Cesarean Delivery: A Randomized Trial of Epidural versus Patient-Controlled Meperidine Analgesia

Sharrock, Nigel E., see Liguori, Gregory A. Sheng, Huaxin, see Pittman, Janet E. Shiga, Makoto, see Nishina, Kahoru Shimizu, Reiju, see Konishi, Ruriko Shimokawa, Mitsuru, see Sasaoka, Noriyuki Shimonaka, Hiroyuki, see Ishizawa, Yumiko Shlugman, David, see Hoke, J. Frank Sho, Yasuhide, see Isono, Shiroh

during Labor, 487

Sibell, David M.: Treatment of Hypotension after Hyperbaric Tetracaine Spinal Anesthesia, 1255

Sidawi, J. Elaine, see Sharma, Shiv K.
Silvay, George, see Fisher, Cherie F.
Silverstein, Mark E., see Benzon, Honorio T.
Singer, Thomas, see Zollinger, Andreas
Sivenius, Juhani, see Kuhmonen, Johanna
Sladen, Robert N., see Bennett-Guerrero,
Elliott

Sladen, Robert N., see Reves, J. G.

Slaughter, Thomas F., Greenberg, Charles S.: Heparin-associated Thrombocytopenia and Thrombosis: Implications for Perioperative Management, 667

Slaughter, Thomas F., see Bennett-Guerrero, Elliott

Slaughter, Thomas F., see Gerhardt, Mark A.Slinger, Peter, Blundell, Peter E., Metcalf, IanR.: Management of Massive Grain Aspiration, 993

Slocum, Robert E., see Cason, Brian A.
Sly, Peter D., see Habre, Walid
Smith, Frederick A., see Birmingham, Patrick K.
Smith, Mark Stafford, see Gerhardt, Mark A.
Smith, Peter K., see Bennett-Guerrero, Elliott
Smith, Tom, see Reasoner, Daniel K.

Solod, Eugene, see Edsall, David W.
Sone, Tetsuhiro, see Naito, Yoshiyuki
Song, Dajun, Joshi, Girish P., White, Paul F.:
Titration of Volatile Anesthetics Using Bispectral Index Facilitates Recovery after
Ambulatory Anesthesia, 842

Song, He-Sun, see Ko, Seong-Hoon Sonner, James, see Eger, Edmond I, II Sopher, Michael, Braunfeld, Michelle, Shackleton, Christopher, Busuttil, Ronald W., Sangwan, Susheela, Csete, Marie: Fatal Pul-

monary Embolism during Liver Transplantation, 429 Sorohan, Jonathan G., see Bennett-Guerrero,

Southerland, Lucy C., see Cruz, Antonio M. Spahn, Donat R., see Zollinger, Andreas

Elliott

Splinter, William M., Reid, Craig W., Roberts, David J., Bass, Juan: Reducing Pain after Inguinal Hernia Repair in Children: Caudal Anesthesia versus Ketorolac Tromethamine, 542

Sprung, Juraj, Schoenwald, Peter K.: In Reply, 1260

Stacey, Brett R.: Pain Management for the Practicing Physician, edited by G. A. Irving and M. S. Wallace, 1603

Stanski, Donald R.: The Pharmacokinetics of Intravenous Fluids, 200

Stanski, Donald R., see Wada, D. Russell Staples, Mark H., see Lu, Jeffrey K. Staudinger, Thomas, see Frass, Michael

Stein, Arnold, see Szmuk, Peter

Steinbrook, Richard A., Datta, Sanjay: Increase in the Arterial-to-end-tidal Gradient (Intraabdominal Carbon Dioxide Insufflation in the Pregnant Ewe), 1596

Stephen, John P. H., see Woodforth, Ian J.Steward, David J.: Critical Care of Infants and Children, edited by I. David Todres, M.D., and John H. Fugate, M.D, 1023

Stockmann, Anne, see Lötsch, Jörn Stone, J. Gilbert, Schwartz, Arthur E., Berman, Mitchell F., Lenczewski, Vincent S., Ahmad, Shabina M., Bruce, Jeffrey N., Goodman, Robert R.: Air Embolization in Seated, Sedated, Spontaneously Breathing, Neurosurgical Patients, 1244

Storella, Robert J., Jr.: Improving the Design of Muscle Relaxant Studies, 459

Streisand, James, see Yarmush, Joel Strickland, Robert A., see Schwartzenburg, Cynthia F

Striebel, Hans Walter, *see* Rieger, Armin Stubbe, Hans-Martin, *see* Von Knobelsdorff, Georg

Stump, David A., see O'Brien, James J.
Stuth, Eckehard A. E., Dogas, Zoran, Krolo, Mirko, Kampine, John P., Hopp, Francis A., Zuperku, Edward J.: Dose-dependent Effects of Halothane on the Phrenic Nerve Responses to Acute Hypoxia in Vagotomized Dogs, 1428

Stuth, Eckehard A. E., Dogas, Zoran, Krolo, Mirko, Kampine, John P., Hopp, Francis A., Zuperku, Edward J.: Effects of Halothane on the Phrenic Nerve Responses to Carbon Dioxide Mediated by Carotid Body Chemoreceptors in Vagotomized Dogs, 1440

Subieta, Alberto, *see* Reasoner, Daniel K. Suematsu, Makoto, *see* Morisaki, Hiroshi Suga, Hiroyuki, *see* Kohno, Kunihisa; *also see* Nakayama, Yasunori

Sugiura, Naoki, Yamada, Morimasa, Kainuma, Motoshi, Miyake, Toshiyuki: The Use of a Nasogastric Tube as an Aid in Blind Nasotracheal Intubation: A Postscript, 449

Sugiyama, Yoshihiko, see Iwama, Hiroshi Sumi, Mariko, see Sakura, Shinicki Sundman, Eva, see Eriksson, Lars I. Sung, Yung-Fong, see Gold, Martin, I. Sutton, J. A., see Murphy, D. B.

Suzuki, Shunsuke, see Kohno, Kunihisa Svensén, Christer, Hahn, Robert G.: Volume Kinetics of Ringer Solution, Dextran 70, and Hypertonic Saline in Male Volunteers, 204

Szmuk, Peter, Ezri, Tiberiu, Sessler, Daniel I., Stein, Arnold, Geva, Daniel: Spinal Anesthesia Speeds Active Postoperative Rewarming, 1050

T

Tagaito, Yugo, see Isono, Shiroh Taga, Kiichiro, Patel, Piyush M., Drummond, John C., Cole, Daniel J., Kelly, Paul J.: Transient Neuronal Depolarization Induces Tolerance to Subsequent Forebrain Ischemia in Rats, 918

Takahashi, Kan, see Kojima, Yuko Takahashi, Kenichirou, see Imai, Takasuke Takaki, Miyako, see Kohno, Kunihisa; also see Nakayama, Yasunori

Takakura, Ko, Hasegawa, Koichi, Goto, Yukio, Muramatsu, Ikunobu: Nitric Oxide Produced by Inducible Nitric Oxide Synthase Delays Gastric Emptying in Lipopolysaccharide-treated Rats, 652

Takasu, Makoto, see Iwama, Hiroshi Takeda, Junzo, see Morisaki, Hiroshi Takenami, Tamie, see Asato, Fumio Takimoto, Eri, see Aono, Jun

Talke, Pekka, Tayefeh, Farzin, Sessler, Daniel I., Jeffrey, Renee, Noursalehi, Mojtaba, Richardson, Charles: Dexmedetomidine Does Not Alter the Sweating Threshold, But Comparably and Linearly Decreases the Vasoconstriction and Shivering Thresholds, 835

Talke, Pekka, see Lee, Hye-Won Tanaka, Atsuko, see Isono, Shiroh

Tanaka, Makoto, Nishikawa, Toshiaki: Oral Clonidine Premedication Does Not Alter the Efficacy of Simulated Intravenous Test Dose Containing Low Dose Epinephrine in Awake Volunteers, 285

Tanaka, Yoshifumi, see Matsuda, Tomoyuki Tan, Sidhartha, see Nielsen, Vance G.

Tayefeh, Farzin, see Larson, Merlin D.; also see Talke, Pekka

Taylor, Cynthia A.: In Reply, 720 Tchaoussoff, Jean, see Blanchard, Nicolas Teppema, Luc, see Sarton, Elise Terada, Koichi, see Iwama, Hiroshi TerRict, Menno F., see DeSouza, Gerard Tessmer, John P., see Jamali, Iyad N.; also see Pagel, Paul S.

Testa, Vinicio, see De Cicco, Marcello Thalhammer, Florian, see Frass, Michael Thelin, Stefan, see Magnusson, Lennart

Theroux, Mary C., Corddry, David H., Tietz, Amy E., Miller, Freeman, Peoples, Joseph D., Kettrick, Robert G.: A Study of Desmopressin and Blood Loss during Spinal Fusion for Neuromuscular Scoliosis: A Randomized, Controlled, Double-Blinded Study, 260

Thomachot, Laurent, see Albanèse, Jacques Thomas, Pascal, see Papazian, Laurent Thummel, Kenneth E., see Kharasch, Evan D. Tietz, Amy E., see Theroux, Mary C.

Tobin, Michael J., see Birmingham, Patrick K. Todd, Michael M., Saidman, Lawrence J.: Academic-Industrial Relationships: The Good, the Bad, and the Ugly, 197

Tong, C., see Klimscha, W.

Tong, Doris, Chung, Frances, Wong, David: Predictive Factors in Global and Anesthesia Satisfaction in Ambulatory Surgical Patients, 856

Tonner, Peter H., Scholz, Jens, Lamberz, Lars,

Schlamp, Nikolas, Schulte am Esch, Jochen: Inhibition of Nitric Oxide Synthase Decreases Anesthetic Requirements of Intravenous Anesthetics in *Xenopus laevis*, 1479

Tonner, Peter H., see Von Knobelsdorff, Georg

Tramèr, Martin R., Reynolds, John M., Moore, R. Andrew, McQuay, Henry J.: Efficacy, Dose-Response, and Safety of Ondansetron in Prevention of Postoperative Nausea and Vomiting: A Quantitative Systematic Review of Randomized Placebo-controlled Trials, 1277

Trankina, Mark F.: Essentials of Anestbesiology, Third Edition, by David C. Chung and Arthur M. Lam, 1023

Troncy, Eric, Francœur, Martin, Blaise, Gilbert: Inhaled Nitric Oxide Delivery Systems. 1591

Truog, Robert, see Jackson, Stephen H. Truog, Robert D., see Waisel, David B. Tschepnich, Heinz, see Lenhardt, Rainer

Tsen, Lawrence C., Arthur, G. Richard, Datta, Sanjay, Hornstein, Mark D., Bader, Angela M.: Estrogen-induced Changes in Protein Binding of Bupivacaine during *in Vitro* Fertilization, 879

Tsen, Le-Yin, see Fu, Miin-Jiuan Tsukiyama, Yoshi, see Iranami, Hiroshi Tsuruta, Junko, see Kuroda, Yasuhiro Turner, Lawrence A., see Vodanovic, Sanja; also see Weigt, Henry U. Tydén, Hans, see Magnusson, Lennart

U

Ucda, Wasa, see Aono, Jun
Ucjima, Tetsu: Pediatric Trauma Anestbesia & Critical Care, edited by J. K. Hall and
Jeffrey M. Berman, 1024
Umali, Eric F., see Brennan, Timothy J.
Uy, Nonita T., see Gold, Martin, I.

 \mathbf{V}

Vandam, Leroy D.: Capsaican-evoked Mechanical Allodynia and Hyperalgesia Crossnerve Territories, 452
Van den Elsen, Maarten, see Sarton, Elise
Van der Merwe, Retief, see Muckart, David J. J.
Van Kleef, Jack, see Sarton, Elise
Van Norman, Gail, see Jackson, Stephen H.
Van Riper, Daniel F., see Bennett, Joel A.
Van Wagoner, David R., see Carnes, Cynthia A.
Vasile, Norbert, see Dambrosio, Michele
Verghese, Chandy, see Bapat, Pramod P.
Veselis, Robert A., Reinsel, Ruth A., Beattie,
Bradley J., Mawlawi, Osama R., Fesh-

chenko, Vladimir A., DiResta, Gene R., Larson, Steven M., Blasberg, Ronald G.: Midazolam Changes Cerebral Blood Flow in Discrete Brain Regions: An H₂15O Positron Emission Tomography Study, 1106

Veselis, Robert A., Reinsel, Ruth A., Feshchenko, Vladimir A., Wroński, Marek: The Comparative Amnestic Effects of Midazolam, Propofol, Thiopental, and Fentanyl at Equisedative Concentrations, 749

Viale, J. P., see Gratadour, P.

Viby-Mogensen, Jorgen: Implementation of Pharmaceutical Practice Guidelines, 1587 Vidovich, Mladen I., see Wong, Hak Y.

Vierra, Mark, see Brock-Utne, John G. Vincent, Jean-Louis, see Creteur, Jacques

Vistica, Mary F., see Caplan, Robert A.
Vivien, Benoît, see Gueugniaud, Pierre-Yves
Vivien, Benoît, Hanouz, Jean-Luc, Gueugniaud, Pierre-Yves, Lecarpentier, Yves, Coriat, Pierre, Riou, Bruno: Myocardial Effects
of Halothane and Isoflurane in Hamsters
with Hypertrophic Cardiomyopathy, 1406
Vloka, Jerry D., see Hadzic, Admir

Vodanovic, Sanja, Turner, Lawrence A., Hoffmann, Raymond G., Kampine, John P., Bosnjak, Zeljko J.: Actions of Phenylephrine, Isoproterenol, and Epinephrine with Halothane on Endocardial Conduction and Activation in Canine Left Ventricular Papillary Muscles, 117

Von Knobelsdorff, Georg, Brauer, Patrick, Tonner, Peter H., Hänel, Frank, Naegele, Herbert, Stubbe, Hans-Martin, Schulte am Esch, Jochen: Transmyocardial Laser Revascularization Induces Cerebral Microembolization, 58

Vujic, Dragomir, see Yarmush, Joel

Vuyk, Jaap, Mertens, Martijn J., Olofsen, Erik, Burm, Anton G. L., Bovill, James G.: Propofol Anesthesia and Rational Opioid Selection: Determination of Optimal EC₅₀-EC₉₅ Propofol-Opioid Concentrations that Assure Adequate Anesthesia and a Rapid Return of Consciousness, 1549

W

Wada, D. Russell, Björkman, Sven, Ebling, William F., Harashima, Hideyoshi, Harapat, Sandra R., Stanski, Donald R.: Computer Simulation of the Effects of Alterations in Blood Flows and Body Composition on Thiopental Pharmacokinetics in Humans, 884

Waisel, David B., Truog, Robert D.: An Introduction To Ethics, 411

Waisel, David B., Truog, Robert D.: How an Anesthesiologist Can Use the Ethics Consultation Service, 1231 Waisel, David B., Truog, Robert D.: Informed Consent, 968

Waisel, David B., Truog, Robert D.: The Endof-life Sequence, 676

Wakabayashi, Yoshiyuki, see Morisaki, Hiroshi Walker, Dean, see Riley, Edward T.

Walther, Sten M., Domino, Karen B., Glenny, Robb W., Hlastala, Michael P.: Pulmonary Blood Flow Distribution in Sheep: Effects of Anesthesia, Mechanical Ventilation, and Change in Posture, 335

Ward, Denham S., see Wu, Christopher L. Warltier, David C., see Jamali, Iyad N.; also see Kersten, Judy R.; Pagel, Paul S.

Warner, David O., see Bremerich, Dorothee H. Warner, David S., see Klein, Stephen M.; also see Pittman, Janet E.

Wass, C. Thomas, see Grady, Robert E., Jr.; also see Schwartzenburg, Cynthia F.

Watanabe, Itaru, see Andoh, Tomio
Watanabe, Kazuhiro, see Iwama, Hirosi

Watanabe, Kazuhiro, see Iwama, Hiroshi Watanabe, Yukinaga, see Iida, Hiroki

Waters, Jonathan H., see Miller, Lawrence R.Watkins, W. David, see Gold, Martin, I.; also see Yarmush. Joel

Watts, Andrew D. J., Gelb, Adrian W., Bach, David B., Pelz, David M.: Comparison of the Bullard and Macintosh Laryngoscopes for Endotracheal Intubation of Patients with a Potential Cervical Spine Injury, 1335

Weigt, Henry U., Kwok, Wai-Meng, Rehmert, Georg C., Turner, Lawrence A., Bosnjak, Zeljko J.: Modulation of Cardiac Sodium Current by α_1 -stimulation and Volatile Anesthetics, 1507

Weigt, Henry U., Rehmert, Georg C., Bosnjak, Zeljko J., Kwok, Wai-Meng: Conformational State-dependent Effects of Halothane on Cardiac Na⁺ Current, 1494

Weinger, Matthew B., Herndon, Oliver W., Gaba, David M.: The Effect of Electronic Record Keeping and Transesophageal Echocardiography on Task Distribution, Workload, and Vigilance During Cardiac Anesthesia, 144

Weiskopf, Richard B., see Eger, Edmond I, II Wessel, David L., see Atz, Andrew M. Wharen Robert F. Ir. see Clendenen Steve

Wharen, Robert E., Jr., see Clendenen, Steven R.

White, Paul F., see Song, Dajun White, Stephen P., see Edsall, David W.

White, William D., see Bennett-Guerrero, Elliott Wicky, Stephan, see Magnusson, Lennart Wiener-Kronish, Jeanine, see Kaneko, Kazuhiro Wildhaber, Johannes H., see Habre, Walid Windsor, Alastair, see Gan, Tong J.

Witt, Hanne, see Eriksson, Lars I.

Wodey, Eric, Pladys, Patrick, Copin, Catherine, Lucas, Marie Madeleine, Chaumont, André, Carre, Philippe, Lelong, Bernard, Azzis, Olivier, Ecoffey, Claude: Comparative Hemodynamic Depression of Sevoflurane versus Halothane in Infants: An Echocardiographic Study, 795

Woehlck, Harvey: Optimal Rehydration of Desiccated CO₂ Absorbents, 1590

Woehlck, Harvey J., Dunning, Marshall, III, Connolly, Lois A.: Reduction in the Incidence of Carbon Monoxide Exposures in Humans Undergoing General Anesthesia, 228

Wong, David, see Tong, Doris

Wong, Hak Y., Vidovich, Mladen I.: Acute Bronchospasm Associated with Polymethylmethacrylate Cement, 696

Woodforth, Ian J., Hicks, Richard G., Crawford, Matthew R., Stephen, John P. H., Burke, David J.: Electroencephalographic Evidence of Seizure Activity under Deep Sevoflurane Anesthesia in a Nonepileptic Patient, 1579

Woodgett, James R., see Gutstein, Howard B. Wood, Gordon G., Jacka, Michael J.: Spinal Hematoma following Spinal Anesthesia in a Patient with Spina Bifida Occulta, 983

Wood, Margaret: Drug Distribution: Less Passive, More Active?, 1274

Woolf, Rex L., Crawford, Mark W., Choo, Shu May: Dose-Response of Rocuronium Bromide in Children Anesthetized with Propofol: A Comparison with Succinylcholine, 1368

Wright, Will A., see Dexter, Franklin Wroński, Marek, see Veselis, Robert A.

Wu, Christopher L., Yang, Jay, Ward, Denham S.: Relationship between NIH Dollars and Percentage of Residents Matched through the National Residency Matching Program. 454

Wu, Sheng-Nan: Response to: Possible Contribution of Transmembrane Ca²⁺ Influx to Adenylate Cyclase-mediated NO-cGMP Relaxation in Rat Aorta, 712

Wulf, Hinnerk, see Mercker, Stefanie K.

Y

Yada, Toyotaka, see Fujita, Yoshihisa Yamada, Hiroshi, see Kaneko, Kazuhiro Yamada, Morimasa, see Sugiura, Naoki

Yamamoto, Tatsuo, Nozaki-Taguchi, Natsuko: Effects of Intrathecally Administered Nociceptin, an Opioid Receptor-like, Receptor Agonist, and N-methyl-D-aspartate Receptor Antagonists on the Thermal Hyperalgesia Induced by Partial Sciatic Nerve Injury in the Rat, 1145

Yamazaki, Kazuo, see Naito, Yoshiyuki Yanase, Hisato, see Liu, Keyue Yang, Charles I., see Lee, Don S.

Yang, Charles I., see Lee, Don S. Yang, Jay, see Wu, Christopher L.

Yarmush, Joel, D'Angelo, Robert, Kirkhart, Barbara, O'Leary, Colleen, Pitts, Melvin C., II, Graf, George, Sebel, Peter, Watkins, W. David, Miguel, Rafael, Streisand, James, Maysick, Laurie K., Vujic, Dragomir: A Comparison of Remifentanil and Morphine Sulfate for Acute Postoperative Analgesia after Total Intravenous Anesthesia with Remifentanil and Propofol, 235

Yarmush, Joel, see Gold, Martin, I. Yee, Pamela S., see Kopman, Aaron F. Yoshiya, Ikuto, see Kagawa, Kiyokazu Youngberg, John A.: Introduction to Anestbesta, Ninth Edition, edited by David E. Longnecker and Frank L. Murphy, 191 Young, Christopher J., see Galinkin, Jeffrey L.

Z

Zacny, James P., see Galinkin, Jeffrey L. Zahn, Peter K., see Brennan, Timothy J. Zauder, Howard L.: Perioperative Autologous Transfusion Service: A Logical Extension of our Role in the Operating Room, 458

Zbinden, Alex M., see Curatolo, Michele Zemgulis, Vitas, see Magnusson, Lennart Zhu, Hechen, Cottrell, James E., Kass, Ira S.: The Effect of Thiopental and Proposol on

The Effect of Thiopental and Propofol on NMDA- and AMPA-mediated Glutamate Excitotoxicity, 944

Zifkin, Benjamin G., see Lannes, Marcelo Zollinger, Andreas, Hager, Pablo, Singer, Thomas, Friedl, Hans P., Pasch, Thomas, Spahn, Donat R.: Extreme Hemodilution Due to Massive Blood Loss in Tumor Surgery, 985

Zornow, Mark H., see Burton, Allen W. Zuperku, Edward J., see Stuth, Eckehard A. E.